Final Examinations 2020

on Trigonometry and Geometry





Model

Answer	the following qu	estions:		
1 Choose	the correct ans	wer from those giver	n :	
1 tan	45° =			
(a)	1	(b) $2\sqrt{2}$	(c) $\frac{1}{2}$	$(d)\sqrt{2}$
2 If si	in $X = \frac{1}{2}$, X is a	n acute angle, then n	n (∠ X) = ··········	
(a)	45°	(b) 60°	(c) 30°	(d) 90°
3 The	distance between	the two points (3,0)	and $(0, -4)$ equals	····· length units.
(a)	4	(b) 5	(c) 6	(d) 7
$\boxed{4} \text{ If } \lambda$	$C + y = 5 , k \ X$	+ 2 y = 0 are perpend	licular, then $k = \cdots$	
(a)	-2	(b) - 1	(c) 1	(d) 2
5 If A	A(5,7), B(1)	,-1), then the midp	oint of AB is	
(a)	(2,3)	(b) $(3,3)$	(c) (3, 2)	(d)(3,4)
B The	e equation of the	straight line which pa	sses through the poin	t $(3, -5)$ and parallel
to y	-axis is ·····			
(a)	x = 3	(b) $y = -5$	(c) $y = 2$	(d) $X = -5$
2 [a] Wi	thout using calc	ulator , prove that :	$\sin 60^\circ = 2 \sin 30^\circ \cos^2 30^\circ$	os 30°
[b] Pro	ove that: The po	ints A $(-3, -1)$,	B (6,5) and C (3,3) are collinear.

- [3] If $4 \cos 60^{\circ} \sin 30^{\circ} = \tan x$, find the value of x, where x is an acute angle.
 - [b] If the midpoint of \overline{AB} is C (6, -4) where A (5, -3), find the point: B
- [a] If the straight line L_1 passes through the points (3, 1), (2, k) and the straight line L_2 makes with the positive direction of the X-axis an angle of measure 45° , find the value of k if $L_1 // L_2$
 - **[b]** ABC is a right-angled triangle at $C \cdot AC = 6 \text{ cm.}$, BC = 8 cm.

Find: \bigcirc cos A cos B – sin A sin B

2 m (∠ B)

- [a] Find the equation of the straight line whose slope is 2 and passes through the point (1,0)
 - **[b] Prove that:** The points A (3, -1), B (-4, 6) and C (2, -2) which belongs to an orthogonal Cartesian coordinates plane lie on the circle whose centre is M(-1,2)Find the circumference of the circle.

Model

Answer the following questions:

(1	Choose	the	correct	answer	from	those	given	•
1		CHOOSE	uic	COLLECT	aliswei	HUIII	mose	given	

- 1 2 sin 30° tan 60° =
 - $(a)\sqrt{3}$
- (c) $\frac{\sqrt{3}}{3}$
- 2 The equation of the straight line which passes through the point (-2, -3) and parallel to X-axis is

- (a) X = -2 (b) X = -3 (c) y = -2 (d) y = -33 If $\cos X = \frac{\sqrt{3}}{2}$, X is an acute angle, then $\sin 2X = \cdots$ (a) 1 (b) $\frac{\sqrt{3}}{2}$ (c) -2 (d) $\frac{1}{\sqrt{3}}$

- A circle of centre at the origin point and its radius length is 2 length units, which of the following points belongs to the circle?
 - (a) (1, -2)
- (b) $(-2, \sqrt{5})$ (c) $(\sqrt{3}, 1)$

- **5** The perpendicular distance between the two straight lines : x 2 = 0, x + 3 = 0equals length units.
 - (a) 1
- (c)2
- (d) 3
- **B** If $\frac{-3}{2}$, $\frac{6}{k}$ are the slopes of two parallel straight lines, then $k = \dots$
 - (a) 6
- (b) 4
- (c) $\frac{3}{2}$
- (d) 2
- [a] If $\cos E \tan 30^\circ = \cos^2 45^\circ$, find m ($\angle E$), E is an acute angle.
 - **[b]** Show the type of the triangle whose vertices are A (3,3), B (1,5) and C (1,3)due to its side lengths.
- [a] Find the equation of the straight line which passes through the points (1,3) and (-1,-3)and prove that it is passing through the origin point.
 - **[b]** If the point (3, 1) is the midpoint of (1, y), (x, 3), find the point (x, y)

- [a] Find the equation of the straight line which intercepts the two axes two positive parts of lengths 1 and 4 for x and y axes respectively and find its slope.
 - [b] ABC is a right-angled triangle at B , AC = 10 cm. and BC = 8 cm. **Prove that :** $\sin^2 A + 1 = 2 \cos^2 C + \cos^2 A$
- [a] Prove that: The straight line which passes through the points (-1,3), (2,4) is parallel to the straight line: 3y x 1 = 0
 - [b] ABCD is a trapezium, \overline{AD} // \overline{BC} , m (\angle B) = 90°, AB = 3 cm., BC = 6 cm. and AD = 2 cm. Find the length of \overline{DC} and the value of cos (\angle BCD)

Model for the merge students

Answer the following questions:

1 Put (✓) or (X):

- 1 The distance between the points (9,0), (4,0) equals 5 length units. ()
- 2 If $\tan E = 1$, then $m (\angle E) = 45^{\circ}$
- **3** The straight line y = 2 x + 1 intercepts a part of length -1 from y-axis
- 4 If $\overrightarrow{AB} \perp \overrightarrow{CD}$, then the slope of $\overrightarrow{AB} \times$ the slope of $\overrightarrow{CD} = 1$ (both of \overrightarrow{AB} and \overrightarrow{CD} aren't parallel to any axis)
- **B** If A (1,2), B (3,4), then the midpoint of \overline{AB} is (2,3)

2 Choose the correct answer from those given :

- 1 The distance between the point (4,3) and X-axis is length units.
 - (a) 3
- (h)3
- (c) 4
- (d) 4

- 2 4 cos 30° tan 60° =
 - (a) 3
- (b) $2\sqrt{3}$
- (c) 6
- (d) 12
- If X + y = 5, k X + 2 y = 0 are parallel, then $k = \dots$
 - (a) 2
- (b) 1
- (c) 1
- (d) 2
- The points (0, 1), (3, 0) and (0, 4)
 - (a) form a right-angled triangle.
- (b) form an acute-angled triangle.
- (c) form an obtuse-angled triangle.
- (d) are collinear.
- $\overrightarrow{AB} / \overrightarrow{CD}$ and the slope of $\overrightarrow{AB} = \frac{2}{3}$, then the slope of $\overrightarrow{CD} = \cdots$
 - (a) $\frac{2}{3}$
- (b) $\frac{3}{2}$
- (c) $\frac{-2}{3}$
- (d) $\frac{-3}{2}$
- **6** If $\sin x = \frac{1}{2}$, x is an acute angle, then $\sin 2x = \dots$
 - (a) 1
- (b) $\frac{1}{4}$
- (c) $\frac{\sqrt{3}}{2}$
- (d) $\frac{1}{\sqrt{3}}$

Join from column (A) to column (B):

(A)	(B)
1 The slope of the straight line which is parallel to x -axis is	• 10
$\sin^2 30^\circ + \cos^2 30^\circ = \dots$	• 0
If ABCD is a rectangle where A $(-1, -4)$, C $(5, 4)$, then the length of $\overline{BD} = \cdots$ length units.	• 1
The equation of the straight line which passes through the origin point and its slope is 2 is $y = \dots \times X$	• – 3
The equation of the straight line which passes through the point $(2, -3)$	• 2
and parallel to x -axis is $y = \dots$ The value of : $\frac{2 \tan 30^{\circ}}{1 + \tan^2 30^{\circ}} = \dots$	$\bullet \frac{\sqrt{3}}{2}$


4 Complete the following:

- 1 If \overrightarrow{AB} // \overrightarrow{CD} and the slope of $\overrightarrow{AB} = \frac{1}{2}$, then the slope of $\overrightarrow{CD} = \cdots$
- **2** In the opposite figure :

ABC is a right-angled triangle at B

$$AB = 3$$
 cm. and $BC = 4$ cm.

, then sin C =



- 3 If the point (0, a) belongs to the straight line: $3 \times -4 \text{ y} = -12$, then $a = \dots$
- If $x \cos 60^\circ = \tan 45^\circ$, then $x = \dots$
- **5** The distance between the point (4, 3) and the origin point in the coordinates plane is
- If the origin point is the midpoint of \overline{AB} where A (5, -2), then B (.....

Governorates' Examinations



on Trigonometry and Geometry



Cairo Governorate



Answer the following questions: (Calculator is allowed)

1	Choose	the	correct	answer	from	those	given	
	CHOOSE	HIC	COLLECT	allswei	TIOIII	mosc	given	

- 1 If $\overrightarrow{AB} \perp \overrightarrow{CD}$ and the slope of $\overrightarrow{AB} = \frac{1}{2}$, then the slope of $\overrightarrow{CD} = \cdots$
 - (a) 2

- (d) 2
- 2 The number of symmetry axes of an isosceles triangle equals
 - (a) 1
- (b) 2
- (c) 3
- (d)4

- 3 tan 60° tan 30° =
 - (a) sin 30°
- (b) tan 30°
- (c) tan 45°
- (d) cos 60°
- 4 The sum of the measures of the interior angles of the quadrilateral equals
 - (a) 540°
- **(b)** 360°
- (c) 180°
- The equation of the straight line which passes through the point (2, 3) and is parallel to X-axis is
 - (a) X = 2
- **(b)** X = 3
- (c) y = 2
- (d) y = 3
- **6** The perimeter of the square whose surface area is 100 cm² equals cm.
- **(b)** 20
- (c)40
- (d) 50
- [a] If $\chi \sin 45^{\circ} \cos 45^{\circ} = \sin 30^{\circ}$, find the value of χ (Showing the steps of the solution).
 - [b] Find the equation of the straight line which its slope is 2 and passes through the point (1,0)
- [a] XYZ is a right-angled triangle at Y in which XY = 6 cm. \Rightarrow YZ = 8 cm. Find the value of : $\cos X \cos Z - \sin X \sin Z$
 - **[b]** ABCD is a quadrilateral, where A (2,4), B (-3,0), C (-7,5), D (-2,9)**Prove that:** The figure ABCD is a square.

4 [a] In the opposite figure:


ABCD is a rectangle AB = 15 cm.

AC = 25 cm.

Find: 1 The length of BC

2 m (∠ ACB)

3 The area of the rectangle ABCD



[b] If C (6, -4) is the midpoint of AB where A (5, -3), find the coordinates of the point B

- [a] If the straight line whose equation is a X + 2 y 7 = 0 is parallel to the straight line which makes an angle of measure 45° with the positive direction of x-axis , find the value of a
 - [b] Find the equation of the straight line which passes through the two points (4, 2), (-2, -1), then prove that it passes through the origin point.

Giza Governorate



Answer the following questions:

- Choose the correct answer:
 - 1 If $\sin x = \frac{1}{2}$ where x is an acute angle, then $\sin 2x = \cdots$ (a) $\frac{1}{4}$ (b) 1 (c) $\frac{1}{\sqrt{3}}$ (d) $\frac{\sqrt{3}}{2}$

- 2 The distance between the point (4, 3) and y-axis equalslength unit.
- (b) -4
- (c) 3
- (d) 4
- 3 The points (8,0), (0,6), (0,0)
 - (a) form a right-angled triangle.
- (b) form an obtuse-angled triangle.
- (c) form an acute-angled triangle.
- (d) are collinear.
- 4 If A (5,7), B (1,-1), then the midpoint of AB is
 - (a) (2,3)
- (b) (3,3)
- (c) (3, 2)
- (d) (3,4)
- $\boxed{5}$ The equation of the straight line which passes through the point (1, -3) and is parallel to X-axis is
 - (a) X = 3
- (b) y = 1
- (c) y = -3
- (d) X = -3
- The opposite figure represents a quarter of a circle with radius 2 cm. long • then its perimeter = ····· cm.
 - (a) 2π

(b) 5 π

(c) $\pi + 4$

(d) $4\pi + 4$



- [a] Find the equation of the straight line which its slope is 2 and passes through the point (1, -1)
 - [b] ABC is a right-angled triangle at C in which AC = 3 cm., BC = 4 cm. Find:
 - 1 cos A cos B sin A sin B
- 2 m (∠ B)
- [a] Without using calculator, prove that: $\sin 60^\circ = 2 \sin 30^\circ \cos 30^\circ$
 - [b] If the straight line L_1 passes through the two points (3, 1), (2, k) and the straight line L_2 makes with the positive direction of the X-axis an angle of measure 45° find the value of k if $L_1 \perp L_2$

- [a] If $\cos E \tan 30^\circ = \cos^2 45^\circ$, then find m ($\angle E$) where E is an acute angle.
 - [b] Show the type of the triangle whose vertices are the points: A(3,3), B(1,5), C(1,3) with respect to its side lengths.
- [a] Find the slope of the straight line $5 \times 4 + 4 + 10 = 0$, then find the length of the y-intercept.
 - **[b]** Prove that the points A (3, -1), B (-4, 6), C (2, -2) which belong to a perpendicular coordinates plane passing through the circle whose centre is the point M(-1,2), then find the area of the circle.

Alexandria Governorate



Answer the following questions: (Calculators are permitted)

- Choose the correct answer from those given:
 - 1 If \overrightarrow{AB} // \overrightarrow{CD} and the slope of $\overrightarrow{AB} = \frac{2}{3}$, then the slope of $\overrightarrow{CD} = \cdots$
 - (a) $\frac{3}{2}$

2 In the opposite figure :


ABC is an isosceles triangle and a right-angled triangle at A , then $tan C = \cdots$



(b) $\frac{1}{\sqrt{3}}$

(c) 1





(a) $\sin A = \cos B$

(b) $\sin A = \sin B$

(c) $\tan A = \tan B$

(d) $\cos A = \cos B$

A circle of centre at the origin point and its radius length is 2 length unit, then the point belongs to it.

- (a) (1, -2)
- (b) $\left(-2,\sqrt{5}\right)$ (c) (0,1) (d) $\left(\sqrt{3},1\right)$

If X , Y are two supplementary angles and $m (\angle X) = m (\angle Y)$, then $m (\angle X) = \dots$

- (a) 30
- (b) 45
- (d) 90

6 The parallelogram whose diagonals are equal in length and perpendicular is the

- (a) square.
- (b) rhombus.
- (c) rectangle.
- (d) trapezium.


- [a] Find the value of X which satisfies: $X \sin 30^{\circ} \cos^2 45^{\circ} = \sin^2 60^{\circ}$
 - [b] ABCD is a parallelogram where A (3,2), B (4,-5), C (0,-3) Find the two coordinates of the point at which the two diagonals intersect, then find the coordinates of the point D
- [a] Prove that the points A (3, -1), B (-4, 6) and C (2, -2) are located on a circle whose centre is the point M (-1, 2), then find the circumference of the circle. ($\pi = 3.14$)
 - **[b]** Find the equation of the straight line which is perpendicular to the straight line whose equation is x + 2y + 5 = 0 and intercepts a positive part from y-axis that is equal to 7 units.
- [a] Prove that the straight line passing through the two points (-3, -2), (4, 5) is parallel to the straight line that makes with the positive direction of the X-axis an angle of measure 45°
 - [b] ABC is a right-angled triangle at C , AC = 6 cm. , BC = 8 cm. Find the value of : $\cos A \cos B \sin A \sin B$
- [a] Let A (4, -6), B (3, 7) and C (1, -3) Find the equation of the straight line which passes through A and the midpoint of \overline{BC}
 - [b] In the opposite figure:

ABCD is a rectangle where AB = 15 cm.

$$, AC = 25 \text{ cm}.$$

Find: $\boxed{1}$ m (\angle ACB)

2 The surface area of the rectangle ABCD





El-Kalyoubia Governorate

Answer the following questions:

- 1 Choose the correct answer:
 - 1 If $\cos \frac{x}{2} = \frac{1}{2}$ where $\frac{x}{2}$ is the measure of a positive acute angle, then $x = \dots$
 - (a) 30
- (b) 90
- (c)60
- (d) 120
- - (a) 16
- (b) 6
- (c)3
- (d) 2

- If CD is parallel to y-axis where C (k, 4), D (-5, 7), then $k = \cdots$
 - (a)5
- (b) 7
- (c) 5
- The equation of the straight line passing through the origin point and its slope = 1is
 - (a) y = X
- (b) y = -X
- (c) y = 2 X (d) y = 0
- If the point (0, a) belongs to the straight line $3 \times -4 + 12 = 0$, then $a = \dots$
 - (a)4
- (b) 3
- (c) 3
- (d) 4
- In \triangle ABC, if $(AB)^2 > (BC)^2 + (AC)^2$, then \angle C is angle.
 - (a) an acute
- (b) a right
- (c) an obtuse
- (d) a straight
- [2] [a] If the distance of the point (x, 5) from the point (6, 1) equals $2\sqrt{5}$ length unit , then find the value of X
 - [b] Without using the calculator, find the numerical value of the expression: $\sin 45^{\circ} \cos 45^{\circ} + \sin 30^{\circ} \cos 60^{\circ} - \cos^2 30^{\circ}$
- [a] ABCD is a parallelogram where A (3, 2), B (4, -5), C (0, -3)Find the two coordinates of the point at which the two diagonals intersect, then find the coordinates of the point D
 - **[b]** ABC is a right-angled triangle at B in which AC = 10 cm., BC = 8 cm.**Prove that**: $\sin^2 A + 1 = 2 \cos^2 C + \cos^2 A$
- [a] If the straight line L_1 passes through the two points (3, 1) and (2, k) and the straight line L_2 makes with the positive direction of the X-axis an angle of measure 45° , then find k if $L_1 // L_2$
 - [b] Find the equation of the straight line passing through the point (1, 2) and perpendicular to the straight line X + 3y + 7 = 0
- [a] In the opposite figure :


ABCD is a rectangle in which

AB = 15 cm. and AC = 25 cm.

Find: $\boxed{1}$ m (\angle ACB)

2 The surface area of the rectangle ABCD

[b] Find the equation of the straight line which intersects from the X and y axes two positive parts whose lengths are 4 and 9 length units respectively.



El-Sharkia Governorate



Answer the following questions: (Calculator is allowed)

11	Choose	the	correct	answer	from	those	given	

- 1 If $\cos(x + 25^\circ) = \frac{1}{2}$, x is the measure of an acute angle, then $x = \cdots$
 - (a) 20
- (b) 35
- (d) 5
- - (a) 2

- 3 The equation of the straight line which passes through the origin point and makes with the positive direction of x-axis an angle of measure 60° is
 - (a) X = 3 y
- (b) $y = \sqrt{3} x + 2$ (c) y = 3 x (d) $y = \sqrt{3} x$
- If ABC is a right-angled triangle at B and sin $A = \frac{2}{7}$, then $\cos C = \cdots$
 - (a) $\frac{2}{7}$
- (b) $\frac{3}{7}$
- (c) $\frac{4}{7}$ (d) $\frac{5}{7}$
- **5** The distance between the point $A(\sqrt{2}, 4)$ and the origin point equalslength unit.
 - $(a)\sqrt{2}$
- (b) $2\sqrt{2}$
- (c) $3\sqrt{2}$
- **6** If the slope of the straight line L_1 is $\frac{a}{5}$ and the slope of the straight line L_2 is $\frac{-b}{3}$ where a , b \neq 0 and $L_1 \perp L_2$, then a b =
 - (a) $\frac{3}{5}$
- (b) $\frac{-3}{5}$

[a] Without using the calculator, prove that: $\frac{\sin 30^{\circ} \sin 60^{\circ}}{\sin 45^{\circ} \cos 45^{\circ}} = \cos 30^{\circ}$

- **[b]** Prove that the points A (3, -1), B (-4, 6), C (2, -2) which belong to an orthogonal Cartesian coordinates plane lie on the circle whose centre is M (-1, 2), then find the circumference of the circle.
- [a] If A (5,1), B (3,-7), C (1,3) are three noncollinear points, find the equation of the straight line which passes through the point A and is parallel to BC


[b] In the opposite figure:

ABC is an isosceles triangle where

$$AB = AC = 10 \text{ cm.}$$
, $BC = 12 \text{ cm.}$

Find: 1 sin B

² The area of the triangle ABC



- [a] If ABCD is a parallelogram, A(3,3), B(2,-2), C(5,-1)
 - , find: 1 The coordinates of the point of intersection of the two diagonals.
 - 2 The coordinates of the point D
 - [b] Find the equation of the straight line which passes through the two points (4,5), (0,3), then find the coordinates of the intersection point of the straight line with X-axis.
- [a] If $\cos x = \sin 30^{\circ} \cos 60^{\circ}$
 - find : 1 The measure of angle X (where X is an acute angle).
 - 2 tan X
 - [b] Find the equation of the straight line which cuts 3 units from the positive part of y-axis and is perpendicular to the straight line $\frac{x}{2} + \frac{y}{3} = 1$
 - El-Monofia Governorate



Answer the following questions: (Using calculator is permitted)

Choose the correct answer :

- 1 If $\cos (x + 15)^\circ = \frac{1}{2}$, then $\sin (75 x)^\circ = \cdots$
 - (a) $\frac{1}{2}$
- (b) $\frac{\sqrt{3}}{2}$ (c) $\frac{1}{\sqrt{2}}$
- (d) 1
- 2 A circle is drawn inside a square where the circle touches its four sides. If the
- (b) 77
- (c) 112
- (d) 154
- The number of sides of the regular polygon in which the measure of one of its interior angles is 144° equals sides.
 - (a)7
- (b) 8
- (c) 9
- (d) 10
- - (a) 4
- (b)9
- (d) 36
- **5** The distance between the point (-2, -3) and X-axis equalslength units.
 - (a) 2
- (b) 3
- (c) 2
- **6** The equation of the straight line which its slope = $\frac{1}{2}$ and cuts the y-axis at the point (0, 3) is
 - (a) $2 y = \frac{1}{2} x + 6$

(b) $y = \frac{1}{2} X$

(c) $y = \frac{1}{2} x + 3$

(d) $2 y = \frac{1}{2} x + 3$


- [a] Without using calculator, find the numerical value of the expression: $\sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ} \tan^2 45^{\circ}$
 - **[b]** \overline{AB} is a diameter in circle M, if A (7, -3) and B (5, 1) where $\pi = 3.14$, find:
 - 1 The surface area of the circle.
 - 2 The coordinates of the centre of circle M
- [a] ABC is a right-angled triangle at A, AB = 5 cm. and BC = 13 cm.

 Find the numerical value of the expression: sin C cos B + cos C sin B
 - [b] Find the equation of the straight line which passes through the point (1, 3) and is perpendicular to the straight line passing through the two points (5, 0) and (2, 1)
- [a] In the opposite figure:

ABCD is an isosceles trapezium, its area = 36 cm.^2

 $\overline{AD} / \overline{BC}$, AD = 6 cm. and BC = 12 cm.

Find the value of : sin B + cos C




- **[b]** Show the type of the triangle ABC according to its angles measures if its vertices are A(-1,3), B(5,1) and C(6,4)
- [a] Find the slope of the straight line and the length of the intercepted part from y-axis where its equation is $4 \times 4 \times 5 = 0$
 - [b] In the opposite figure:

 \overrightarrow{CD} passes through the two points A (3, 2), B (-3, 6) and cuts the two axes at C and D respectively.

Find with the proof:

- 1 The equation of \overrightarrow{CD}
- 2 The area of the triangle DOC where O is the origin point.



El-Gharbia Governorate

Answer the following questions: (Calculator is allowed)

- 11 Choose the correct answer:
 - 1 The perpendicular distance between the two straight lines y 4 = 0 and y + 5 = 0 equalslength units.
 - (a) 1
- (b) 5
- (c) 9
- (d) 4


	is		moagn and point (o)	-,			
	(a) $X = 3$	(b) $y = 2$	(c) $y = -2$	$(\mathbf{d}) \ \mathcal{X} + \mathbf{y} = 1$			
	3 If the straight line	whose equation is y	= k X + 1 is parallel	to the straight line whose			
	equation is $2 y - x$	$C = 0$, then $k = \cdots$					
	(a) 1	<u>~</u>	(c) 2				
	4 If the lengths 3,7	, l are lengths of sid	es of a triangle, the	n ℓ can be equal to			
	(a) 3	(b) 7	(c) 4	(d) 10			
	5 The image of the p	point $(-3,5)$ by refl	ection on the y-axis	is			
		(b) $(5,3)$					
	6 If ABC is a right-a	ingled triangle at B,	then $\frac{\sin A}{\cos C} = \cdots$				
	(a) $\frac{3}{5}$	(b) $\frac{4}{3}$	(c) $\frac{3}{4}$	(d) 1			
	[a] If $\tan x = 4 \cos 60$	o° sin 30°, then find	the value of X when	$\mathbf{x} \in \mathcal{X}$ is the measure of an			
	acute angle.						
	[b] If the triangle XY	Z whose vertices are	$\times X (3,5) , Y (4,5)$	(2), $Z(-5, a)$ is			
	a right-angled triangle at Y						
	, find: 1 The va	alue of a					
	<u></u>	alue of a area of the tria	ingle XYZ				
	<u></u>	arface area of the tria		ry angles is 3 : 5			
	2 The su [a] If the ratio between	arface area of the tria	of two supplementar				
	2 The su [a] If the ratio between	en the two measures measure for each of t	of two supplementar	minutes.			
3	[a] If the ratio between find the degree of [b] Find the equation	en the two measures measure for each of t	of two supplementar them by degrees and passing through the p	minutes.			
	[a] If the ratio between find the degree ratio between the perpendicular to the sum of t	en the two measures measure for each of the straight line paths the straight line $x + y$	of two supplementar them by degrees and eassing through the part $y = 5$	minutes.			
	[a] If the ratio between, find the degree of [b] Find the equation perpendicular to the point of	en the two measures measure for each of the straight line per the straight line $x + y$ onts A $(3, -1)$, B	of two supplementary them by degrees and passing through the passing through the part of $y = 5$	minutes. point (– 1, 2) and			
	[a] If the ratio between find the degree of the sum of the degree of the sum	en the two measures measure for each of the straight line per the straight line $x + y$ onts A $(3, -1)$, B	of two supplementary them by degrees and easing through the passing through the passi	minutes. point (-1,2) and -2) which belong to an			
	[a] If the ratio between find the degree of the sum of the degree of the sum	en the two measures measure for each of the straight line put the straight line $x + y$ onto A $(3, -1)$, B sian coordinates planfind the circumferer	of two supplementary them by degrees and easing through the passing through the passi	minutes. point (-1,2) and -2) which belong to an hose centre is the point			
3	[a] If the ratio between, find the degree of the find the equation perpendicular to the second orthogonal Cartes of M (-1,2), then [b] ABCD is a trapez	en the two measures on the two measures of the straight line put the straight line $x + y$ onto $A(3, -1)$, B is an coordinates planting the circumferentium in which \overline{AD} //	of two supplementary them by degrees and easing through the passing through the passi	minutes. point (-1,2) and -2) which belong to an hose centre is the point			
	[a] If the ratio between, find the degree of the find the equation perpendicular to the second orthogonal Cartes of M (-1,2), then [b] ABCD is a trapez	en the two measures measure for each of the straight line paths at the straight line $x + y$ and $x +$	of two supplementary them by degrees and classing through the part of $y = 5$ of $(-4, 6)$, $C(2, 6)$ is a lie on one circle where in terms of π \overline{BC} , $m(\angle B) = 90^{\circ}$ is the value of: $\cos(\angle B)$	minutes. point $(-1, 2)$ and (-2) which belong to an hose centre is the point (-2) $($			
	[a] If the ratio between, find the degree of the find the equation perpendicular to the second orthogonal Cartes M (-1,2), then [b] ABCD is a trapez, AD = 6 cm.,	en the two measures measure for each of the straight line paths at the straight line $x + y$ and $x +$	of two supplementary them by degrees and classing through the part of $y = 5$ (-4,6), $C(2,4)$ The lie on one circle where in terms of π \overline{BC} , $m(\angle B) = 90^{\circ}$ The value of: $\cos(\angle B)$ $\cos(A + B) = 90^{\circ}$	minutes. point $(-1, 2)$ and (-2) which belong to an hose centre is the point (-2) $($			
	[a] If the ratio between, find the degree of the find the equation perpendicular to the sequence of the find the equation perpendicular to the find the point of the find the	en the two measures measure for each of the straight line put the straight line $x + y$ and $x + y$ a	of two supplementary them by degrees and classing through the pays = 5 $(-4,6), C(2,4)$ the lie on one circle where in terms of π $\overline{BC}, m(\angle B) = 90^{\circ}$ the value of: $\cos(\angle B)$ $(3,2), B(4,-5)$ the resection point of the	minutes. point $(-1, 2)$ and (-2) which belong to an hose centre is the point (-2) $($			

[b] In the opposite figure:

The point C is the midpoint of \overline{AB} where C (3, 4), O is the origin point in the perpendicular coordinate system.

Find: 1 The coordinates of the two points A and B

2 The equation of \overrightarrow{AB}



8 El-Dakahlia Governorate



Answer the following questions: (Calculator is permitted)

[a] Choose the correct answer from those given :

- 1 ABC is a triangle, $m (\angle A) = 85^{\circ}$, $\sin B = \cos B$, then $m (\angle C) = \cdots$
 - (a) 30°
- (b) 45°
- (c) 50°
- (d) 60°
- The area of the triangle bounded by the straight lines x = 0, y = 0
 - \Rightarrow 3 \times + 2 y = 12 equals ····· square units.
 - (a) 6
- (b) 12
- (c) 4
- (d) 5
- If the straight line passing through the two points (1, y), (3, 4) its slope equals $\tan 45^{\circ}$, then $y = \cdots$
 - (a) 1
- (b) 2
- (c) 1
- (d) 4
- [b] ABCD is an isosceles trapezium such that \overline{AD} // \overline{BC} , AD = 4 cm.

, AB = 5 cm. , BC = 12 cm. Find the value of :
$$\frac{\tan B \times \cos C}{\sin^2 C + \cos^2 B}$$

[a] Choose the correct answer from those given:

- The straight line a x + (2 a) y = 5 is parallel to the straight line passing through the two points (1, 4), (3, 5), then $a = \dots$
 - (a) 3
- (b) 2
- (c) 6
- (d) 4
- **2** ABC is a triangle \cdot 2 m (\angle C) = m (\angle A) + m (\angle B) \cdot then m (\angle C) =
 - (a) 30
- (b) 60
- (c) 45
- (d) 90
- The straight line $\frac{x}{2} \frac{y}{3} = 6$ cuts the x-axis at a part with length units.
 - (a) 3
- (b) 2
- (c) 6
- (d) 12


- [b] \overline{AB} is a diameter of circle M, B (8, 11), M (5, 7) Find:
 - 1 The circumference of the circle.
 - 2 The equation of the straight line perpendicular to \overline{AB} from point A
- [a] Prove that the quadrilateral ABCD whose vertices are:

$$A(-1,3)$$
, $B(5,1)$, $C(7,4)$, $D(1,6)$ is a parallelogram.

[b] The opposite figure represents the straight line \overrightarrow{AB} whose equation is $y = k \ X + c$ and cuts the two axes with two equal parts and passes through the point (2, 3) Find:



2 The area of the triangle ABO



[a] In the opposite figure :


The straight line \overrightarrow{AB} is parallel to y-axis.

The straight line \overrightarrow{BC} its equation is y = -x + 3

, the point B (2, 1) Find:



- 2 The area of the figure OABC
- **3** m (∠ OCB)



[b] ABC is a right-angled triangle at B

1 Prove that :
$$\sin^2 A + \cos^2 A = 1$$

2 If AB = 5 cm., AC = 13 cm., find:
$$m (\angle C)$$
 to the nearest minute.

- [a] Find the equation of the straight line passing through the point (3, 4) and makes with the positive direction of X-axis an angle of measure 135°
 - [b] Without using calculator, prove that:

$$\tan^2 60^\circ - \tan^2 45^\circ = \sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$$

Ismailia Governorate



Answer the following questions: (Calculator is allowed)

Choose the correct answer from those given :

- 1 The number of axes of symmetry of the scalene triangle equals
 - (a) zero
- (b) 1

- **2** The midpoint of \overline{AB} where A (6,0), B (0,4) is
 - (a) (6, 4)
- **(b)** (4, 6)
- (c) (3, 2) (d) (2, 3)
- 3 If the lengths of two sides of a triangle are 3 cm. and 4 cm., then the length of the third side may be cm.
 - (a) 1


- (d) 8
- 4 If $\tan 2 x = \frac{1}{\sqrt{3}}$ where 2 x is the measure of an acute angle, then $x = \dots \circ$
 - (a) 15

- (d) 60
- 5 When you stand in front of the mirror and see your image
 - , this is called in mathematics
 - (a) rotation.
- (b) translation.
- (c) reflection.
- (d) similarity.

6 In the opposite figure :

Which of the following represents the equation of the straight line L?

- (a) y = X
- (b) y = 2
- (c) y + x = 2
- (d) y x = 2



[a] Without using the calculator, find the value of x if:

$$\chi \cos^2 30^\circ = \tan^2 60^\circ \cos^2 45^\circ$$


- **[b]** If A (5, -1), B (3, 7), C (1, -3), find the equation of the straight line which passes through the midpoint of BC and the point A
- [a] Prove that the points A (1, -2), B (-4, 2), C (1, 6) are the vertices of an isosceles triangle.
 - **[b]** ABC is a right-angled triangle at B \rightarrow find the value of : $\frac{\sin A}{\cos C}$ and if $\tan D = \frac{\sin A}{\cos C}$ where D is an acute angle, **find**: m (\angle D)

- [a] If the straight line L_1 passes through the two points (k, 1), (2, 4) and the straight line L_2 makes with the positive direction of X-axis an angle of measure 45°
 - , find the value of k if the two straight lines are parallel.
 - [b] In the opposite figure :

ABC is an equilateral triangle of side length 5 cm.

, $D \in \overline{AB}$ where AD = 1 cm. , $\overline{DE} \perp \overline{BC}$


Find: tan (∠ DCE)



- [a] If ABCD is a rhombus where A (3,3), C (-3,-3)
 - , find: 1 The intersection point of the diagonals.
 - $\mathbf{2}$ The equation of \overrightarrow{BD}
 - [b] In the opposite figure:

A triangle ABC is drawn in the orthogonal Cartesian coordinates plane.

Prove that: \triangle ABC is a right-angled triangle and find its area.



Suez Governorate




Answer the following questions: (Calculator is allowed)

- 1 Choose the correct answer from those given:
 - $1 \sin^2 60^\circ + \cos^2 60^\circ = \cdots$
 - (a) 0
- (b) $\frac{1}{4}$
- (c) $\frac{1}{2}$
- (d) 1
- 2 ABCD is a parallelogram in which m (\angle A) + m (\angle C) = 200°
 - then m (\angle B) = ·················°
 - (a) 80
- **(b)** 50
- (c) 100
- (d) 160

3 In the figure opposite:

The equation of the straight line L is

- (a) X = 1
- (b) y = -X
- (c) y = X
- (d) y = 1



4 If a, b are the measures of two complementary angles

where a:b=1:2, then $b=\cdots ^{\circ}$

- (a) 180
- (b) 90
- (c) 30
- (d) 60
- 5 The perpendicular distance between the straight lines

x-2=0, x+3=0 equalslength units.

- (a) 1
- (b) 5
- (c) 2
- (d) 3
- **B** If A (0,0), B (5,7), C (5,h) are the vertices of a right-angled triangle at C, then $h = \dots$
 - (a) 0
- (b) 5
- (c)7
- (d) 5

[a] Without using calculator, prove that:

 $2 \sin 30^{\circ} + 4 \cos 60^{\circ} = \tan^2 60^{\circ}$

- [b] If A (-1,-1), B (2,3), C (6,0), D (3,-4) are four points on an orthogonal Cartesian coordinates plane
 - , prove that: \overline{AC} and \overline{BD} bisect each other.
- [a] If $\cos 3 x = \frac{\sin 60^{\circ} \sin 30^{\circ}}{\tan 45^{\circ} \sin^2 45^{\circ}}$, find the value of x where 3 x is an acute angle.
 - [b] Find the equation of the straight line passing through the point (1, 2) and perpendicular to the straight line passing through the two points A(2, -3), B(5, -4)
- [a] ABC is a right-angled triangle at C where AB = 5 cm. \Rightarrow BC = 4 cm.


Prove that: $\sin A \cos B + \cos A \sin B = 1$

- [b] Find the equation of the straight line whose slope is equal to the slope of the straight line $\frac{y-1}{x} = \frac{1}{3}$ and intersects a part from the negative direction of y-axis of length 3 units.
- [a] ABC is a triangle where A (0,0), B (3,4), C (-4,3)Find the perimeter of \triangle ABC
 - [b] In the opposite figure:

ABCD is a trapezoid, $\overline{AB} // \overline{CD}$

, A (9, -2) , B (3, 2) , C (-
$$x$$
, - x) , D (4, -3)

Find the coordinates of the point C



Port Said Governorate



Answer the following questions:

1	Choose	the	correct	answer	from	those	given	:

- If $\frac{-2}{3}$, $\frac{k}{6}$ are the slopes of two perpendicular straight lines, then $k = \dots$

- (d) 4
- The distance between the two points (15,0), (6,0) equals unit length.
 - (a) 9
- (b)9
- (c) 3
- (d) 3
- **3** ABC is a right-angled triangle at C , AB = 25 cm. , AC = 15 cm.
 - then the area of the surface of the triangle ABC is cm².
 - (a) 300
- (b) 75
- (c) 150
- (d) 375
- If \overrightarrow{CD} is parallel to the y-axis where C(m, 4), D(-5, 7), then $m = \dots$
 - (a) 5
- (b) 5
- (c) -7 (d) 7
- **5** If the point of the origin is the midpoint of \overline{AB} , where A (5, -2), then the point B is
 - (a) (2,5)
- (b) (5, -2) (c) (-2, -5) (d) (-5, 2)
- **b** If $\tan (x + 10) = \sqrt{3}$ where x is the measure of an acute angle, then $x = \dots$
 - (a) 40°
- (b) 50°
- (c) 60°
- (d) 70°
- [a] Prove that the straight line which passes through the points (-1,3),(2,4) is parallel to the straight line 3y-x-1=0

[b] Without using calculator, prove that:

 $\sin 90^{\circ} = \sin 60^{\circ} \cos 30^{\circ} + \cos 60^{\circ} \sin 30^{\circ}$

- [a] If $\cos E = \frac{\cos^2 45^\circ}{\tan 30^\circ}$, find m ($\angle E$), E is an acute angle.
 - **[b]** Prove that the points A (-3,0), B (3,4), C (1,-6) are the vertices of an isosceles triangle.
- [a] Find the equation of the straight line whose slope is equal to the slope of the straight line $\frac{y-1}{x} = \frac{1}{3}$ and intercepts a negative part from the y-axis that is equal to 3 units.
 - **[b]** ABCD is a quadrilateral, where A (2,3), B (6,2), C (-2,-2), D (-2,1)Prove that the figure ABCD is a trapezoid.

- [a] If A (5, -6), B (3, 7) and C (1, -3), then find the equation of the straight line passing through the point A and the midpoint of \overline{BC}
 - [b] XYZ is a right-angled triangle at Y, where XY = 5 cm., XZ = 13 cm. , find the value of : $\sin X \cos Z + \cos X \sin Z$

Damietta Governorate



	Answer the following	g questions: (Cal	lculator is allowed)	
1	Choose the correct	answer from the g	iven answers :	
	1 The complement	t of the angle whose	measure is 40° is of m	easure
	(a) 50°	(b) 80°	(c) 90°	(d) 140°
	2 If D $(6, -4)$ is 1	the midpoint of \overline{AB}	where A $(5, -3)$, the	n B is ·····
	(a) $(-5,7)$	(b) (5,7)	(c) (7,5)	(d) $(7, -5)$
	3 The length of the	e radius of the circle	of centre (0,0) and p	asses through (3,4)
	equals	length units.		
	(a) 7	(b) 1	(c) 12	(d) 5
	4 The slope of the	straight line $x - 5 =$	= 0 is	
	(a) 5	(b) $\frac{1}{5}$	(c) undefined.	(d) zero
	5 If $\tan (x + 10) =$	= 1, x is the measur	e of an acute angle, the	$x = \dots$
	(a) 45°	(b) 35°	(c) 80°	(d) 50°
	6 The perpendicu	lar distance between	the two straight lines	x - 3 = 0 , $x + 4 = 0$
	equals ·····	· length units.		
	(a) 1	(b) 5	(c) 2	(d) 7

- [a] Find the equation of the straight line which passes through the points (5,0), (0,5)
 - **[b]** ABC is a right-angled triangle at B where AB = 7 cm. \rightarrow AC = 25 cm.

Find the value of the following: $\sin^2 A + \sin^2 C$

- [a] If the points (0, 1), (a, 3), (2, 5) are located on one straight line , then find the value of a
 - [b] Find the equation of the straight line passing through the point (3,7) and parallel to the straight line X + 3y + 5 = 0

- [a] Without using the calculator, find the value of X (Where X is the measure of an acute angle) which satisfies that : $2 \sin x = \sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ}$
 - [b] Find the equation of the straight line whose slope is 2 and intersects a positive part from the y-axis that equals 7 units.
- [a] Prove the following equality: $\tan 60^\circ = \frac{2 \tan 30^\circ}{1 \tan^2 30^\circ}$
 - **[b]** State the kind of the triangle whose vertices are the points A(-2,4), B(3,-1), C(4,5) with respect to its sides lengths.
 - Kafr El-Sheikh Governorate



Answer the following questions: (Calculator is allowed)

- Choose the correct answer :
 - 1 The measure of an exterior angle of the equilateral triangle equals
 - (a) 60°

- (c) 120°
- (d) 30°
- $\frac{2}{3}$ If $\frac{-2}{3}$, $\frac{6}{k}$ are the slopes of two perpendicular straight lines, then $k = \dots$
 - (a) 4

- (d)9

- 3 If ABCD is a square, then m (\angle CAB) =

- (c) 60°
- (d) 630°
- If $\sin \frac{x}{3} = \frac{1}{2}$, $\frac{x}{3}$ is the measure of an acute angle, then $x = \dots$

- (d) 90°
- The parallelogram whose two diagonals are equal in length and not perpendicular is called a
 - (a) square.
- (b) rhombus.
- (c) rectangle.
- (d) trapezium.
- The equation of the straight line which passes through the point (2, -3) and is parallel to X-axis is
 - (a) $\chi = 2$

- (b) y = 3
- (c) $\chi = -2$ (d) y = -3
- [a] Show the type of the triangle whose vertices are A (3,0), B (1,4), C (-1,2)due to its side lengths.
 - [b] Without using calculator, find the value of the following: $\sin^2 45^\circ \cos 60^\circ + \frac{1}{2} \tan 60^\circ \sin 60^\circ$

- [a] If the straight line L_1 : y = (2 k) X + 5 and the straight line L_2 makes with the positive direction of the X-axis an angle of measure 45°, find the value of k if $L_1 // L_2$
 - **[b]** If $\sqrt{3} \tan x = 4 \sin 60^{\circ} \cos 30^{\circ}$, **find**: x, where x is the measure of an acute angle.
- [a] If the distance between the point (X, 3) and the point (2, 5) equals $2\sqrt{2}$ length units, then find the values of X
 - [b] Find the equation of the straight line whose slope is 3 and passes through the point (5, -2)
- [a] If the midpoint of \overline{BC} is A (2,3), and C (-1,3), find the point B
 - [b] ABC is a right-angled triangle at B \cdot sin A + cos C = I \cdot find : m (\angle A)

El-Beheira Governorate



Answer the following questions: (Calculator is permitted)

1 Choose the correct answer from the given ones:

- If the point of origin is the midpoint of \overline{AB} , where A (5, -2), then the point B is
 - (a) (-5, -2)
- **(b)** (5, 2)
- (c)(-5,2)
- (d)(0,0)
- 2 The angle of measure 50° is complementary with an angle of measure
 - (a) 50°
- **(b)** 40°
- (c) 30°
- (d) 130°
- 3 A circle its centre is (3, -4) and its radius length is 5 units. Which of the following points belongs to the circle?
 - (a) (-3, 4)
- **(b)** (0,0)
- (c)(5,0)
- (d)(0,4)
- If $\cos \frac{x}{2} = \frac{1}{2}$ where $\frac{x}{2}$ is the measure of an acute angle, then $x = \cdots$
 - (a) 60°
- (b) 120°
- (c) 180°
- (d) 90°
- If ABCD is a parallelogram in which m (\angle A) + m (\angle C) = 220°, then m (\angle B) =
 - (a) 110°
- (b) 70°
- (c) 140°
- (d) 80°

6 In the figure opposite:

ABC is a right-angled triangle at B

- \overrightarrow{AD} bisects $\angle A$, $\overrightarrow{DE} \perp \overrightarrow{AC}$
- AB = 3 cm. CE = 2 cm.
- , then $CB = \cdots cm$.
- (a) 2
- **(b)** 3
- (c) 4
- (d) 5

- [a] Prove that the straight line which passes through the two points (-1,3),(2,4) is parallel to the straight line 3 y - x - 1 = 0
 - **[b]** ABCD is a trapezium, $\overline{AD} // \overline{BC}$, m ($\angle B$) = 90°, AB = 3 cm., BC = 6 cm. , AD = 2 cm. Find the length of DC and the value of cos (\angle BCD)
- [a] Find the equation of the straight line whose slope is 3 and passes through the point (1, 2)
 - [b] Without using the calculator, find the value of X (Where X is the measure of an acute angle) which satisfies that:

 $2 \sin x = \tan^2 60^\circ - 2 \tan 45^\circ$

- [a] If the straight line L_1 passes through the two points (3, 1), (2, k) and the straight line L_2 makes with the positive direction of the X-axis an angle of measure 45°, then find \boldsymbol{k} if the two straight lines \boldsymbol{L}_1 , \boldsymbol{L}_2 are perpendicular.
 - **[b]** ABC is a right-angled triangle at B , if $\sqrt{2}$ AB = AC , find the main trigonometric ratios of the angle C
- **5** [a] If A (x,3), B (3,2), C (5,1) and AB = BC, B $\not\in$ AC , then find the value of X
 - **[b]** Prove that the points A (6,0), B (2,-4), C (-4,2) are the vertices of a right-angled triangle at B, then find the coordinates of the point D that makes the figure ABCD a rectangle.

El-Fayoum Governorate



Answer the following questions: (Using calculators is allowed)

11 Choose the correct answer:

- The perpendicular distance between the two straight lines x 2 = 0 and x + 3 = 0equalslength units.
 - (a) 1
- (b) 5
- (c)2
- (d)3
- 2 The sum of the measures of the accumulative angles at a point is
- (b) 180°
- (c) 270°
- (d) 360°
- 3 If $\tan (x + 10) = \sqrt{3}$, where x is the measure of an acute angle, then $x = \dots$
 - (a) 60°
- (b) 30°
- $(c)50^{\circ}$
- (d) 70°
- 4 The polygon in which the number of its sides is equal to the number of its diagonals is the
 - (a) quadrilateral.
- (b) triangle.
- (c) pentagon.
- (d) hexagon.

- **5** A circle of centre at the origin point and its radius length is 2 length units. Which of the following points belongs to the circle?
 - (a) (1, -2)
- (b) $(-2,\sqrt{5})$ (c) $(\sqrt{3},1)$
- (d) (0,1)
- The square which the length of its diagonal is $8\sqrt{2}$ cm., its area equals cm².
 - (a) 4
- (b) 32
- (c) 64
- (d) 16
- 2 [a] Prove that the points A (3, -1), B (-4, 6), C (2, -2) which belong to an orthogonal Cartesian coordinates plane lie on the circle whose centre is M (-1,2) , and find the circumference of the circle where $\pi = 3.14$
 - [b] Without using calculator, prove that: $\tan^2 60^\circ - \tan^2 45^\circ = \sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$
- $\boxed{3}$ [a] Find the equation of the straight line perpendicular to \overline{AB} from its midpoint where A(1,3) and B(3,5)
 - **[b]** ABC is a right-angled triangle at B, where AC = 5 cm., BC = 4 cm. • find the value of : $2 \cos^2 C + \sin^2 A$
- [a] Prove that the points A (3,-2), B (-5,0), C (0,-7), D (8,-9) are the vertices of a parallelogram.
 - **[b] Find the value of X where :** $4 \text{ X} = \cos^2 30^\circ \tan^2 30^\circ \tan^2 45^\circ$
- [a] If the two straight lines $3 \times -4 = 0$ and $k + 4 \times -8 = 0$ are both perpendicular then find the value of k
 - [b] Find the equation of the straight line which intercepts from the two axes, two positive parts of length 1 and 4 from X and y axes respectively.

Beni Suef Governorate



Answer the following questions: (Calculator is allowed)

- **11** Choose the correct answer from those given:
 - 1 4 sin 60° tan 60° =
 - (a) 3
- (b) 6
- (c) 12
- The image of the point (4,5) by the translation (2,3) is

- (a) (6, -8) (b) (-8, 6) (c) (6, 8) (d) (-6, -8)

3 The perpendicular distance between the two straight lines x - 2 = 0, x + 3 = 0 equals length units.

(a) 1

- (b) 2
- (c) 4
- (d) 5
- The equation of the straight line which passes through the point (-5, 3) and is parallel to y-axis is

(a) X = -5

- **(b)** y = -5
- (c) y = 3
- (d) X = 3
- **5** The number of the axes of symmetry of the circle is

(a) zero

- (b) 1
- (c) 2
- (d) an infinite number.
- **6** The points (0,0), (0,6) and (8,0)

(a) form an acute-angled triangle.

(b) form a right-angled triangle.

(c) form an obtuse-angled triangle.


- (d) are collinear.
- [a] If the point C (6, -4) is the midpoint of \overline{AB} where A (5, -3), find the coordinates of the point B
 - [b] In the opposite figure:

ABCD is a trapezium in which

$$\overline{AD} // \overline{BC}$$
, m ($\angle B$) = 90°

AD = 20 cm. AB = 12 cm. and BC = 25 cm.

Find the length of \overline{DC} and m ($\angle C$)



- [a] Prove that : $\frac{1}{2} \sin 60^{\circ} = \sin 30^{\circ} \cos 30^{\circ}$
 - **[b]** Find the equation of the straight line which passes through the point (2, 3) and its slope = 2
- [a] If $\cos E \tan 30^{\circ} = \sin^2 45^{\circ}$
 - , find m (\angle E) where E is an acute angle.
 - **[b]** Prove that the straight line which passes through the two points (2, -1) and (6, 3) is parallel to the straight line which makes a positive angle of measure 45° with the positive direction of X-axis.
- [a] Prove that the points A (3, -1), B (-4, 6) and C (2, -2) are located on a circle whose centre is M (-1, 2)
 - **[b]** Find the slope of the straight line 3y 2X + 5 = 0, then find the length of the intersected part from the y-axis.



El-Menia Governorate



Answer the following questions: (Calculator is allowed)

11 Choose the correct answer from those given:

- 1 The angle whose measure is 65° complements an angle of measure°
 - (a) 35
- (b) 25
- (c) 115
- (d) 45
- **2** ABCD is a parallelogram. If m (\angle A) + m (\angle C) = 200°, then m (\angle B) =
 - (a) 50
- (b) 80
- (c) 100
- (d) 160
- 3 The sum of lengths of any two sides in a triangle is the length of the third side.
 - (a) less than
- (b) equal to
- (c) greater than
- (d) twice
- 4 If $\sin X = \frac{1}{2}$, then m ($\angle X$) =, X is an acute angle.
 - (a) 45
- **(b)** 60
- (c) 90
- (d) 30
- **5** The distance between the two points (3,0), (0,-4) equals length units.
 - (a) 4
- (b) 5
- (c) 6
- (d) 7
- 6 If x + y = 5, kx + 2y = 0 are two parallel straight lines, then $k = \dots$
 - (a) 2
- (b) -1
- (c) 1
- (d) 2

[a] Without using calculator, find the value of the expression:

$$\cos 60^{\circ} \sin 30^{\circ} - \sin 60^{\circ} \tan 60^{\circ} + \cos^2 30^{\circ}$$

[b] Find the equation of the straight line which passes through the point (1, 2) and is perpendicular to the straight line which passes through the two points A (2, -3), B (5, -4)

$oxed{3}$ [a] Without using calculator, find the value of $oldsymbol{\mathcal{X}}$ which satisfies:


 $2 \sin x = \tan^2 60^\circ - 2 \tan 45^\circ$ where x is the measure of an acute angle.

[b] In \triangle ABC \Rightarrow m (\angle A) = 90°

AC = 15 cm. BC = 25 cm.



 $\cos C \cos B - \sin C \sin B = zero$



- [a] Prove that the points A (-1, -4), B (1, 0) and C (2, 2) are collinear.
 - **[b]** If C (6, -4) is the midpoint of \overline{AB} where A (5, -3), find the coordinates of the point B

- [a] Prove that the straight line that makes an angle of measure 45° with the positive direction of the X-axis is parallel to the straight line whose equation is X y 1 = zero
 - [b] Find the value of a if the distance between the two points (a, 7) and (-2, 3) equals 5 length units.

18

Assiut Governorate



Answer the following questions: (Calculator is permitted)


~	. =			
Choose	the	correct	answer	

- 1 The measure of the straight angle is°
 - (a) 90
- (b) 360
- (c) 180
- (d) 240
- 2 If $\tan (x + 20)^\circ = \sqrt{3}$ where $(x + 20)^\circ$ is the measure of an acute angle, then $x = \dots$
 - (a) 30
- **(b)** 60
- (c) 90
- (d) 40
- The length of the side opposite to the angle of measure 30° in the right-angled triangle equals the length of the hypotenuse.
 - (a) $\frac{1}{4}$
- (b) twice
- (c) $\frac{1}{2}$
- (d) $\frac{1}{3}$
- 4 If x + y = 5, kx + 2y = 7 are perpendicular, then $k = \dots$
 - (a) 2
- (b) -1
- (c) 1
- (d) 2
- 5 The area of the rhombus whose diagonals lengths are 6 cm. and 12 cm. is cm.
 - (a) 16
- (b) 30
- (c) 36
- (d) 72
- The perpendicular distance between the two straight lines x 3 = 0, x + 4 = 0 equalslength units.
 - (a) 2
- (b)
- (c) 12
- (d) 6

[a] In the opposite figure :

ABC is a right-angled triangle at C \cdot AB = 13 cm.

, BC = 12 cm.



Prove that: $\sin A \cos B + \cos A \sin B = 1$

- [b] Show the type of the triangle whose vertices are A(1,1), B(5,1), C(3,4) due to its side lengths.
- [a] If $2 \sin x = \tan^2 60^\circ 4 \sin 30^\circ$, find x, where x is the measure of an acute angle.
 - **[b]** ABCD is a parallelogram where A (3,2), B (4,-5), C (1,4), find the two coordinates of the point at which the two diagonals intersect, then find the coordinates of the point D

- [a] Without using the calculator, find the value of: $\cos 60^{\circ} + \cos^2 30^{\circ} + \tan^2 45^{\circ}$
 - **[b]** Prove that the straight line passing through the two points $(2\sqrt{3}, 3)$, $(\sqrt{3}, 4)$ is perpendicular to the straight line that makes with the positive direction of the X-axis an angle of measure 60°
- [a] Find the equation of the straight line passing through the point (3, -5) and parallel to the straight line x + 3y = 7
 - [b] Find the slope of the straight line and the length of the y-intercept by the straight line $\frac{y-1}{x} = \frac{1}{2}$

Souhag Governorate



Answer the following questions: (Calculator is permitted)

Choose the correct answer:

- 1 The point of concurrence of the medians of the triangle divides each median in the ratio of from its base.
 - (a) 2:3
- **(b)** 2:1
- (c) 1:2
- (d) 3:2
- If $\sin x = \cos x$, then $x = \dots \circ (x \text{ is the measure of an acute angle})$
- **(b)** 45
- (c) 60
- (d) 90
- 3 The sum of the measures of the accumulative angles at a point equals°
 - (a) 30
- **(b)** 60
- (c) 180
- (d) 360
- 4 The distance between the two points (3,0), (-1,0) equals length units.
- (b) 5

- **5** The side length of a square is $\sqrt{3}$ cm., then its area = cm².
 - (a) $4\sqrt{3}$

- **6** If A (5, -3), B (7, -5), then the midpoint of AB is
 - (a) (3,5) (b) (2,0)
- (c) (5, -5) (d) (6, -4)
- [2] [a] If $\cos x = 2 \cos^2 30^\circ 1$ (x is the measure of an acute angle), find: x
 - **[b]** Prove that the triangle whose vertices are A (1,4), B (-1,-2), C (2,-3)is right-angled at B


[a] In the opposite figure:

The triangle ABC is right-angled at C

AB = 13 cm. BC = 12 cm.

Find: $\mathbf{1}$ The length of \overline{AC}

 \blacksquare The value of sin A cos B + cos A sin B



- [b] Find the equation of the straight line whose slope equals 2 and passes through the point (1,0)
- [a] Without using the calculator, prove that: $2 \sin 30^\circ = \tan^2 60^\circ 2 \tan 45^\circ$
 - [b] Find the equation of the straight line passing through the points (1,3), (-1,-3), then prove that it passes through the origin point.
- [a] Prove that the points A (-3, -1), B (6, 5), C (3, 3) are collinear.
 - [b] Prove that the straight line passing through the two points (-3, -2), (4, 5) is parallel to the straight line which makes with the positive direction of the X-axis an angle of measure 45°
 - Qena Governorate



Answer the following questions:

Choose the correct answer:

1 If $\sin x = \frac{1}{2}$ where x is the measure of an acute angle, then $\sin 2x = \dots$

- (a) $\frac{1}{4}$
- (b) $\frac{\sqrt{3}}{2}$
- (c) 60
- (d) $\frac{1}{\sqrt{3}}$

- The number of quadrilaterals in the opposite figure is
 - (a) 3

(b) 6

(c)9

(d) 12



- If the two straight lines x + y = 4, ax + 3y = 0 are perpendicular, then $a = \dots$
 - (a) = 3
- (b) 1
- (c) 1
- (d) 3
- 4 The number of axes of symmetry of the rhombus equals
 - (a) 1
- (b) 2
- (c)3
- (d) 4
- **5** The straight line whose equation is 2 y = 3 X 6 intercepted a part equal units from y-axis.
 - (a) 6
- (b) 2
- (c) 3
- (d) $\frac{3}{2}$

- The image of the point (-3, 2) by reflection on the origin point is
 - (a) (3, 2)
- (b) (3, -2) (c) (-3, -2) (d) (-3, 2)
- [a] \triangle ABC is a right-angled triangle at B \rightarrow AC = 10 cm. \rightarrow BC = 8 cm. **Prove that:** $\sin^2 A + 1 = 2 \cos^2 C + \cos^2 A$
 - [b] Prove that the points A (1, 1), B (0, -1), C (2, 3) are collinear.
- [a] If $\sin x \tan 30^\circ = \sin^2 45^\circ$, find the value of x in degrees, where x is the measure of an acute angle.
 - [b] Prove that the straight line passing through (-1,3), (2,4) is parallel to the straight line whose equation is 3y - x = 1 = 0
- [a] Without using calculator, prove that: $\sin 60^\circ = 2 \sin 30^\circ \cos 30^\circ$
 - **[b]** ABCD is a quadrilateral in which:

$$A(5,3)$$
, $B(6,-2)$, $C(1,-1)$, $D(0,4)$

Prove that: ABCD is a rhombus and find its area.

- [a] Prove that the points A (-3,0), B (3,4), C (1,-6) are the vertices of an isosceles triangle its vertex A, then find the length of the perpendicular segment from A to BC
 - **[b]** ABCD is a parallelogram in which A (3, 2), B (4, -5), C (0, -3)Find the coordinates of the point D

Luxor Governorate



6cm.

Answer the following questions:

- Choose the correct answer:
 - 1 The number of the right triangles which completely cover the surface of the rectangle equals
 - (a) 10

(b) 8

(c) 6

- (d) 4
- 2 If m (\angle A) = 85° and sin B = cos B in \triangle ABC, then m (\angle C) =
- (b) 45
- (c) 50
- **3** The image of the point (-5, 6) by translation (3, -2) is
 - (a) (-4, -2) (b) (4, 2)
- (c) (-2, 4) (d) (-2, -4)

4 In the opposite figure:


The slope of \overrightarrow{AB} equals



(b)
$$\frac{-2}{3}$$

(c)
$$\frac{3}{2}$$

(d)
$$\frac{-3}{2}$$



5 The measure of the exterior angle at any vertex of an equilateral triangle equals°

If C (-3, y) is the midpoint of \overline{AB} where A (χ , -6) and B (9, -12), then y - χ =

$$(d) - 18$$

[a] If the distance between the two points (a, 5), (3a-1, 1) equals 5 length units, then find a

[b] If $3 \tan x - 4 \sin^2 30^\circ = 8 \cos^2 60^\circ$, find x where x is the measure of an acute angle.

[a] Find the equation of the straight line passing by (1, 2) and parallel to the straight line $2 \times 2 \times 3 = 0$

[b] Find the measure of the angle made by the straight line passing by the two points $\left(-2,\sqrt{3}\right),\left(1,4\sqrt{3}\right)$ with the positive direction of the x-axis.

[a] \overline{AB} is a diameter of the circle M where A (4, -1), B (-2, 7), find the radius length of the circle and find its area.

[b] ABC is a triangle where AB = AC = 10 cm., BC = 12 cm.

, draw $\overline{AD} \perp \overline{BC}$ and intersects it at D **Prove that :**


$$2 \sin B + \cos C > 1$$

[a] If \overrightarrow{AB} // the y-axis where A (X, 7), B (3, 5), find the value of X

[b] In the opposite figure:

ABCD is a rhombus, its two diagonals intersect at M, if AB = 5 cm., AM = 4 cm., find:

2 The area of the rhombus ABCD





Aswan Governorate



Answer the following questions: (Calculator is allowed)

, find the main trigonometric ratios of the angle C

1	Choose the corr	rect answer from thos	e given :					
	1 The angle wi	th measure 65° is com	plement of an angle	with measure				
	(a) 135°	(b) 115°	(c) 25°	(d) 15°				
	2 If AB ⊥ CD	and the slope of \overrightarrow{AB} =	$=\frac{1}{2}$, then the slope	e of \overrightarrow{CD} =				
	(a) 2	(b) -2	(c) $\frac{1}{2}$	$(d) - \frac{1}{2}$				
	3 If $C \in \text{the axis of symmetry of } \overline{AB}$, then $CA = CB$							
	(a) ⊥	(b) <	(c) >	(d) =				
	4 If 3 cm. , 7 c	m. and y are lengths of	f sides of a triangle	• then $y = \cdots cm$.				
	(a) 3	(b) 4	(c) 7	(d) 10				
	5 The distance	between the two point	(6,0) and $(0,8)$	equalslength u	nits.			
	(a) 6	(b) 8	(c) 10	(d) 14				
		$0) = \sqrt{3} \text{ where } x \text{ is the}$	measure of an acut	te angle, then $X = \cdots$				
	(a) 80°	(b) 50°	(c) 35°	(d) 20°				
2	acute angle. [b] Find the equ			where x is the measure of icular to \overline{AB} from its mid				
3	[b] If the points	_	3) , C (6,0) are	B (6, y), find the value the vertices of a triangle.	of y			
4	, find: 1 t		e which intercepts	XZ = 13 cm. $\cos Z - \sin X \sin Z$ from the positive parts of and y axes respectively.	the			
5	parallel to the	ne straight line which p ne straight line whose or right-angled triangle at	equation is $3 y - x -$, 4) is			

New Valley Governorate



Answer the following questions: (Calculator is allowed)

Choose the correct answer from those given :

- 1 The quadrilateral ABCD in which AB > CD , \overline{AB} // \overline{CD} is
 - (a) a square.
- (b) a rectangle.
- (c) a rhombus.
- (d) a trapezium.

2 In the opposite figure :


ABCD is a rectangle AB = 6 cm. BC = 8 cm.

,
$$H \in \overline{AD}$$
, the area of \triangle HBC = cm².

(a) 14

(c) 28

(d) 48



3 For any angle A, $\frac{\sin A}{\cos A} = \cdots$

- (a) sin A
- (b) cos A
- (c) tan A
- (d) 1

4 If ABCD is a rectangle, A(1,0), C(4,4), then $BD = \cdots$ length units.

- (a) 5
- (b) 8
- (c)9
- (d) 10


5 If X + y = 5 and k X + 2 y = 1 are perpendicular, then $k = \dots$

- (c) 1
- (d) 2

6 In the opposite figure:

BC : AC : AB =

- (a) $1:\sqrt{3}:2$
- (b) $2:\sqrt{3}:1$
- (c) $1:2:\sqrt{3}$
- $(d)\sqrt{3}:1:2$



- [a] XYZ is a right-angled triangle at $Z \cdot XZ = 3$ cm. YZ = 4 cm. Find the value of:
 - 1 tan X tan Y
- $2 \sin^2 X + \cos^2 X$
- **[b]** Determine the type of the triangle whose vertices are A (3,3), B (1,5) \cdot C (1 \cdot 3) according to its side lengths and according to its angles.
- [a] If $\tan x = 4 \sin 30^{\circ} \cos 60^{\circ}$, x is the measure of an acute angle, then find the value of each of:
 - 1 X


- $2 \sin x$
- **[b]** Find the equation of the straight line whose slope is 2 and passes through the point (1,0)

[a] In the opposite figure:

ABC is a triangle, AB = AC = 10 cm.

BC = 12 cm. $\overline{AD} \perp \overline{BC}$ Find the value of:

- 1 cos B
- **2** m (∠ B)
- $3 \sin (90^{\circ} B)$



[b] ABCD is a rhombus A(-2,3), B(-1,-2), C(4,-3)

Find: 1 The coordinates of the point of intersection of its diagonals.

2 The coordinates of the point D

[a] If the straight line L_1 passes through the points (2,1), (3,k) and the straight line L_2 makes with the positive direction of the X-axis an angle of measure 45°, find the value of k, if L_1 // L_2

[b] Find the equation of the straight line which intersects from the two axes two positive parts of lengths 2 and 4 from x and y axes respectively.

24) South Sinai Governorate

Answer the following questions:

Choose the correct answer from those given :

- 1 If $\cos(x + 15^\circ) = \frac{1}{2}$, then $\tan x = \dots$ where x is the measure of an acute angle.
 - (a) 1
- **(b)**√3
- (c) $\frac{\sqrt{3}}{3}$
- (d) $\frac{1}{2}$
- **2** The distance between the two points (-3,0) and (0,-4) equals length units.
 - (a) 4
- (b) 5
- (c) 3
- (d) 2
- 3 If A = (-4, 5) and B = (-2, -1), then the midpoint of \overline{AB} is
 - (a) (0 , 1)
- (b) (-3,3)
- (c) (-3, 2)
- (d)(1,0)
- ABC is a triangle in which m ($\angle A$) = 120°, AB = AC, then m ($\angle C$) =
 - (a) 60°
- (b) 45°
- (c) 50°
- (d) 30°
- **5** If X + y = 5 and k X + 2 y = 0 are two straight lines perpendicular, then $k = \dots$
 - (a) 2
- (b) 2
- (c) 1
- (d) 1
- **6** ABC is a right-angled triangle at A and $\overline{AD} \perp \overline{BC}$, where $D \in \overline{BC}$, then $(AD)^2 = \cdots$
 - (a) BD × BC
- (b) CD × CB
- (c) $DB \times DC$
- $(d) (DB)^2 \times (DC)^2$

[a] Without using calculator, prove that: $\cos 60^\circ = \cos^2 30^\circ - \sin^2 30^\circ$

[b] If the point D = (1, -3) is the midpoint of \overline{AB} , A = (4, -3), find the coordinates of the point B


- [a] Find the equation of the straight line which passes through the points (1,3) and (-1,-3)
 - **[b]** Show the type of the triangle ABC whose vertices are A = (3, 3), B = (1, 5) and C = (1, 3) due to its side lengths.
- [a] Find the equation of the straight line which passes through the point (-2, 3) and makes with the positive direction of the X-axis an angle of measure 45°
 - [b] Find the value of : $\frac{2 \tan 45^\circ}{1 + \tan^2 45^\circ}$
- [a] Find the equation of the straight line which its slope is 2, and intersects a positive part from y-axis that is equal to 5 units.
 - [b] In the opposite figure:

ABC is a triangle right-angled at B

, in which AC = 10 cm. , AB = 5 cm.

Find: $1 \text{ m } (\angle C)$

 $2 \sin^2 C + \cos^2 C$



25

North Sinai Governorate



Answer the following questions:


- 1 Choose the correct answer from those given:
 - 1 If $\sin x = \frac{1}{2}$ where x is the measure of an acute angle, then $x = \dots$
 - (a) 90°
- **(b)** 60°
- (c) 45°
- (d) 30°
- 2 The measure of the exterior angle of the equilateral triangle equals
 - (a) 60°
- (b) 90°
- (c) 120°
- (d) 180°
- 3 The slope of the straight line which makes with the positive direction of X-axis a positive angle of measure 45° equals
 - (a) 1
- (b) 1
- (c) zero
- (d) 1.4
- 4 The angle whose measure is 40° complements an angle of measure
 - (a) 30°
- **(b)** 140°
- (c) 50°
- $(d) 40^{\circ}$
- **5** If A (2, -2), B (-2, 2), then the midpoint of \overline{AB} is
 - (a)(-1,1)
- **(b)** (1,-1)
- (c) (4, -4)
- (0,0)
- **6** If 3, 7, ℓ are the lengths of the sides of a triangle, then ℓ can be equal to
 - (a) 3
- (b) 4
- (c) 7
- (d) 10

- [a] Prove that: $\cos 60^\circ = 2 \cos^2 30^\circ 1$ (Without using the calculator)
 - [b] Prove that the triangle whose vertices are A (1, -2), B (-4, 2) and C (1, 6) is an isosceles triangle.
- [a] Find the equation of the straight line whose slope = 2 and cuts 7 units from the positive part of y-axis.
 - [b] In the opposite figure:

ABC is a right-angled triangle at B in which AC = 10 cm.

$$, BC = 8 cm.$$

- 1 Find the length of : AB
- Prove that: $\sin^2 A + \cos^2 A = 1$



- [a] If $\cos x = \frac{\sin 60^{\circ} \sin 30^{\circ}}{\sin^2 45^{\circ}}$
 - , find the value of X where X is the measure of an acute angle. (Without using the calculator)
 - [b] Find the equation of the straight line passing through the point (1, 2) and perpendicular to the straight line passing through the two points (2, -3), (5, -4)
- 5 If A (3,-1), B (-4,6), C (2,-2) and M (-1,2):
 - Prove that the points A, B, C lie on the circle whose centre is M
 - **2** Find the circumference of the circle M ($\pi = 3.14$)



Red Sea Governorate

Answer the following questions:

- 1 Choose the correct answer from those given :
 - 1 If A (5,7), B (1,-1), then the midpoint of \overline{AB} is (a) (2,3)
 - (b) (3,3)
- (c)(3,2)
- (d)(3,4)
- 2 A rhombus whose diagonals lengths are 6 cm., 8 cm., then its area is cm².

- 3 If $\cos x = \frac{\sqrt{3}}{2}$ where x is the measure of an acute angle, then $\sin 2x = \dots$
 - (a) $\frac{\sqrt{3}}{2}$
- (b) 1
- (c) 2
- (d) $\frac{1}{\sqrt{3}}$
- If the lengths of two sides of an isosceles triangle are 5 cm. and 13 cm., then the length of the third side is cm.
 - (a) 5
- (b) 8
- (c) 13
- (d) 16

- 5 If the two straight lines $3 \times -4 y = 3$ and $4 \times + k y = 8$ are perpendicular then $k = \dots$
 - (a)4
- (b) 3
- (c) 4
- (d) 3
- 6 The number of axes of symmetry of the equilateral triangle equals
 - (a) zero
- (b) 1
- (c) 2
- (d)3
- [a] Without using calculator, prove that: $\sin 60^\circ = 2 \sin 30^\circ \cos 30^\circ \tan 45^\circ$
 - [b] Find the equation of the straight line which passes through the two points (4,2), (-2,-1)
- [a] Find the value of X if $\tan X = 4 \cos 60^{\circ} \sin 30^{\circ}$ where X is the measure of an acute angle.
 - [b] Prove that the points A (2,4), B (-3,0) and C (-7,5) are the vertices of a right-angled triangle, then find its area.
- [a] Find the equation of the straight line which its slope is 2 and intercepts from the positive part of y-axis 7 length units.
 - [b] In the opposite figure:

ABC is a right-angled triangle at B

AC = 13 cm. BC = 5 cm.

Find the value of : $\sin A \cos C + \cos A \sin C$



- [a] If the distance between the two points (x, 7), (-2, 3) equals 5 length units, find the value of x
 - [b] If the straight line L_1 passes through the two points (3,1), (2,k) and the straight line L_2 makes with the positive direction of the X-axis a positive angle its measure is 45°, find the value of k if L_1 // L_2

27)

Matrouh Governorate



Answer the following questions: (Calculator is allowed)

- 1 Choose the correct answer from those given:
 - 1 If $\cos 2 x = \frac{1}{2}$, then m ($\angle x$) =
 - (a) 15°
- (b) 30°
- $(c)45^{\circ}$
- (d) 60°
- 2 The angle measured 37° is complemented by an angle of measurement
 - (a) 53°
- **(b)** 143°
- (c) 37°
- (d) 90°

If $\frac{-2}{3}$, $\frac{k}{2}$ are the slopes of two parallel straight lines, then $k = \dots$

(a)
$$\frac{-4}{3}$$

(b)
$$\frac{-3}{4}$$

(d)
$$\frac{1}{3}$$

The area of the circle equals

(b)
$$2 \pi r$$

(c)
$$\pi$$
 r²

(c)
$$\pi r^2$$
 (d) $2 \pi r^2$

 $5 \text{ In } \triangle ABC$, $AB + BC \cdots AC$

B If \overrightarrow{AB} is a diameter of a circle, where A (3, -5), B (5, 1), then the centre of the circle is

(a)
$$(8, -2)$$

(c)
$$(2, 2)$$
 (d) $(4, -2)$

[a] Without using calculator, prove that:

$$\tan 60^{\circ} = \frac{2 \tan 30^{\circ}}{1 - \tan^2 30^{\circ}}$$

[b] Prove that the points A (6,0), B (2,-4), C (-4,2) are the vertices of a right-angled triangle at B

[a] If the distance between the two points (a,7) and (-2,3) equals 5 length units , find the value of a

[b] ABC is a right-angled triangle at B, AB = 3 cm., BC = 4 cm.

Find the value of : $\sin A \cos C + \cos A \sin C$

[a] If A, B are the measures of two complementary angles

• where
$$A : B = 1 : 2$$

, find:
$$\sin A + \cos B$$

[b] Find the slope and the intercepted part of y-axis of the straight line whose equation is $\frac{x}{2} + \frac{y}{2} = 1$

[a] If C is the midpoint of \overline{AB} , where A = (x, -6), B = (9, -12) and C = (-3, y), find the values of X, y

[b] Find the equation of the straight line passing through the point (3, -5) and parallel to the straight line x + 2y = 7

Final Examinations 2021

on Trigonometry and Geometry



Governorates' Examinations



on Trigonometry and Geometry



Cairo Governorate



Answer the following questions: (Calculator is allowed)

1	Choose the correct a			
	1 If $\sin X = \frac{1}{2}$, wh	ere X is the measure	of an acute angle, th	nen $x = \cdots ^{\circ}$
	(a) 30	(b) 45	(c) 60	(d) 90
	2 The straight line v	vhose equation is y =	3×4 intercepts fr	rom the positive part of
		ngth length		
	(a) 3	(b) 4	(c) 5	(d) 7
	3 The measure of the	ne exterior angle of ar	n equilateral triangle	equals ·····°
	(a) 120	(b) 90	(c) 60	(d) 30
		Z, then AB = ·······		
	(a) BC	(b) YZ	(c) XZ	(d) XY
	5 The equation of t	he straight line whose	e slope equals 1 and	passes through the origin
	point is			
	(a) y = X + 1	(b) $X = 1$	(c) $y = 1$	(d) $y = X$
	6 The angle whose	measure is 30° suppl	ements an angle of r	measure°
	(a) 60	(b) 120	(c) 150	(d) 180

[a] Without using calculator, prove that:

 $4 \sin 45^{\circ} \cos 45^{\circ} = 2$ (showing the steps of the solution).

[b] Find the equation of the straight line which passes through the point (1, 2) and is parallel to the straight line whose equation is $y = 3 \times 2 + 5$

[3] [a] Find the value of X which satisfies that :

 $x \sin 30^{\circ} = \sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ}$

[b] Prove that the straight line which passes through the points (0, 5), (3, 2) is perpendicular to the straight line which makes an angle of measure 45° with the positive direction of X-axis.

- [a] ABCD is a parallelogram, M is the point of intersection of its diagonals where, A(3,-1), C(1,7) Find the coordinates of the point M
 - [b] If A (2, 8), B (-1, 4) and C (3, 1) are the vertices of the triangle ABC
 - , prove that: 1 The triangle ABC is a right-angled triangle at B
 - 2 The triangle ABC is an isosceles triangle.
- [a] The triangle ABC is a right-angled triangle at B where AB = 7 cm, and BC = 24 cm.

Find the value of : \bigcirc 3 tan A × tan C

- $\sin^2 A + \sin^2 C$
- [b] If the points (0, 1), (a, 3) and (2, 5) are collinear, find the value of a

Giza Governorate


Answer the following questions:

- 1 Choose the correct answer:
 - 1 The perimeter of the opposite figure equals cm.
 - (a) 44

(b) 22


(c) 18

(d) 11



- 2 If $\angle X$, $\angle Y$ are two complementary angles and $\sin X = \frac{3}{5}$, then $\cos Y = \cdots$
 - (a) $\frac{4}{5}$
- (b) $\frac{3}{5}$
- (c) $\frac{3}{4}$
- (d) $\frac{3}{3}$
- 3 ABCD is a parallelogram and m (\angle A): m (\angle B) = 1:2, then m (\angle B) =
 - (a) 45
- (b) 135
- (c) 120
- (d) 115
- The straight line whose equation is: y 2x 5 = 0 cuts from the positive part of y-axis a part of lengthlength units.
 - (a) 2
- (b) 5
- (c) 7
- (d) 10
- 5 In \triangle ABC, if the angles \angle A, \angle B are complementary, then m (\angle C) =°
 - (a) 45
- (b) 30
- (c) 90
- (d) 60
- The slope of the straight line which makes with the positive direction of X-axis an angle whose positive measure is X° equals
 - (a) sin X
- (b) $\cos x$
- (c) $\frac{\sin x}{\cos x}$
- (d) $\sin X + \cos X$
- [a] ABCD is a trapezoid in which \overline{AD} // \overline{BC} , m ($\angle B$) = 90° If AB = 3 cm. AD = 6 cm. BC = 10 cm., then prove that : $\cos(\angle DCB) - \tan(\angle ACB) = \frac{1}{2}$
 - [b] If the straight line L_1 , passes through the points (3,1), (2,k) and the straight line L_2 makes with the positive direction of X-axis an angle of measure 45°, then find the value of k which makes the two straight lines L_1 , L_2 parallel.

Governorates' Examinations





Cairo Governorate



Answer the following questions: (Calculator is allowed)

Choose the correct a								
If $\sin X = \frac{1}{2}$, where X is the measure of an acute angle, then $X = \dots$								
(a) 30	(b) 45	(c) 60	(d) 90					
The straight line whose equation is $y = 3 X + 4$ intercepts from the positive part of								
	ngth leng							
(a) 3	(b) 4	(c) 5	(d) 7					
3 The measure of the	ne exterior angle of	an equilateral triang	gle equals ······°					
(a) 120	(b) 90	(c) 60	(d) 30					
	Z, then AB = ······							
(a) BC	(b) YZ	(c) XZ	(d) XY					
5 The equation of t	he straight line who	ose slope equals 1 ai	nd passes through the origin	1				
point is								
(a) $y = X + 1$	(b) $X = 1$	(c) $y = 1$	(d) $y = X$					
6 The angle whose	measure is 30° sur	oplements an angle o	of measureº					
(a) 60	(b) 120	(c) 150	(d) 180					

[2] [a] Without using calculator, prove that:

 $4 \sin 45^{\circ} \cos 45^{\circ} = 2$ (showing the steps of the solution).

[b] Find the equation of the straight line which passes through the point (1, 2) and is parallel to the straight line whose equation is $y = 3 \times 4 + 5$

[3] [a] Find the value of X which satisfies that :

 $x \sin 30^{\circ} = \sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ}$

[b] Prove that the straight line which passes through the points (0, 5), (3, 2) is perpendicular to the straight line which makes an angle of measure 45° with the positive direction of x-axis.

- [a] ABCD is a parallelogram, M is the point of intersection of its diagonals where, A(3,-1), C(1,7) Find the coordinates of the point M
 - [b] If A (2, 8), B (-1, 4) and C (3, 1) are the vertices of the triangle ABC
 - , prove that: 1 The triangle ABC is a right-angled triangle at B
 - 2 The triangle ABC is an isosceles triangle.
- [a] The triangle ABC is a right-angled triangle at B where AB = 7 cm. and BC = 24 cm.

Find the value of : $\bigcirc 1$ 3 tan A × tan C

 $\sin^2 A + \sin^2 C$

[b] If the points (0, 1), (a, 3) and (2, 5) are collinear, find the value of a

Giza Governorate

Answer the following questions:


Choose the correct answer :

- 1 The perimeter of the opposite figure equals cm.
 - (a) 44

(b) 22

(c) 18

(d) 11




- 2 If $\angle X$, $\angle Y$ are two complementary angles and $\sin X = \frac{3}{5}$, then $\cos Y = \cdots$
 - (a) $\frac{4}{5}$
- (b) $\frac{3}{5}$
- (c) $\frac{3}{4}$
- (d) $\frac{5}{3}$
- **3** ABCD is a parallelogram and m (\angle A) : m (\angle B) = 1 : 2, then m (\angle B) =°
 - (a) 45
- (b) 135
- (c) 120
- (d) 115
- The straight line whose equation is : y 2x 5 = 0 cuts from the positive part of y-axis a part of lengthlength units.
 - (a) 2
- (b) 5
- (c)7
- (d) 10
- **5** In \triangle ABC , if the angles ∠ A , ∠ B are complementary , then m (∠ C) =°
 - (a) 45
- (b) 30
- (c) 90
- (d) 60
- The slope of the straight line which makes with the positive direction of X-axis an angle whose positive measure is X° equals
 - (a) sin X
- (b) cos X
- (c) $\frac{\sin x}{\cos x}$
- (d) $\sin X + \cos X$
- [2] [a] ABCD is a trapezoid in which \overline{AD} // \overline{BC} , m ($\angle B$) = 90° If AB = 3 cm. AD = 6 cm. BC = 10 cm., then prove that : cos ($\angle DCB$) – tan ($\angle ACB$) = $\frac{1}{2}$
 - [b] If the straight line L_1 , passes through the points (3, 1), (2, k) and the straight line L_2 makes with the positive direction of X-axis an angle of measure 45°
 - , then find the value of k which makes the two straight lines L_1 , L_2 parallel.

[3] [a] In the opposite figure:

ABC is a triangle, $m (\angle A) = 90^{\circ}$, AC = 15 cm.

$$AB = 20 \text{ cm}$$
.

Prove that: $\cos C \cos B - \sin C \sin B = 0$



[b] ABCD is a parallelogram its diagonals intersect at M where:

$$A(3,-1)$$
, $B(6,2)$, $C(1,7)$

Find the coordinates of the two points M and D


- $\boxed{4}$ [a] Without using calculator, find m (\angle X) which satisfies the equation: $\tan x = 4 \sin 30^{\circ} \cos 60^{\circ}$ where X is a positive acute angle.
 - [b] Find the equation of the straight line passing through the point (3, 4) and perpendicular to the straight line $5 \times -2 \text{ y} + 7 = 0$
- [a] If the distance between the point (a, 7) and the point (0, 3) is equal to 5 length units. , then find the value of a



AOB is an equilateral triangle

, C is the midpoint of AB

Find the equation of OC where O is the origin point.





Answer the following questions: (Calculators are permitted)


Choose the correct answer from those given :

- 1 If C (6, -4) is the midpoint of \overline{AB} where A (5, -3), then B is
 - (a) (7, -5)
- (b) (-5, -7)
- (c)(-5,7)
- (d) (11, -7)
- The measure of the angle that complements an angle of measure 60° is
 - (a) 120
- (b) zero
- (c) 30
- (d) 90

- 3 If $\sin \theta = 0.6$, then m ($\angle \theta$) \simeq


 - (a) 51° 33° 35° (b) 36° 52° 12° (c) 47° 15° 48° (d) 45° 15° 6°

- The square whose area is 100 cm², then its diagonal length is cm.
 - (a) 10
- (b) 50
- (c) $2\sqrt{10}$ (d) $10\sqrt{2}$
- **5** ABC is a right-angled triangle at B where A (1,4), B (-1,-2), then the slope of BC equals
 - $(a) \frac{1}{3}$
- (b) 3
- (c) $\frac{1}{3}$
- (d) 3
- 6 The sum of the lengths of any two sides of a triangle is the length of the third side.
 - (a) smaller than
- (b) equal to
- (c) greater than
- (d) twice



ABC is an isosceles triangle and right-angled at C and the length of each of its legs is ℓ

Find: 1 The ratio between the lengths of the triangle sides AC : BC : AB



- 2 tan B, sin A
- [b] If the distance between the two points (x, 5), (6, 1) equals $2\sqrt{5}$ length units , find the values of X
- [a] If the points A (3,2), B (4,-3), C (-1,-2), D (-2,3) are the vertices of a rhombus
 - find: 1 The coordinates of the intersection point of its diagonals.
 - 2 The area of the rhombus ABCD
 - [b] Without using calculator, find the value of X (where X is the measure of an acute angle) which satisfies: $2 \sin x = \sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ}$
- [a] Find the equation of the straight line passing through the point (1, 2) and perpendicular to the straight line passing through the two points A (2, -3), B (5, -4)
 - [b] Prove the following equality with indicating the steps: $\tan 60^\circ = \frac{2 \tan 30^\circ}{1 \tan^2 30^\circ}$
- [a] If the straight line L_1 passes through the two points (3, 1), (2, k) and the straight line L₂ makes with the positive direction of the X-axis an angle of measure 45° , find the value of k , if $L_1 // L_2$
 - [b] Prove that the points A (-2,5), B (3,3), C (-4,2) are not collinear.



Answer the following questions:

Choose the correct answer:

- 1 If $\cos x = \frac{\sqrt{2}}{2}$ where x is the measure of an acute angle, then $\sin 2x = \dots$
- (b) $\frac{-\sqrt{2}}{2}$

- 2 The number of the axes of symmetry of the circle equals
 - (a) zero
- (b) 1
- (c) 2
- (d) an infinite number.
- 3 If ABCD is a rectangle A (-4, -1), C (4, 5), then the length
 - (a) 10
- (b) 6
- (c) 5
- (d) 4
- 4 The perpendicular length between x = 5, x + 3 = 0 equals length units.
 - (a) 2
- (b) 8
- (c) 8
- (d) 5
- ullet $oxedsymbol{5}$ $oxedsymbol{\Delta}$ ABC is an isosceles triangle and right-angled at C and the length of each leg is ℓ , then AB : BC : CA =
 - (a) $1:1:\sqrt{2}$

- (b) $1:\sqrt{2}:1$ (c) $\sqrt{2}:1:2$ (d) $\sqrt{2}:1:1$
- 6 In the opposite figure:


The equation of the straight line L is

(a) $x = \sqrt{3} y$

(b) $y = \sqrt{3} x$

(c) X = y

(d) $y = \sqrt{3}$




- [2] [a] Find the slope and the length of the y-intercept for the straight line: $\frac{x}{2} + \frac{y}{3} = 1$
 - [b] If $\sin x = \tan 30^{\circ} \sin 60^{\circ}$ where x is the measure of an acute angle, find: $4 \cos x \sin x$
- [3] [a] Find the equation of the straight line which passes through the point (2, -5) and is parallel to the straight line which passes through the two points (-2, 1), (2, 7)
 - **[b]** ABC is a right-angled triangle at B \Rightarrow if 2 AB = $\sqrt{3}$ AC
 - **Find**: 1 m (∠ C)
- $\sin^2 A \cos^2 C$

- [a] If the two straight lines $L_1: 3 \times -4 \times -3 = 0$, $L_2: a \times +4 \times -8 = zero$ are perpendicular, find the value of a
 - [b] If the points A (3, 2), B (4, -3), C (-1, -2), D (-2, 3) are the vertices of a rhombus, find the area of the rhombus ABCD
- [a] Prove that : $\cos^2 60^\circ = \cos^2 30^\circ \tan^2 30^\circ \tan 45^\circ$
 - [b] In the opposite figure :

The point C is the midpoint of \overline{AB} where C (3, 4)

Find the perimeter of the triangle AOB



(5)

El-Sharkia Governorate



Answer the following questions: (Calculator is allowed)


- Choose the correct answer from those given :
 - **1** In \triangle ABC, if m (∠B) = 90°, then sin A + cos C =
 - (a) 2 sin C
- (b) 2 cos A
- (c) 2 cos C
- (d) tan A
- 2 If $\sin 2 x = \frac{1}{2}$ where 2 x is the measure of an acute angle, then $x = \dots$
 - (a) 15
- (b) 60
- (c) 70
- (d) 30

3 In the opposite figure:

If AO = 8 length units

OB = 6 length units


, then the equation of \overrightarrow{AB} is



(b)
$$y = -\frac{4}{3} x - 8$$


(c)
$$y = \frac{3}{4} x - 8$$

(d)
$$y = -\frac{4}{3} X + 8$$




- 4 The perpendicular distance between the point (3, -4) and X-axis equalslength units.
 - (a) 3
- (b) 4
- (c) 5
- (d) 4

- 5 In the square XYZL, if the slope of $\overrightarrow{XZ} = 1$, then the slope of $\overrightarrow{YL} = \cdots$
 - (a) 1
- (b) 1
- $(c) \pm 1$
- d) 45°
- 6 ABC is a right-angled triangle at B, where 3 AC = 5 BC, then $\tan A = \dots$
 - (a) $\frac{3}{5}$
- (b) $\frac{5}{3}$
- (c) $\frac{3}{4}$
- (d) $\frac{4}{3}$
- [a] If the point C (4, y) is the midpoint of \overline{AB} where A (χ , 3) and B (6, 5)
 - , find the value of : X + y
 - [b] Prove that the points A (5,3), B (3,-2), C (-2,-4) are the vertices of a triangle, then prove that the triangle is an obtuse-angled triangle at B



If ABCD is a rectangle in which AB = 5 cm., BC = 12 cm.



- find : 1 The length of AC
 - 2 The value of : 5 tan $(\angle ACD)$ 13 sin $(\angle DAC)$
- [b] If the two points A (3, -1), B (5, 3)
 - , find the equation of the axis of symmetry of \overline{AB}
- [a] Without using the calculator \circ find the value of : $\frac{\cos^2 60^\circ + \cos^2 30^\circ}{\sin 60^\circ \tan 60^\circ}$
 - [b] If the two equations of the two straight lines L_1 and L_2 are :

 $L_1 : 6 X + k y - 3 = zero and L_2 : 3 y = 2 X + 6 respectively.$

- , find the value of k which makes :
- 1 The two straight lines parallel.
- 2 The two straight lines perpendicular.
- [a] Find the equation of the straight line which passes through the point (1, 4) and is parallel to the straight line: x + 2y 4 = zero
 - [b] If ABCD is a square where: A (2,4), B (-3,zero), C (-7,5)
 - , find: 1 The coordinates of the point D 2 the area of the square ABCD



Answer the following questions: (Using calculator is permitted)


Choose the correct answer:

- - (a) 5
- (b) 10
- (c) $5\sqrt{2}$
- (d) $10\sqrt{2}$

- ABC is a triangle. If $(AC)^2 > (AB)^2 + (BC)^2$, then $\angle C$ is
 - (a) acute.
- (b) obtuse.
- (c) right.
- 3 The opposite figure represents a semicircle with the radius length of its circle is 2 cm., then the perimeter of this figure = cm.
 - (a) 2 TT

(c) $2\pi + 4$

(d) $4\pi + 2$



- 4 If $\cos \frac{x}{2} = \frac{\sqrt{3}}{2}$ where $\frac{x}{2}$ is the measure of an acute angle • then $\tan (x - 15^\circ) = \dots$
 - $(a)\sqrt{3}$
- (b) $\frac{1}{\sqrt{3}}$ (c) 1
- (d) $\frac{\sqrt{3}}{2}$
- The equation of a straight line is : $\frac{x}{2} \frac{y}{3} = 6$, then it intercepts from x-axis a part of length length units.
 - (a) 3
- (c) 6
- (d) 18
- If $\frac{-2}{3}$, $\frac{6}{k}$ are the slopes of two perpendicular straight lines, then $k = \dots$


- [a] Determine the type of the triangle ABC where: A(3,0), B(1,4) and C(-1,2) with respect to the lengths of its sides.
 - [b] Without using calculator , prove that : $\frac{\tan 45^\circ + \tan 30^\circ}{1 \tan 45^\circ \tan 30^\circ} = 2 + \sqrt{3}$
- [a] ABCD is a quadrilateral where A (2,4), B (-3,0), C (-7,5) and D (-2,9)**Prove that :** ABCD is a square.
 - [b] ABC is a right-angled triangle at C \cdot AC = 6 cm. and BC = 8 cm. Find the value of: cos A cos B - sin A sin B
- and B (4,5) is parallel to the straight line which makes with the positive direction of X-axis an angle its measure is 45°
 - [b] If $\sqrt{3} \sin x \tan 30^\circ = \tan 45^\circ \cos 2x$, find the value of X (where X is the measure of an acute angle).
- [a] Find the equation of the straight line which is perpendicular to the straight line: 3x - 4y + 7 = 0 and intercepts from the positive part of y-axis a part of length 4 units.
 - [b] ABCD is a rectangle in which AB = 3 cm. \rightarrow AC = 5 cm.
 - Find: $1 \text{ m } (\angle ACB)$
- 2 The area of the rectangle ABCD

7 El-Gharbia Governorate

Answer the following questions: (Calculator is allowed)

4	C1				
1	Choose	the	correct	answer	:

- 1 The number of the axes of symmetry of the scalene triangle equals
 - (a) zero
- (b) 1
- (c) 2
- (d) 3
- 2 In the triangle XYZ, if $(YZ)^2 + (XZ)^2 < (XY)^2$, then $\angle Z$ is
 - (a) acute.
- (b) right.
- (c) obtuse.
- (d) straight.
- If the distance between the two points (a, 0) and (0, 1) is one length unit, then $a = \cdots$
 - (a) 1
- (b) 1
- (c) 0
- (d) 2
- If the origin point is the midpoint of \overline{AB} where A (2, -3), then the point B is
 - (a) (-3, 2)
- (b) (-2,3)
- (c) (-2, -3)
- (d)(2,3)
- In the opposite figure: ABC is a right-angled triangle at A in which $\overrightarrow{AD} \perp \overrightarrow{BC}$ cutting it at D, $\overrightarrow{AB} = 6$ cm. and $\overrightarrow{AC} = 8$ cm., then $\overrightarrow{AD} = \cdots$ cm.



- (a) 3.6
- (b) 8.4
- (c) 4.8
- (d) 6.4
- **6** ABC is a right-angled triangle at B, then $\sin A + 2 \cos C = \dots$
 - (a) 2 sin C
- (b) 3 sin A
- (c) 2 sin A
- (d) 3 cos A
- [a] XYZ is a right-angled triangle at Y in which: XY = 5 cm. and XZ = 13 cm.

 Find the value of: cos X cos Z sin X sin Z
 - [b] Find the measure of the positive angle that \overrightarrow{AB} makes where:

A (3, -2), B (6, 1) with the negative direction of the X-axis.

- [3] [a] Find the value of x if: $\cos(3x + 6^\circ) = \frac{1}{2}$ where $(3x + 6^\circ)$ is the measure of an acute angle.
 - [b] Find the equation of the straight line which is parallel to the straight line $\frac{y-1}{X} = \frac{1}{3}$ and intersects from the negative part of y-axis a part equals 3 length units.
- [a] Find the value of x which satisfies : $x \sin 30^{\circ} \cos^2 45^{\circ} = \sin^2 60^{\circ}$
 - [b] If the points A (-3,0), B (3,4) and C (1,-6) are the vertices of an isosceles triangle of vertex A, find the length of the drawn line segment from A perpendicular to \overline{BC}

- [a] If the point M (-1,2) is the centre of the circle passing through the point A (3,-1), find the circumference of the circle (where $\pi = \frac{22}{7}$)
 - [b] Find the equation of the straight line passing through the point (1, 2) and perpendicular to the straight line passing through the two points A (2, -3) and B (5, -4)




Answer the following questions: (Calculator is permitted)


- [a] Choose the correct answer:
 - 1 If m (\angle A) = 75°, sin A = cos B, \angle B is acute, then m (\angle B) =
 - (a) 45°
- (b) 75°
- (c) 15°
- (d) 105°
- 2 If ABC is a right-angled triangle at B, AB = BC, then tan A =
 - (a) $\frac{1}{3}$
- (b) $\sqrt{3}$
- (c) 1
- $\frac{(d)}{\sqrt{2}}$
- 3 If $\overrightarrow{AB} \perp \overrightarrow{CD}$ and the slope of $\overrightarrow{AB} = 0$, then the slope of $\overrightarrow{CD} = \cdots$
 - (a) 1
- (b) 1
- (c) zero
- (d) not defined.

[b] In the opposite figure:

The point C is the midpoint of \overline{AB} where C (4,3), O is the origin point in the perpendicular coordinates system.



2 The area of the triangle AOB



[a] Choose the correct answer:

- If $\cos 3 x = \frac{1}{2}$, 3 x is the measure of an acute angle, then $x = \dots$
 - (a) 20°
- (b) 30°
- (c) 45°
- (d) 60°
- The radius length of the circle whose centre is (0,0) and passes through (3,4) equalslength units.
 - (a) 7
- (b) 1
- (c) 12
- (d) 5
- 3 The measure of the exterior angle of the equilateral triangle equals
 - (a) 60°
- (b) 90°
- (c) 120°
- (d) 80°

[b] Without using calculator , find the value of $\boldsymbol{\mathcal{X}}$ which satisfies :

 $2 \sin x = \tan^2 60^\circ - 2 \tan 45^\circ$ where x is the measure of an acute angle.

- [a] Find the equation of the straight line which intercepts from the positive parts of the two axes two parts of lengths 2 units, 3 units from X and y-axes respectively.
 - [b] ABC is a right-angled triangle at C, AC = 5 cm., BC = 12 cm. Find the value of: $\cos A \cos B \sin A \sin B$
- [a] ABCD is a parallelogram where A (3,2), B (4,-5), C (0,-3)

 Find the coordinates of the point at which the two diagonals intersect, then find the coordinates of the point D
 - [b] Without using calculator, prove that: $2 \sin 30^{\circ} + 4 \cos 60^{\circ} = \tan^2 60^{\circ}$
- [a] Prove that A (5, 1), B (3, -7), C (1, 3) are not collinear points.
 - [b] Find the equation of the straight line perpendicular to \overline{AB} from its midpoint where A (2, 1), B (4, 5)



Answer the following questions: (Calculator is allowed)


- Choose the correct answer from those given :
 - 1 The parallelogram whose two diagonals are equal in length and perpendicular is the
 - (a) rectangle.
- (b) rhombus.
- (c) square.
- (d) trapezium.
- 2 If C is the midpoint of \overline{AB} where A (-3,6), B (3,-6), then C =
 - (a) (6, -6)
- (b)(0,0)
- (c)(3,3)
- (d)(-3,0)
- 3 The number of diagonals of the triangle equals
 - (a) 3
- (b) 2
- (c) 1
- (d)0
- - (a) 90
- (b)60
- (c)45
- (d)30
- 5 If the ratio between the measures of two adjacent supplementary angles is 1:2, then the measure of the greater angle equals
 - (a) 120
- (b) 90
- (c) 180
- (d)60
- 6 The equation of the straight line which passes through the origin point and its slope = 3 is
 - (a) y = X
- (b) y = 3
- (c) X = 3
- (d) y = 3 x

[a] In the opposite figure :

ABC is a right-angled triangle at B

Prove that: $\sin^2 A + \sin^2 C = 1$

[b] Prove that the straight line which passes through the two points (-1,3), (2,4) is parallel to the straight line whose equation is 3y - X - 1 = 0



[3] [a] In the opposite figure :

ABCD is a rectangle, AB = 15 cm., AC = 25 cm.

Find: m (∠ ACB) in degree measure

, then find the area of the rectangle ABCD



[b] The opposite table shows a linear relation.

Find: 1 The equation of the straight line.


2 The length of the intercepted part from y-axis.



[a] prove that the quadrilateral ABCD whose vertices are

A(-1,3), B(5,1), C(7,4) and D(1,6) is a parallelogram.


[b] Find the slope of the straight line which intersects from the positive parts of two coordinates X-axis and y-axis two parts of lengths 3 units , 4 units respectively, then find the equation of this straight line.




[b] In the opposite figure:

A represents the location of Ahmed's house

- , B represents the location of Saeid's house
- C represents the location of the School.





2 Are the two roads AB and BC perpendicular? giving reason, without measuring.

Suez Governorate



Answer the following questions: (Calculator is allowed)

_					70	
1	Choose the correct	answer	from	those	given	:

- 1 If $\sin 30^\circ = \cos \theta$ where θ is an acute angle, then $\theta = \cdots$
 - (a) 15
- (b) 30
- (c) 60
- (d) 90
- 2 ABC is a triangle in which: $(AB)^2 > (BC)^2 + (AC)^2$, then $\angle C$ is
 - (a) acute.
- (b) obtuse.
- (c) right.
- 3 If A (-2,5), B (2,-5), then the midpoint of \overline{AB} is
- (b) (2,5)
- (c)(5,2)
- (d)(-5,-2)
- 4 If XY is the axis of symmetry of AB, then XA XB
 - (a) >
- (b) <
- (d) ≤
- [5] If m_1 , m_2 are the slopes of two perpendicular straight lines, then $m_1 \times m_2 = \dots$
 - (a) 1
- (b) zero
- (c) 1
- (d) 2
- The surface area of the rhombus ABCD =

- (a) $\frac{1}{2}$ AB × DC (b) $\frac{1}{2}$ AC × BD (c) $\frac{1}{2}$ AB × AD (d) $\frac{1}{2}$ AD × BC
- [2] [a] Find the equation of the straight line whose slope is 2 and intersects from the positive part of the y-axis a part equals 7 units.
 - [b] Find the value of X if : $4 \times 10^{2} = 30^{\circ} \tan^{2} 30^{\circ} \tan^{2} 45^{\circ}$
- [a] ABCD is a parallelogram whose diagonals intersect at E if A (4,3), B (0,2), C (-2,-3), then find the coordinates of E, D
 - [b] Without using calculator , prove that :

$$\tan^2 60^\circ - \tan^2 45^\circ = \sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$$

- [a] Prove that the straight line passing through the two points (2, -1), (6, 3) is parallel to the straight line that makes with the positive direction of the X-axis an angle of measure 45°
 - [b] ABC is a right-angled triangle at B \rightarrow if 2 AB = $\sqrt{3}$ AC , find : sin C , tan A
- [a] Prove that the points A (-3,0), B (3,4), C (1,-6) are the vertices of an isosceles triangle of vertex A
 - [b] Find the equation of the straight line which passes through the point (3,5) and is perpendicular to the straight line whose slope equals $\frac{-1}{2}$

Port Said Governorate

Answer the following questions:

Choose the correct answer from those given :

- 1 The product of multiplying the slopes of two perpendicular straight lines equals
 - (a) 1
- (b) 1
- $(c) \pm 1$
- (d) zero

2 In the opposite figure :

(a) $X + y = \frac{1}{2} z$

(b) $z = x^2 + y^2$

(c) $X = \frac{1}{2} z$

- (d) 2 y = z

- $3 \sin 30^{\circ} = \cos \dots$
 - (a) 10°
- (b) 45°
- (c) 30°
- (d) 60°


- 4 tan 45° =
 - (a) 1
- (b) $2\sqrt{2}$
- (c) $\frac{1}{2}$
- 5 If A (5,7), B (1,-1), then the midpoint of \overline{AB} is
 - (a) (2,3)
- (b) (3,3)
- (c)(3,2)
- (d)(3,4)
- **6** If \overrightarrow{AB} // \overrightarrow{CD} and the slope of $\overrightarrow{AB} = \frac{2}{3}$, then the slope of $\overrightarrow{CD} = \cdots$
 - (a) $\frac{3}{2}$
- (b) $\frac{-3}{2}$
- (c) $\frac{-2}{3}$

[a] In the opposite figure:

ABC is a right-angled triangle at C

$$AB = 13 \text{ cm.}$$
 $BC = 12 \text{ cm.}$ $AC = 5 \text{ cm.}$


- 1 Prove that: $\sin A \cos B + \cos A \sin B = 1$
- 2 Find: 1 + tan² A



- [b] Find the value of the following: $\sin 45^{\circ} \cos 45^{\circ} + \sin 30^{\circ} \cos 60^{\circ} \cos^2 30^{\circ}$
- [a] Find m (\angle E) where \angle E is an acute angle : \sin E = \sin 60° \cos 30° \cos 60° \sin 30°
 - [b] Prove that the straight line passing through the two points (-3, -2), (4, 5) is parallel to the straight line that makes with the positive direction of the X-axis an angle of measure 45°.
- [a] Find the equation of the straight line passing through the point (1, 2) and perpendicular to the straight line passing through the two points A (2, -3), B (5, -4)
 - [b] Prove that the points A (3, -1), B (-4, 6) and C (2, -2) are located on the circle whose centre is the point M (-1,2)

97

- [a] ABCD is a parallelogram where A (3, 2), B (4, -5), C (0, -3), find the coordinates of the point at which the two diagonals intersect, then find the coordinates of the point D
 - [b] Using the opposite figure, find the following:
 - 1 The length of the y-intercept (c)
 - 2 The length of the χ -intercept.
 - 3 The slope of the straight line (m)



Damietta Governorate



Answer the following questions: (Calculator is allowed)

- Choose the correct answer from the given answers :
 - 1 If the lengths of two sides of an isosceles triangle are 2 cm. and 5 cm., then the length of the third side is cm.
 - (a) 2
- (b) 3
- (d)7
- 2 If $\sin x = \frac{1}{2}$, x is the measure of an acute angle, then $\sin 2x = \dots$
 - (a) $\frac{\sqrt{3}}{2}$
- (c) $\frac{\sqrt{2}}{2}$
- (d) 1
- 3 The surface area of the square is equal to the square of the length of the diagonal divided by
 - (a) 1
- (b) 2
- (c) 3
- (d) 4
- \blacksquare The equation of the straight line which passes through the point (-2, 5) and is parallel to X-axis is
 - (a) X = -2
- (b) X = 5
- (c) y = -2
- (d) y = 5

5 In the opposite figure:

$$A \in \overrightarrow{AB}$$
, $B \in \overrightarrow{AB}$, $m (\angle C) = 90^{\circ}$

, then $X + y = \cdots$

- (a) 90°
- (b) 180°
- (c) 270°
- (d) 360°
- \overrightarrow{AB} , \overrightarrow{DC} are parallel, their slopes are m_1 , m_2 , then
 - (a) $m_1 = -m_2$
- (b) $m_1 m_2 = 0$ (c) $m_1 m_2 = -1$ (d) $m_1 m_2 = 1$
- [a] ABC is a right-angled triangle at C, AC = 6 cm., BC = 8 cm.

Find: cos A cos B - sin A sin B

Fig1	F	_ :	4:
Final	F X CIT	nına	HOUS

- [b] Find the equation of the straight line which intercepts from the positive parts of the two parts of lengths 3 units and 2 units for X and y axes respectively and find its slope.
- [3] [a] If the distance of the point (X, 5) from the point (6, 1) equals $2\sqrt{5}$ length units, then find the value of X
 - [b] Find the equation of the straight line which passes through the points (2, -1), (1, 1) and if the point (0, k) \in the straight line, find the value of k
- [a] Find the value of x if: $4 x = \cos^2 30^\circ \tan^2 30^\circ \tan^2 45^\circ$ (Indicating the steps of the solution)
 - **[b]** If the straight line passing through the two points (a,0), (0,3) is perpendicular to the straight line that makes an angle of measure 30° with the positive direction of the X-axis find a.
- [a] Prove that: $\sin 45^{\circ} \cos 45^{\circ} + \sin 30^{\circ} \cos 60^{\circ} \cos^2 30^{\circ} = 0$ (Indicating the steps of the solution)
 - [b] Find the equation of the straight line perpendicular to \overline{AB} from its midpoint C where A (1, 3) and B (3, 5)

Kafr El-Sheikh Governorate

Answer the following questions: (Calculators are permitted)

1	Choose	the	correct	answer	from	those	given	:
---	--------	-----	---------	--------	------	-------	-------	---

- 1 In \triangle ABC, if m (\angle A) = 60°, sin B = cos B, then m (\angle C) =
 - (a) 30°

- (b) 75°
- (c) 90°
- (d) 105°
- The area of the triangle bounded by the straight lines: x = 0, y = 0, 5x + 2y = 10 is square units.
 - (a) 10

(b) 8

- (c)7
- (d) 5
- If the straight line passing through the two points $(\sqrt{3}, 1), (2\sqrt{3}, y)$ its slope equals $\tan 60^{\circ}$, then $y = \dots$
 - (a) 2

(b) 3

- (c)4
- (d) 5
- If the straight line a x + (2 a) y = 5 is parallel to the straight line passing through the two points (1, 4), (3, 5), then $a = \cdots$
 - (a) 3

- (b) 2
- (c) 1
- (d) zero
- 5 If the point (l-3, 2) is in the first quadrant, then l can be equal to
 - (a) 3

(b) 2

- (c) 7
- (d) zero
- 6 The complement of the angle whose measure is 65° is of measure
 - (a) 35°

- (b) 25°
- (c) 115°
- (d) 45°

[a] ABC is a right-angled triangle at B, AC = 13 cm. BC = 12 cm.

Prove that: $\sin^2 C + \sin^2 A = 1$

- [b] If the point A (5, 2) lies on the circle of centre M (1, -1), then find:
 - 1 The surface area of the circle in terms of π
 - 2 The equation of the straight line which passes through A and M
- [3] [a] If A (-3,5), B (-1,7), find the equation of the axis of symmetry of \overline{AB}
 - [b] Without using the calculator, prove that:

 $\tan^2 60^\circ - \tan^2 45^\circ = \sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$

- [a] Prove that the points A (-1,3), B (5,1), C (7,4), D (1,6) are the vertices of the parallelogram ABCD
 - [b] ABCD is an isosceles trapezoid in which \overline{AD} // \overline{BC} , AD = 4 cm., AB = 5 cm.

, BC = 12 cm. , then calculate : $\frac{\tan B \cos C}{\cos^2 C + \sin^2 C}$

[a] If the straight line L_1 passes through the two points (3, 1), (2, k) and the straight line L_2 makes with the positive direction of X-axis an angle of measure 45°

, find the value of k if : $\mathbf{1} L_1 // L_2$


 $\mathbf{Z} \mathbf{L}_1 \perp \mathbf{L}_2$

[b] In the opposite figure:

The point C is the midpoint of \overline{AB} where C (3,4), O is the origin point of the perpendicular coordinates system.

Find: 1 The coordinates of the two points A and B

2 The equation of \overrightarrow{AB}



14

El-Beheira Governorate



Answer the following questions: (Calculator is permitted)

Choose the correct answer from the given ones:

1 If A (5,7), B (1,-1), then the midpoint of \overline{AB} is

- (a) (2,3)
- (b) (3,3)
- (c) (3,2)
- (d)(3,4)
- 2 If m (\angle B) = 80°, then m (reflex \angle B) =
 - (a) 10°
- (b) 100°
- (c) 80°
- (d) 280°

3 The slope of the straight line which is parallel to the straight line passing through the two points (2, 3), (-2, 4) equals

(a) - 1

(b) $\frac{-1}{4}$ (c) $\frac{1}{4}$

(d) 1

If $\tan (x + 10^\circ) = \sqrt{3}$ where x is the measure of an acute angle, then $x = \dots$

(a) 30°

(c) 50°

(d) 60°

5 In a parallelogram, the two diagonals are

(a) perpendicular.

(b) equal in length.

(c) equal in length and perpendicular.

(d) bisecting each other.

6 The triangle whose sides lengths are 2 cm., (x + 2) cm. and 5 cm. becomes an isosceles triangle when $x = \cdots$

(a) zero

(b) 2

(c)3

(d)5


[a] In the opposite figure :

ABC is a right-angled triangle

at C, AC = 6 cm., BC = 8 cm.

Find: 1 cos A cos B - sin A sin B

2 m (∠ B)



- [b] State the kind of the triangle whose vertices are the points A (-2,4), B (3,-1), C (4,5) with respect to its sides.
- [a] Without using the calculator, prove that:

$$\tan^2 60^\circ - \tan^2 45^\circ = \cos^2 30^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$$

- [b] Find the equation of the straight line whose slope equals 2 and intersects from the negative part of the y-axis a part equals 3 units and draw it.
- [a] Find the value of X which satisfies: $X \sin 30^{\circ} \cos^2 45^{\circ} = \sin^2 60^{\circ}$
 - [b] If the straight line L_1 passes through the two points (3, 1), (2, k) and the straight line L_2 makes with the positive direction of the X-axis an angle of measure 45°, find the value of k, if $L_1 // L_2$
- [a] If the point (3, 1) is the midpoint of \overline{AB} where A (1, y) and B (x, 3) , find the point (X, y)
 - [b] Find the equation of the straight line passing through the point (3, -5) and perpendicular to the straight line : X + 2y - 7 = 0

El-Fayoum Governorate

Answer the following questions: (Using calculators is allowed)

Choose the correct answer:

- 1 If tan 3 $X = \sqrt{3}$ where X is the measure of an acute angle, then $X = \dots$
 - (a) 10
- (b) 15
- (c) 20
- (d) 30
- 2 If the perimeter of a square is 16 cm., then its area is cm?
 - (a) 4
- (b) 16
- (c) 60
- (d) 90
- 3 The perpendicular distance between the two straight lines: x 2 = 0, x + 3 = 0 equalslength units.
 - (a) 1
- (b) 5
- (c) 2
- (d) 3

In the opposite figure :


Δ ABC is triangle.

(a) an isosceles.

(b) an equilateral.

(c) an obtuse-angled.

(d) a right-angled.



5 The area of the triangle identified by the straight lines:

$$3 \times -4 = 12$$
, $x = 0$, $y = 0$ equals square units.

- (a) 6
- (b) 7
- (c) 12
- (d) 5
- The measure of the angle of the regular hexagon is
 - (a) 108°
- (b) 90°
- (c) 120°
- (d) 60°


[2] [a] In the opposite figure :

ABCD is a rectangle in which AB = 15 cm.

$$AC = 25 \text{ cm}.$$

Find: **1** m (∠ ACB)

2 The surface area of the rectangle ABCD



- [b] If the distance between the two points (a,7), (-2,3) equals 5 length units, find the values of a
- [3] [a] Without using the calculator, find the value of X (where X is the measure of an acute angle) which satisfies:

$$2 \sin X = \sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ}$$

[b] Prove that the straight line passing through the two points (-1,3), (2,4) is parallel to the straight line 3y - x - 1 = 0

- [a] ABCD is a quadrilateral, where A (5,3), B (6,-2), C (1,-1), D (0,4). Prove that: ABCD is a rhombus.
 - [b] If A (5, -6), B (3, 7) and C (1, -3), find the equation of the straight line passing through the point A and the midpoint of BC
- [a] Without using the calculator, prove that: $\frac{\cos^2 60^\circ + \cos^2 30^\circ + \tan^2 45^\circ}{\sin 60^\circ \tan 60^\circ - \sin 30^\circ} = 2$
 - [b] If the straight line L_1 passes through the two points A(3,1), B(2,y) and the straight line L2 makes an angle whose measure is 45° with the positive direction of X-axis, then find the value of y if $L_1 \perp L_2$




Answer the following questions: (Calculator is allowed)

- Choose the correct answer from those given :
 - 1 The product of multiplying the slopes of two perpendicular straight lines equals
 - (a) zero
- (b) 1
- (c) 1
- (d) $\frac{1}{2}$
- 2 If \overline{AB} is a diameter in a circle of centre M, where A (2, 4) and B (-2, 0) , then $M = \cdots$
 - (a) (0, 2)
- (b) (2,0)
- (c)(0,0)
- (d)(2,2)
- 3 The quadrilateral whose diagonals are equal in length and perpendicular is the
 - (a) parallelogram. (b) rhombus.
- (c) rectangle.
- (d) square.
- 4 If the lengths of two sides of a triangle are 2 cm. and 5 cm., then the length of the third side ∈
 - (a)]2,5[
- (b)]3,7[(c)]2,7[
- (d) 3.5

5 In the opposite figure:

If m (\angle BAC) = 90°, $\overline{AD} \perp \overline{BC}$ • then $(AD)^2 = \cdots$






- (a) $AB \times AC$
- (b) $DB \times DC$
- (c) $BD \times BC$
- **6** If $\tan (x + 15^{\circ}) = 1$, where x is the measure of an acute angle, then $x = \dots$
 - (a) 60°
- (b) 45°
- (c) 30°
- (d) 15°

- [a] Find the area of the rectangle ABCD where A (-1,3), B (5,1), C (6,4) and D (0,6)
 - **[b]** Find the value of X if : $X \cos 60^\circ = \sin 30^\circ + \tan 45^\circ$
- [a] Prove that the straight line passing through the two points (-1,0) and (3,4) is parallel to the straight line that makes a positive angle of measure 45° with the positive direction of the X-axis.
 - [b] In the opposite figure :

ABC is a right-angled triangle at A

AB = 20 cm. and AC = 15 cm.

Prove that: $\cos C \cos B - \sin C \sin B = zero$



- [a] If C (x, -3) is the midpoint of \overline{AB} where A (-3, y), B (9, 11), find the value of : x + y
 - [b] Without using the calculator, find the value of the expression: $\sin 45^{\circ} \cos 45^{\circ} + 3 \sin 30^{\circ} \cos 60^{\circ} \cos^2 30^{\circ}$
- [a] Find the equation of the straight line passing through the point (2, -5) and perpendicular to the straight line whose equation is y 2x + 7 = zero
 - [b] Prove that the points A (2,3), B (6,2), C (0,-1) and D (-2,1) are the vertices of a trapezoid.



Answer the following questions: (Calculator is allowed)

- Choose the correct answer:
 - 1 The measure of the exterior angle of the equilateral triangle equals
 - (a) 60°
- (b) 90°
- (c) 120°
- (d) 180°
- 2 If L₁, L₂ are two lines parallel and their slopes are $\frac{-2}{3}$, $\frac{k}{6}$, then $k = \dots$
 - (a) 12
- (b) 9
- (c) 4
- (d) 4
- The lengths of two sides of an isosceles triangle equal 2 cm., 5 cm., then the length of the third side equals cm.
 - (a) 5
- (b) 2
- (c) 3
- (d)7
- 4 The distance between the point (5, 12) and the point of origin equals units.
 - (a) 5
- (b) 13
- (c) 12
- $(d)\sqrt{17}$

- 5 The area of the square whose perimeter is 16 cm. equals cm?
 - (a) 4
- (b) 8
- (c) 16
- (d) 256
- B XYZ is an isosceles triangle right-angled at Z, then tan X =
- $(b)\sqrt{3}$
- (c) 1
- (d) $\frac{1}{3}$
- [2] [a] Prove that the triangle whose vertices are A (6,0), B (2,-4), C (-4,2)is right-angled at B
 - [b] XYZ is a right-angled triangle at Z where XZ = 7 cm. Find the value of: $tan X \times tan Y$
- 3 [a] Find X where: $4 X = \cos^2 30^\circ \tan^2 30^\circ \tan^2 45^\circ$
 - [b] Find the equation of the straight line passing through the point (3, -5) and parallel to the straight line X + 2y - 7 = 0
- [a] ABCD is a parallelogram, A(-2,5), B(3,3), C(-4,2) Find the two coordinates of the point at which the two diagonals intersect, then find the coordinates of the point D
 - [b] Without using the calculator, prove that: $\sin^2 30^\circ = 5 \cos^2 60^\circ \tan^2 45^\circ$
- [a] If the straight line L_1 passes through the two points (3, 1), (2, k) and the straight line L_2 makes with the positive direction of the X-axis an angle whose measure is 45°, then find k, if the two straight lines L_1 , L_2 are perpendicular.
 - [b] Find the equation of the straight line which intersects from the positive parts of X and y axes two parts of lengths 2 units, 3 units respectively.

Assiut Governorate

Answer the following questions: (Calculator is permitted)

- Choose the correct answer :
 - 1 The sum of the measures of the interior angles of a triangle equals
 - (a) 90°
- (b) 180°
- (c) 360°
- (d) 540°

2 In the opposite figure:


AB = cm.

(a) 5

(b) 15

(c) 20

(d) 40



كراسة العاصر رياضيات (لغات) / ٣ إعدادي / تيرم ١ (١٠ : ١٤)


- 3 The measure of the interior angle of a regular hexagon equals
 - (a) 108°
- (b) 120°
- (c) 90°
- (d) 180°
- 4 If $2 \sin x = 1$ (where x is the measure of an acute angle), then $x = \dots$
 - (a) 45°
- (b) 90°
- (c) 30°
- (d) 60°
- - (a) X = 2
- (b) y = -3
- (c) X = -2
- (d) y = 3
- **B** If the origin point is the midpoint of \overline{AB} , A (5, -2), then B =
 - (a) (5, 2)
- (b) (-5, -2)
- (c) (-5, 2)
- (d) (0,0)
- [a] Prove that the points A(-3,-1), B(6,5) and C(3,3) are collinear.
 - [b] Find the value of X that satisfies: $X \sin 30^{\circ} \cos^2 45^{\circ} = \sin^2 60^{\circ}$
- [a] If the triangle whose vertices are Y (4, 2), X (3, 5) and Z (-5, a) is right-angled at Y, then find the value of a
 - [b] Find the equation of the straight line whose slope is 2 and intersects from the positive part of the y-axis a part that equals 7 units.
- [a] In the opposite figure :

ABCD is a rectangle in which AB = 15 cm.

and AC = 25 cm.

Find: $1 \text{ m } (\angle ACB)$

The surface area of the rectangle ABCD



- [b] Prove that the straight line which passes through the points (2,3), (0,0) is parallel to the straight line which passes through (-1,4), (1,7)
- [a] ABCD is a quadrilateral, where A(5,3), B(6,-2), C(1,-1), and D(0,4) Prove that: ABCD is a rhombus.
 - [b] Find the slope and the intercepted part of y-axis by the straight line:

$$2 X - 3 y - 6 = 0$$

Souhag Governorate

Answer the following questions: (Calculator is permitted)

- 1 Choose the correct answer:
 - 1 If $\sin \frac{X}{2} = \frac{1}{2}$, X is the measure of an acute angle, then $X = \dots$
- (c) 10
- (d) 90
- 2 The perimeter of the square whose surface area is 100 cm² equals cm.
 - (a) 10
- (b) 20
- (c) 40
- 3 If $\frac{-2}{3}$, $\frac{6}{k}$ are the slopes of two perpendicular straight lines, then $k = \dots$
 - (a) 4
- (c) 4
- (d) 9

4 In the opposite figure :


The length of $\overline{AC} = \cdots \cdots cm$.

(a) 2

(b) 6

(c) 4

(d) 8



(a) y = X


is

- (b) y = -X
- (c) y = 2 X
- (d) y = 0
- **6** If the numbers 3, 7, ℓ are lengths of sides of a triangle, then ℓ can be equal to
 - (a) 3
- (b) 7
- (c) 4
- (d) 10
- [a] If the midpoint of BC is A (2, 3) and C (-1, 3), find the point B
 - [b] If $\cos x = \sin 30^{\circ} \cos 60^{\circ}$, find:
 - 1 The measure of $\angle X$ (where X is an acute angle)
 - 2 tan X
- [a] If the straight line whose equation is: a X + 2y 7 = 0 is parallel to the straight line which makes an angle of measure 45° with the positive direction of x-axis , find the value of a
 - [b] Without using calculator, prove that: $\tan^2 60^\circ \tan^2 45^\circ = 4 \sin 30^\circ$
- [a] In the opposite figure :

ABCD is a rectangle where AB = 6 cm., AC = 10 cm.

Find: \square m (\angle ACB)

2 The surface area of the rectangle ABCD



Trigonometry	and	Geometry
Ingonomony	und	CCOIIICITY

- [b] Find the equation of the straight line passing through the point (1, 2) and perpendicular to the straight line X + 3y + 7 = 0
- [a] Prove that the points A (3,-1), B (-4,6), C (2,-2) which belong to a perpendicular coordinates plane lie on the circle whose centre is the point M (-1,2) , then find the area of the circle.
 - [b] Find the slope and the intercepted part of y-axis by the straight line where its equation is 4 X + 5 y - 10 = 0



Answer the following questions:

1	Choose the correct	answer	from	those	given	:
	Choose the correct	HILDWCI	AA OARA	uiosc	Sitem	•

- 1 sin 30° =
 - (a) 1
- (b) $\frac{\sqrt{3}}{2}$
- (c) cos 60°
- 2 The number of diagonals of the hexagon equals
 - (a) 5
- (b) 6
- (d)9
- 3 If O the origin point is the midpoint of AB as A = (-2, 5), then $B = \cdots$
 - (a) (2,5)
- (b) (2, -5)
- (c)(-2,5)
- (d)(-2,-5)
- 4 If the measure of two angles of a triangle are 70°, 40°, then the number of its axes equal
 - (a) 1
- (b) 2
- (c)3
- (d) zero
- [5] If L_1 , L_2 are two parallel straight lines of slopes m_1 , m_2 respectively, then

- (a) $m_1 m_2 = zero$ (b) $m_1 = -m_2$ (c) $m_1 \times m_2 = 1$ (d) $m_1 \times m_2 = -1$
- 6 If the lengths of two sides of a triangle are 2 cm., 5 cm., then the length of the third side can be
 - (a) 2 cm.
- (b) 3 cm.
- (c) 4 cm.
- (d) 1 cm.

[a] Without using calculator, find the value of: cos 60° sin 30° - sin 60° cos 30°


- [b] Find the equation of the straight line which makes with the positive direction of x-axis a positive angle of measure 135° and intercepts from the positive part of y-axis a part of length 5 length units.
- [a] Prove that the points A (1,4), B (-1,-2), C (2,-3) are the vertices of a right-angled triangle, find its area.

[b] In the opposite figure :

Δ ABC is a right-angled triangle at C

$$AB = 6 \text{ cm.} \cdot \text{m} (\angle B) = 60^{\circ}$$

Find: The length of AC



- [a] Find the slope of the straight line whose equation is: 2 X - 6 y = 12, then find the points of intersection with the coordinates axes.
 - [b] Without using calculator, find the value of X (where X is the measure of an acute angle) that satisfies:

 $\tan x = 4 \cos 60^{\circ} \sin 30^{\circ}$

- [a] Prove that the straight line which passes through the two points (1,3), (2,4) is parallel to the straight line whose equation is : y - x = 5
 - [b] Prove that the figure ABCD is a rectangle where A(1,0), B(-1,4),C(7,8) , D(9,4)



Luxor Governorate



Answer the following questions:

- Choose the correct answer :
 - 1 The length of the side opposite to the angle of measure 30° in the right-angled triangle equals the length of the hypotenuse.
 - (a) quarter.
- (b) twice.
- (c) half.
- (d) third.
- If $tan(2 \times -5) = 1$ where x is the measure of an acute angle, then $x = \cdots$
 - (a) 15°
- (b) 75°
- (c) 50°
- (d) 25°
- 3 If the diagonal length of a square is 10 cm., then its area = cm?
 - (a) 100
- (b) 75
- (c) 50
- (d) 25
- 4 The straight line passing by the two points (0,0), (2,3) is parallel to the straight line whose slope is
- (b) $\frac{2}{3}$
- (c) $\frac{-3}{2}$ (d) $\frac{-2}{3}$
- 5 The image of the point (3, -2) by reflection in the X-axis is
 - (a) (-2,3)
- (b) (3, 2)
- (c) $(2 \rightarrow -3)$
- (d) (-3, -2)
- **6** The slope of the straight line x 5 = 0 is
 - (a) 5
- (b) $\frac{1}{5}$
- (d) undefined.


- [a] Find in degrees the value of x if: $\tan 2 x = 4 \sin 30^{\circ} \cos 30^{\circ}$ where $0^{\circ} < x < 90^{\circ}$
 - [b] Find the equation of the straight line passing by the point (3, 5) and is parallel to the straight line $2 \times 3 + 6 = 0$
- [a] Prove that the straight line passing by the two points (7, -3), (5, -1) is perpendicular to the straight line which makes an angle of measure 45° with the positive direction of X-axis.
 - [b] Without using the calculator, prove that: $2 \sin 30^\circ + 4 \cos 60^\circ = \tan^2 60^\circ$
- [a] If the distance between the points (a, 0), (0, 1) equals $\sqrt{2}$ length unit find a
 - [b] If \overline{AB} is a diameter in the circle M where A (4, -1), B (-2, 7), find the coordinates of the point M and the radius length of the circle.
- [a] Prove that the points A(-1,-4), B(1,0), C(2,2) are collinear.
 - [b] In the opposite figure:

$$m (\angle ADC) = m (\angle BAC) = 90^{\circ}$$

, $AD = 4 \text{ cm.}$, $AC = 5 \text{ cm.}$, $BC = 13 \text{ cm.}$



 $tan (\angle DAC) sin (\angle ACB) - sin (\angle B) cos (\angle CAD)$





Aswan Governorate



Answer the following questions: (Calculator is allowed)

- 1 Choose the correct answer from those given :
 - 1 The measure of the exterior angle of the equilateral triangle is
 - (a) 60
- (b) 90
- (c) 120
- (d) 180

- 2 4 sin 30° cos 60° =
 - (a) 1
- (b) 2
- (c) 3
- (d)4
- The length of the opposite side of the angle with measure 30° in the right-angled triangle equals the length of the hypotenuse.
 - (a) $\frac{1}{4}$
- (b) $\frac{1}{3}$
- (c) $\frac{1}{2}$
- (d) $\frac{3}{4}$

			Final Examination	15
4 The equation o and parallel to	f the straight line pass X-axis is	sing through the poin	t (-2,-3)	
(a) $y = -2$	(b) $y = -3$	(c) $X = -2$	(d) $X = -3$	
5 \triangle ABC is an iso then AC =	osceles triangle in wh	ich $AB = 3$ cm., BC	= 7 cm. •	
(a) 3	(b) 4	(c) 7	(d) 10	
6 The distance be length units	tween the two straigh		X + 3 = 0 equals	(81)
(a) 1	(b) 2	(c) 3	(d) 5	
[a] Find the equatio	n of the straight line w	high passas through th	ne two points (1,3), (-1,	3)
[b] Prove that the p	points A $(3, -1)$, then find the c	B(-4,6), C(2	, – 2) lie on the circle who	se
3 [a] Without using	calculator , find the	measure of ∠ E (Si	ich that E is an a cute an	gle)
If: $2 \sin E = \sin E$	n 30° cos 60° + cos 3	0° sin 60°	***************************************	
[b] If C is the midp	oint of \overline{AB} , then find	dx, y where A (x ,	3) , B (6 , y) , C (4 ,	6)
4 [a] Δ ABC is right-	angled at C in which	AC = 6 cm., BC	= 8 cm.	
	cos B – sin A sin B	2 m (∠ B)		
line L ₂ makes v	with the positive direct	ction of the X-axis ar), (2, k) and the straight angle of measure 45° arallel. 2 Perpendicular.	
	on of the straight line traight line $X + 2y -$		th the point $(3, -5)$ and is	,
[b] Find the value	of X if : X sin 30° co	$os^2 45^\circ = sin^2 60^\circ$	*	
	New Valle	y Governorate		
Answer the followin	g questions: (Cal	culator is allowed)		
	t answer from those			
1 The area of the	square whose perime	ter is 16 cm. equals	cm ²	
(2) 4	(b) 8	(c) 16	(d) 256	

2 If the lengths of two sides of an isosceles triangle are 3 cm., 7 cm., then the length

(c) 10

of the third side is cm.

(a) 4

(b)7


(d)3

- In the opposite figure :
 - (a) X + y = z

(b) $z = X^2 + y^2$

(c) 2 X = z

(d) $y = \frac{1}{2}z$



- 4 2 sin 30° tan 60° =
 - $(a)\sqrt{3}$
- (b) 3
- (c) $\frac{3}{2}$
- (d) $\frac{1}{2}$
- 5 If X + y = 5, k + 2 y = 0 are perpendicular, then $k = \dots$
 - (a) 1
- (b) 1
- (c) 2
- (d) 2
- **6** If A (5,7), B (1,-1), then the midpoint of \overline{AB} is
 - (a) (2,3)
- (b) (3,3)
- (c)(3,2)
- (d)(3,4)
- [a] ABC is a triangle, $m (\angle B) = 90^{\circ}$, AB = 15 cm., BC = 20 cm.

Prove that: $\cos A \cos C - \sin A \sin C = 0$

- [b] If the point C (3, 1) is the midpoint of \overline{AB} where A (1, y), B (χ , 3), find the point: (χ , y)
- [a] If the points (0, 1), (a, 3), (2, 5) are located on one straight line, then find the value of a
 - [b] Prove that the points A (3,-1), B (-4,6), C (2,-2) which belong to an orthogonal Cartesian coordinates plane lie on the circle whose centre is M (-1,2), then find the circumference of the circle in terms of π
- [a] Find the equation of the straight line passing through the point (3, 5) and parallel to the straight line x + 3y = 7
 - [b] Find the value of X (where X is the measure of an acute angle): $2 \sin X = \sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ}$
- [a] Find the equation of the straight line whose slope is 2 and intersects from the negative part of y-axis a part of length 3 units.
 - [b] Without using the calculator , prove that : $\sin 60^\circ = 2 \sin 30^\circ \cos 30^\circ$



Answer the following questions:

- 11 Choose the correct answer from those given :
 - 1 The distance between the two points (4,0) and (0,-3) equals length units.
 - (a) 5
- (b) 4
- (c) 3
- (d) 12

- 2 If $\cos(x + 30^\circ) = \frac{1}{2}$ where x is the measure of an acute angle, then $x = \dots$
 - (a) 60
- (b) 30
- (c) 45
- (d) 20
- 3 ABC is a triangle in which AB = AC and m (\angle B) = 30°, then m (\angle A) =
 - (a) 60
- (b) 30
- (c) 120
- (d) 40
- If A = (5, 7) and B = (-1, -3), then the midpoint of \overline{AB} is
 - (a) (2, -2)
- (b) (-2, 2)
- (c)(-2,-2)
- (d)(2,2)
- 5 The number of symmetry axes of an isosceles triangle equals
 - (a) 1
- (b) zero
- (c) 2
- (d) 3
- **6** ABC is a right-angled triangle at B, D is the midpoint of \overline{AC} and BD = 5 cm., then $AC = \cdots$ cm.
 - (a) 5
- (b) 10
- (c) 15
- (d) 20
- [a] ABC is a right-angled triangle at B, AC = 13 cm., BC = 12 cm. Prove that: $\sin^2 C + \cos^2 C = 1$
 - [b] Find the equation of the straight line passing through the point (2, -3) and parallel to the straight line y = x + 4
- [a] Without using calculator, prove that: $\cos 60^\circ = 2 \cos^2 30^\circ 1$
 - [b] Find the equation of the straight line which passes through the point (3, -4) and makes with the positive direction of the X-axis an angle of measure 45°
- [a] If the distance between the two points (a, 7) and (-2, 3) equals 5 length units, find the values of a
 - [b] Find the value of X where X is the measure of an acute angle satisfying the equation :
 - $\sin x = 2 \sin 30^{\circ} \cos 30^{\circ}$
- [a] Find the equation of the straight line passing through the point (3, 4) and perpendicular to the straight line whose slope = $\frac{-1}{2}$
 - [b] Prove that the triangle of the vertices A = (0, 0), B = (4, 0) and C = (0, 3) is right-angled, and find its surface area.



Answer the following questions:

1 Choose the correct answer from those given :

- 1 If a = b, a, b are the measures of two complementary angles, then $a = \dots$
 - (a) 30
- (b) 45
- (c)60
- (d)90
- 2 If tan 3 $x = \sqrt{3}$, where x is the measure of an acute angle, then $x = \dots$
 - (a) 10
- (b) 20
- (c) 30
- (d) 60
- 3 The sum of measures of the interior angles of the quadrilateral equals°
 - (a) 360
- (b) 180
- (c) 90
- (d) 540
- 4 If A (1, -6), B (9, 2), then the midpoint of \overline{AB} is
 - (a)(-2,5)
- (b) (2, -5)
- (c) (5, -2)
- (d)(-5,2)


5 In the opposite figure:

(a)
$$X + y = z$$

(b)
$$z = X^2 + y^2$$

(c)
$$2 X = z$$

(d)
$$y = \frac{1}{2} z$$



6 In the opposite figure:

L is a straight line passing through the

two points (2, 5), (5, 2)


, then the point $\cdots \cdots \in L$

(a) (1,6)

(b) (2,3)

(c)(0,0)


(d) (3, -4)



[a] Without using the calculator \circ prove that : $\sin 60^\circ = 2 \sin 30^\circ \cos 30^\circ$

- [b] ABCD is a quadrilateral, where A (2,4), B (-3,0), C (-7,5), D (-2,9) prove that : ABCD is a square.
- [a] Find the equation of the straight line whose slope is 3 and passes through the point (5,0)

- [b] In the opposite figure: XYZ is a right-angled triangle at Z0
 - XZ = 7 cm. XY = 25 cm.
 - 1 Find the value of : tan X × tan Y
 - Prove that : $\sin^2 X + \sin^2 Y = 1$



- [a] Without using the calculator \circ find the value of x if : $2 \sin x = \tan^2 60^\circ 2 \tan 45^\circ$ where X is the measure of an acute angle.
 - [b] Prove that the points A(-1,-4), B(1,0), C(2,2) are collinear.
- [a] Priore that the straight line passing through the two points (-3, -2), (4, 5) is parallel to the straight line which makes with the positive direction of the X-axis an angle of measure 45°
 - [b] If the straight line passing through the two points (-2, 3), (1, k) is perpendicular to the straight line whose slope equals -3, then find the value of k



Answer the following questions:


- 1 Choose the correct answer from those given:
 - 1 2 sin 30° =
- (c) 1
- (d) 2
- 2 The measure of the exterior angle of the equilateral triangle equals
 - (a) 30°
- (b) 60°
- (c) 90°
- (d) 120°
- 3 The distance between the point (3, 4) and the point of origin equals length units.
- (b) 4
- (d) 7
- 4 If 3 cm., 7 cm., l are the lengths of the sides of a triangle , then l can be equal to cm.
 - (a) 3
- (b) 7
- (c) 4
- (d) 10
- 5 If $\overrightarrow{AB} \perp \overrightarrow{CD}$ and the slope of $\overrightarrow{AB} = \frac{2}{3}$, then the slope of $\overrightarrow{CD} = \dots$ (a) $\frac{2}{3}$ (b) $-\frac{2}{3}$ (c) $\frac{3}{2}$ (d) $-\frac{3}{2}$ 6 The image of the point (3, -2) by reflection in the origin point is

- - (a) (-3, 2)
- (b) (-3, -2)
- (c)(3,2)
- (d)(-2,3)
- [a] Find the value of: $\cos 60^\circ \sin 30^\circ \sin 60^\circ \tan 60^\circ + \cos^2 30^\circ$
 - [b] Prove that the straight line which passes through the two points (-3, -2), (4, 5)is parallel to the straight line which makes an angle of measure 45° with the positive direction of the X-axis.

- [a] Find the slope of the straight line $3 \times 4 = 0$, then find the length of the intercepted part from y-axis.
 - **[b]** Find the value of X where : $X \sin 30^{\circ} \cos^2 45^{\circ} = \sin^2 60^{\circ}$
- [a] In the opposite figure :

ABC is a triangle in which AB = AC = 10 cm.

- , BC = 12 cm.
- **1 Find**: m (∠ B)
- Prove that: $\sin^2 B + \cos^2 B = 1$



- [b] Prove that the triangle whose vertices are A (1,4), B (-1,-2), C (2,-3) is right-angled, then find its area.
- [a] Find the equation of the straight line which passes through the point A (4,6) and the midpoint of \overline{BC} where B (3,7), C (1,-3)
 - [b] ABCD is a parallelogram where A (3,3), B (2,-2), C (5,-1), M is the intersection point of its diagonals. Find:
 - 1 The coordinates of M

2 The coordinates of D



Matrouh Governorate



Answer the following questions: (Calculator is allowed)

- Choose the correct answer from those given :
 - 1 The area of the square whose perimeter is 16 cm. equals cm?
 - (a) 4
- (b) 8
- (c) 16
- (d) 256
- The equation of the straight line whose slope is 1 and passes through the origin point is
 - (a) X = 1
- (b) y = 1
- (c) y = X
- (d) y = -x

- 3 If $\cos 2 X = \frac{1}{2}$, then $X = \dots$
 - (a) 15°
- (b) 30°
- (c) 45°
- (d) 60°
- A right circular cylinder, if its height equals the length of its base radius = r cm., then its volume = cm.
 - (a) πr^3
- (b) $2 \pi r^2$
- (c) $2 \pi r^3$
- (d) $\frac{4}{3} \pi r^3$
- 5 The slope of the straight line which is parallel to the X-axis is
 - (a) 1
- (b) zero
- (c) 1
- (d) undefined.

6 In the opposite figure :


$$m (\angle C) = 120^{\circ}$$

, then
$$X^{\circ} + y^{\circ} = \cdots$$

(a) 90°

(b) 180°

(c) 300°



(d) 360°

[2] [a] Without using calculator, find the value of x if: $4x = \cos^2 30^\circ \tan^2 30^\circ \tan^2 45^\circ$

[b]
$$\overline{AB}$$
 is a diameter of the circle M, if B (8, 11), M (5, 7)

Find: 1 The coordinates of A

2 The length of the radius of the circle.

[3] [a] Prove that the points A
$$(-2,5)$$
, B $(3,3)$, C $(-4,2)$ are not collinear and if D $(-9,4)$, prove that the figure ABCD is a parallelogram.

[b] Explaining the steps and without using calculator, find:

$$\frac{\cos^2 60^\circ + \cos^2 30^\circ - \tan^2 45^\circ}{\sin 60^\circ \tan 60^\circ - \sin 30^\circ}$$

- [a] Find the equation of the straight line which passes through the point (3, 4) and is perpendicular to the straight line $5 \times 2 + 7 = 0$
 - [b] ABCD is an isosceles trapezoid, \overline{AD} // \overline{BC} , AD = 4 cm., AB = 5 cm. where BC = 12 cm.

Prove that:
$$\frac{5 \tan B \cos C}{\sin^2 C + \cos^2 C} = 3$$

- [a] If the straight line L₁ passes through the two points (3, 1), (2, k) and the straight line L₂ makes with the positive direction of the X-axis an angle whose measure is 45°, then find k if the two straight lines L₁, L₂ are:
 - 1 Parallel.

- 2 Perpendicular.
- [b] Find the slope and the intercepted part of y-axis by the straight line: $2 \times 2 = 3 \times 4 = 10$

Answers of model examinations of the school book of trigonometry & geometry

Model

- 1 a
- Sc
- 3 b

- 4 a
- 5 b
- 6 a

2

- $[\mathbf{a}] : \sin 60^\circ = \frac{\sqrt{3}}{2}$
 - $2 \sin 30^{\circ} \cos 30^{\circ} = 2 \times \frac{1}{2} \times \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{2}$ (2)

From (1), (2): \therefore sin 60° = 2 sin 30° cos 30°

- [b] : The slope of $\overrightarrow{AB} = \frac{5+1}{6+3} = \frac{2}{3}$
 - , the slope of $\overrightarrow{BC} = \frac{3-5}{3-6} = \frac{2}{3}$
 - \therefore The slope of \overrightarrow{AB} = the slope of \overrightarrow{BC}
 - · AB // BC
 - , .: B is a common point between the two straight lines.
 - .. The points A , B and C are collinear.

- [a] : $4 \cos 60^{\circ} \sin 30^{\circ} = 4 \times \frac{1}{2} \times \frac{1}{2} = 1$
 - $\therefore x = 45^{\circ}$ $\therefore \tan x = 1$
- [b] Let B $(X \cdot y)$
 - $(6,-4) = (\frac{x+5}{2}, \frac{y-3}{2})$

 - $\therefore \frac{x+5}{2} = 6 \qquad \therefore x+5 = 12 \qquad \therefore x = 7$

- y = -3 = -4 : y = -3 = -8 : y = -5
- ∴ B (7 > 5)

- [a] : $m_1 = \frac{k-1}{2-3} = 1-k$
 - $m_2 = \tan 45^\circ = 1$
 - , : $L_1 // L_2$: $m_1 = m_2$
 - $\therefore 1 k = 1 \qquad \therefore k = 0$

- [b] : $m (\angle C) = 90^{\circ}$
 - $(AB)^2 = (6)^2 + (8)^2$ = 100
 - .: AB = 10 cm.
- 1 cos A cos B sin A sin B $=\frac{6}{10}\times\frac{8}{10}-\frac{8}{10}\times\frac{6}{10}=0$
- $2 : \cos B = \frac{8}{10}$ $\therefore m (\angle B) \simeq 36^{\circ} 52 12^{\circ}$

(1)

- [a]. The slope of the straight line = 2
 - ... The equation of the straight line is: y = 2 X + c
 - , :: (1,0) satisfies the equation.
 - $\therefore 0 = 2 \times 1 + c \qquad \therefore c = -2$
 - \therefore The equation of the straight line is : y = 2 X 2
- [b] : MA = $\sqrt{(-1-3)^2+(2+1)^2} = \sqrt{16+9} = \sqrt{25}$

= 5 length units

- $MB = \sqrt{(-1+4)^2 + (2-6)^2} = \sqrt{9+16}$ $=\sqrt{25}=5$ length units
- $MC = \sqrt{(-1-2)^2 + (2+2)^2} = \sqrt{9+16}$
 - $=\sqrt{25}=5$ length units
- : MA = MB = MC :. A , B and C are located on the circle M
- , the circumference = $2 \pi r = 2 \times \pi \times 5$
 - = 10π length units

Model

- 1 a
- [2] d 5 b
- 3 b

- 4 c
- 6 b

- [a] : $\cos E \tan 30^{\circ} = \cos^2 45^{\circ}$
 - $\therefore \cos E \times \frac{1}{\sqrt{3}} = \left(\frac{1}{\sqrt{2}}\right)^2$
 - $\therefore \cos E = \frac{\sqrt{3}}{2} \qquad \therefore m (\angle E) = 30^{\circ}$

[b] :: AB =
$$\sqrt{(3-1)^2 + (3-5)^2} = \sqrt{4+4}$$

= $2\sqrt{2}$ length units

• BC =
$$\sqrt{(1-1)^2 + (5-3)^2} = \sqrt{4} = 2$$
 length units

$$AC = \sqrt{(3-1)^2 + (3-3)^2} = \sqrt{4} = 2$$
 length units

3

- [a] : The slope of the straight line $=\frac{-3-3}{-1-1}=3$
 - \therefore The equation of the straight line is : y = 3 X + c
 - , ∵ (1,3) satisfies the equation
 - $\therefore 3 = 3 \times 1 + c$
- $\therefore c = 0$
- \therefore The equation of the straight line is : y = 3 x
- , ∵ c = 0
- .. The straight line passes through the origin point.

[b] : (3,1) =
$$\left(\frac{1+x}{2}, \frac{y+3}{2}\right)$$

$$\therefore \frac{1+x}{2} = 3$$

$$1 + x = 6$$

$$\therefore x = 5$$

$$\frac{y+3}{2}=1$$

$$\therefore y + 3 = 2$$

$$\therefore (X, y) = (5, -1)$$

4


- [a] : The straight line passes through the two points (1,0) and (0,4)
 - ∴ The slope = $\frac{4-0}{0-1} = -4$
 - ... The equation of the straight line is: y = -4 x + c
 - , : the intercepted part from y-axis = 4
 - ... The equation of the straight line is: y = -4 x + 4



$$(AB)^2 = (10)^2 - (8)^2 = 36$$

∴ AB = 6 cm.

$$\sin^2 A + 1 = \left(\frac{8}{10}\right)^2 + 1 = \frac{41}{25}$$



From (1) , (2):

$$\therefore \sin^2 A + 1 = 2\cos^2 C + \cos^2 A$$

5

- [a] : $m_1 = \frac{4-3}{2+1} = \frac{1}{3}$
 - $m_2 = \frac{1}{3} \qquad \therefore m_1 = m_2$
- [b] Draw DF ⊥ BC
 - : AD // BC , AB ⊥ BC
 - $,\overline{DF}\perp\overline{BC}$
 - : ABFD is a rectangle
 - $\therefore BF = AD = 2 cm.$
 - AB = DF = 3 cm.
 - :. FC = 6 2 = 4 cm.



- $\therefore (DC)^2 = (3)^2 + (4)^2 = 25$
- ∴ DC = 5 cm.
- $\therefore \cos (\angle BCD) = \frac{4}{5}$

Answers of model for the merge students

1

- 2 1
- 3 X

- 4 X
- 5 🗶
- 8

2

- 1 b 2 c
 - 5 a
- 3 d

3

4 c

- 10
- 3 10

- 4 2
- **2** 1 **5** 3
- $\boxed{\mathbf{6}}\,\frac{\sqrt{3}}{2}$

1 1/2

- 2 <u>3</u>
- 3 3
- 4 2 5 length units
- B (-5,2)

Answers of governorates' examinations of trigonometry & geometry



11





4 b

6 c

[a] : $x \sin 45^{\circ} \cos 45^{\circ} = \sin 30^{\circ}$

$$\therefore x \times \frac{1}{\sqrt{2}} \times \frac{1}{\sqrt{2}} = \frac{1}{2} \quad \therefore \frac{1}{2} x = \frac{1}{2}$$

- $\therefore x = 1$
- [b] : The slope of the straight line = 2
 - \therefore Its equation is: y = 2 X + c
 - , :: (1,0) satisfies the equation.
 - $\therefore 0 = 2 \times 1 + c$
- $\therefore c = -2$
- \therefore The equation is: y = 2 X 2

[a] :: m (\(Y \) = 90°

$$(XZ)^2 = (6)^2 + (8)^2 = 100$$

 \therefore XZ = 10 cm.

∴ cos X cos Z = sin X sin Z

$$= \frac{6}{10} \times \frac{8}{10} - \frac{8}{10} \times \frac{6}{10} = 0$$

[b] : AB =
$$\sqrt{(-3-2)^2 + (0-4)^2} = \sqrt{25+16}$$

= $\sqrt{41}$ length units

, BC =
$$\sqrt{(-7+3)^2 + (5-0)^2} = \sqrt{16+25}$$

 $=\sqrt{41}$ length units

, CD =
$$\sqrt{(-2+7)^2 + (9-5)^2} = \sqrt{25+16}$$

 $=\sqrt{41}$ length units

AD =
$$\sqrt{(-2-2)^2 + (9-4)^2} = \sqrt{16+25}$$

= $\sqrt{41}$ length units

$$\therefore AB = BC = CD = AD \qquad \therefore ABCD \text{ is a rhombus}$$

$$\therefore AC = \sqrt{(-7-2)^2 + (5-4)^2} = \sqrt{81+1}$$

 $=\sqrt{82}$ length units

, BD =
$$\sqrt{(-2+3)^2 + (9-0)^2} = \sqrt{1+81}$$

 $=\sqrt{82}$ length units

∴ AC = BD

.. ABCD is a square.

4

- [a] 1 In A ABC:
 - ∵ m (∠ B) = 90°

$$(BC)^2 = (25)^2 - (15)^2 = 400$$

- : BC = 20 cm.
- \supseteq : $\sin(\angle ACB) = \frac{15}{25}$
 - ∴ m (∠ ACB) ~ 36° 52 12
- 3 The area = $20 \times 15 = 300 \text{ cm}^2$.
- [b] Let B (X, y)

$$\therefore (6, -4) = \left(\frac{5+x}{2}, \frac{-3+y}{2}\right)$$

 $\therefore \frac{5+x}{2} = 6 \qquad \therefore 5+x = 12$

 $,\frac{-3+y}{2} = -4$ $\therefore -3+y = -8$ $\therefore y = -5$

B(7, -5)

5

- [a] : The two straight lines are parallel
 - $m_1 = m_2$
- $\therefore \frac{-a}{2} = \tan 45^{\circ}$
- $\therefore \frac{-a}{2} = 1$
- [b] : The slope of the straight line = $\frac{-1-2}{-2-4} = \frac{1}{2}$
 - $\therefore \text{ Its equation is : } y = \frac{1}{2} x + c$
 - , .. (4, 2) satisfies the equation.
 - $\therefore 2 = \frac{1}{2} \times 4 + c \qquad \therefore c = 0$
 - \therefore The equation is : $y = \frac{1}{2} x$
 - $\mathbf{r} \cdot \mathbf{r} = 0$
 - .. The straight line passes through the origin point.

Giza

1 1 d



S q

3 a

4 b

5 c 6 c

- [a] : The slope = 2
 - \therefore The equation is : y = 2 X + c
 - , .. (1 , 1) satisfies the equation.
 - $\therefore -1 = 2 \times 1 + c$
 - $\therefore c = -3$
 - \therefore The equation is: $y = 2 \times x 3$

- [b] 1 : $m (\angle C) = 90^{\circ}$
 - $(AB)^2 = (3)^2 + (4)^2 = 25$
 - ∴ AB = 5 cm.
 - : cos A cos B sin A sin B
 - $=\frac{3}{5}\times\frac{4}{5}-\frac{4}{5}\times\frac{3}{5}=0$
 - $2 : \tan B = \frac{3}{4}$
- ∴ m (∠ B) ~ 36° 52 12

- [a] : $\sin 60^{\circ} = \frac{\sqrt{3}}{6}$
 - $2 \sin 30^{\circ} \cos 30^{\circ} = 2 \times \frac{1}{2} \times \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{2}$
- From (1), (2): $\therefore \sin 60^{\circ} = 2 \sin 30^{\circ} \cos 30^{\circ}$
- [b] : $L_1 \perp L_2$
- $\therefore m_1 \times m_2 = 1$
- $\frac{k-1}{2-3} \times \tan 45^{\circ} = -1$
- $\therefore (1-k) \times 1 = -1$

- [a] $\because \cos E \tan 30^\circ = \cos^2 45^\circ$
 - $\therefore \cos E \times \frac{1}{\sqrt{3}} = \left(\frac{1}{\sqrt{3}}\right)^2$
 - $\therefore \cos E = \frac{\sqrt{3}}{2} \qquad \therefore m (\angle E) = 30^{\circ}$
- [b] : AB = $\sqrt{(1-3)^2 + (5-3)^2} = \sqrt{4+4}$
 - = $2\sqrt{2}$ length units
 - $BC = \sqrt{(1-1)^2 + (3-5)^2} = \sqrt{0+4}$
 - = 2 length units $AC = \sqrt{(1-3)^2 + (3-3)^2} = \sqrt{4+0}$
 - = 2 length units
 - ∴ BC = AC
 - ∴ ∆ ABC is isosceles.

[a] $m = \frac{-5}{4}$

The intercepted part is $\frac{5}{2}$ from the negative part of the y-axis.

- [b] : MA = $\sqrt{(3+1)^2 + (-1-2)^2} = \sqrt{16+9}$
 - = 5 length units
 - $MB = \sqrt{(-4+1)^2 + (6-2)^2} = \sqrt{9+16}$
 - = 5 length units

- $MC = \sqrt{(2+1)^2 + (-2-2)^2} = \sqrt{9+16}$
 - = 5 length units
- :. MA = MB = MC
- :. A , B , C belong to the circle M
- the area = $3.14 \times 5^2 = 78.5$ square units.

Alexandria



- 1 b 2 c
- 4 d



2

- [a] : $x \sin 30^{\circ} \cos^2 45^{\circ} = \sin^2 60^{\circ}$
 - $\therefore X \times \frac{1}{2} \times \left(\frac{1}{\sqrt{2}}\right)^2 = \left(\frac{\sqrt{3}}{2}\right)^2$
 - $\therefore \frac{1}{4} x = \frac{3}{4} \qquad \therefore x = 3$
- [b] : The two diagonals of the parallelogram bisect each other

Let M be the intersection point of the diagonals

- $\therefore M = \left(\frac{3+0}{2}, \frac{2-3}{2}\right) = \left(\frac{3}{2}, \frac{-1}{2}\right)$ Let D(X, y)
- $\therefore \left(\frac{3}{2}, \frac{-1}{2}\right) = \left(\frac{4+x}{2}, \frac{-5+y}{2}\right)$
- $\therefore \frac{4+x}{2} = \frac{3}{2} \qquad \therefore 4+x=3 \qquad \therefore x=-1$
- ∴ D (-1,4)
- 3
- [a] : MA = $\sqrt{(3+1)^2 + (-1-2)^2} = \sqrt{16+9}$
 - = 5 length units
 - $MB = \sqrt{(-4+1)^2 + (6-2)^2} = \sqrt{9+16}$
 - = 5 length units
 - $MC = \sqrt{(2+1)^2 + (-2-2)^2} = \sqrt{9+16}$
 - = 5 length units
 - \therefore MA = MB = MC
 - :. A , B , C are located on the circle M
 - , the circumference = $2 \times 3.14 \times 5$
 - = 31.4 length units.

- **[b]** : The slope of the given straight line = $\frac{-1}{2}$
 - :. The slope of the required straight line = 2
 - \therefore Its equation is : y = 2 X + c
 - → it intercepts a part of 7 units from the positive part of the y-axis
 - \therefore Its equation is : y = 2 x + 7

4

- [a] : $m_1 = \frac{5+2}{4+3} = 1$, $m_2 = \tan 45^\circ = 1$
 - $m_1 = m_2$
 - .. The two straight lines are parallel.
- [b] : $m(\angle C) = 90^{\circ}$
 - $(AB)^2 = (6)^2 + (8)^2 = 100$
 - ∴ AB = 10 cm.
 - $\therefore \cos A \cos B \sin A \sin B$ $= \frac{6}{10} \times \frac{8}{10} \frac{8}{10} \times \frac{6}{10} = 0$

5

- [a] Let D be the midpoint of BC
 - $\therefore D = \left(\frac{3+1}{2}, \frac{7-3}{2}\right) = (2, 2)$
 - $\therefore \text{ The slope of } \overrightarrow{AD} = \frac{2+6}{2-4} = -4$
 - \therefore Its equation is: y = -4 X + c
 - $\frac{1}{2}$: (4 $\frac{1}{2}$ 6) satisfies the equation.
 - $\therefore -6 = -4 \times 4 + c \qquad \therefore c = 10$
 - \therefore The equation is : y = -4 x + 10
- [b] In \triangle ABC: \therefore m (\angle B) = 90°
 - $\therefore \sin(\angle ACB) = \frac{15}{25}$
 - \therefore m (\angle ACB) \simeq 36° 52 12
 - $(BC)^2 = (25)^2 (15)^2 = 400$
 - ∴ BC = 20 cm.
 - \therefore The area = 20 × 15 = 300 cm²





1 d

2 1

3 c

4 a

5 c 6 c

12

- [a] : $\sqrt{(x-6)^2 + (5-1)^2} = 2\sqrt{5}$ (Squaring both sides)
 - $(x-6)^2+16=20$
 - $x^2 12x + 36 + 16 20 = 0$
 - $x^2 12x + 32 = 0$
 - $\therefore (X-8)(X-4)=0$
 - $\therefore x = 8$ or x = 4
- [b] $\sin 45^{\circ} \cos 45^{\circ} + \sin 30^{\circ} \cos 60^{\circ} \cos^2 30^{\circ}$ = $\frac{1}{\sqrt{2}} \times \frac{1}{\sqrt{2}} + \frac{1}{2} \times \frac{1}{2} - \left(\frac{\sqrt{3}}{2}\right)^2$

$$=\frac{1}{2}+\frac{1}{4}-\frac{3}{4}=0$$

3

[a] : The two diagonals of the parallelogram bisect each other

Let M be the intersection point of the diagonals

$$\therefore M = \left(\frac{3+0}{2}, \frac{2-3}{2}\right) = \left(\frac{3}{2}, \frac{-1}{2}\right)$$

Let D (x, y)

$$\therefore \left(\frac{3}{2}, \frac{-1}{2}\right) = \left(\frac{4+x}{2}, \frac{-5+y}{2}\right)$$


$$\therefore \frac{4+x}{2} = \frac{3}{2} \qquad \therefore 4+x=3 \qquad \therefore x=-1$$

$$\frac{-5+y}{2} = \frac{-1}{2}$$
 $\therefore -5+y = -1$ $\therefore y = 4$

- :. D(-1,4)
- [b] ∵ m (∠ B) = 90°

$$\therefore (AB)^2 = (10)^2 - (8)^2$$





$$2\cos^{2}C + \cos^{2}A = 2 \times \left(\frac{8}{10}\right)^{2} + \left(\frac{6}{10}\right)^{2}$$

$$= \frac{41}{25}$$
(2)

From (1), (2): $\sin^2 A + 1 = 2\cos^2 C + \cos^2 A$

4

- $[a] :: L_1 // L_2$
- $m_1 = m_2$
- $\therefore \frac{k-1}{2-3} = \tan 45^{\circ}$
- ∴ k = 0

(1)

- [b] : The slope of the given straight line = $\frac{-1}{3}$
 - .. The slope of the required straight line = 3
 - \therefore Its equation is : y = 3 x + c
 - , : (1,2) satisfies the equation.
 - $\therefore 2 = 3 \times 1 + c$
- \therefore The equation is : y = 3 x 1



- [a] $1 \ln \Delta ABC : : m (\angle B) = 90^{\circ}$
 - \therefore sin (\angle ACB) = $\frac{15}{25}$
 - \therefore m (\angle ACB) = 36° 52 12
 - $(BC)^2 = (25)^2 (15)^2 = 400$
 - ∴ BC = 20 cm.
 - .. The area = $20 \times 15 = 300 \text{ cm}^2$
- [b] : The straight line passes through the two points (4,0),(0,9)
 - \therefore The slope of the straight line = $\frac{9-0}{0-4} = -\frac{9}{4}$ and the intercepted part = 9 units from the positive part of v-axis
 - .. The equation of the straight line is:

$$y = -\frac{9}{4} x + 9$$

El-Sharkia



- 1 b
- 2 b

- 5 c 6 c



- $[a] : \frac{\sin 30^{\circ} \sin 60^{\circ}}{\sin 45^{\circ} \cos 45^{\circ}} = \frac{\frac{1}{2} \times \frac{\sqrt{3}}{2}}{\frac{1}{\sqrt{2}} \times \frac{1}{\sqrt{2}}} = \frac{\sqrt{3}}{2}$ (1)

 - From (1) (2): $\frac{\sin 30^{\circ} \sin 60^{\circ}}{\sin 45^{\circ} \cos 45^{\circ}} = \cos 30^{\circ}$
- [b] : MA = $\sqrt{(-1-3)^2+(2+1)^2} = \sqrt{16+9}$ = 5 length units

- $_{2}MB = \sqrt{(-1+4)^{2}+(2-6)^{2}} = \sqrt{9+16}$
 - = 5 length units
- and MC = $\sqrt{(-1-2)^2 + (2+2)^2} = \sqrt{9+16}$
 - = 5 length units
- ∴ MA = MB = MC
- .: A , B and C lie on the circle M
- the circumference = $2 \times 3.14 \times 5$
 - = 31.4 length units.

3

- [a] The slope of $\overrightarrow{BC} = \frac{3+7}{1-3} = -5$
 - .. The slope of the required straight line = -5
 - \therefore Its equation is: y = -5 X + c
 - , : A (5, 1) satisfies the equation.
 - $\therefore 1 = -5 \times 5 + c$
- \therefore The equation is: y = -5 x + 26
- [b] Draw AD \(\perp \) BC
 - $\boxed{1} : \overline{AD} \perp \overline{BC} , AC = AB$
 - ∴ BD = CD = 6 cm.

In A ADB:

- : m (∠ ADB) = 90°
- $(AD)^2 = (10)^2 (6)^2 = 64$
- \therefore AD = 8 cm. \therefore sin B = $\frac{8}{10}$
- 2 The area of \triangle ABC = $\frac{1}{2} \times 12 \times 8 = 48$ cm².

- [a] 1 : The midpoint of $\overline{AC} = \left(\frac{3+5}{2}, \frac{3-1}{2}\right)$
 - .. The point of intersection of the two diagonals is: (4,1)
 - 2 Let D($X \cdot y$)
 - $\therefore (4,1) = \left(\frac{2+x}{2}, \frac{-2+y}{2}\right)$ $\therefore \frac{2+x}{2} = 4 \qquad \therefore x = 6$ $\Rightarrow \frac{-2+y}{2} = 1 \qquad \therefore y = 4 \qquad \therefore D = (6,4)$

- [b] : The slope of the straight line = $\frac{3-5}{0-4} = \frac{1}{2}$
 - \therefore Its equation is : $y = \frac{1}{2} x + c$
 - $\mathbf{,}$ $\mathbf{:}$ (0 $\mathbf{,}$ 3) satisfies the equation.
 - $\therefore 3 = \frac{1}{2} \times 0 + c \qquad \therefore c$
 - \therefore The equation is : $y = \frac{1}{2} X + 3$
 - at y = 0 $\therefore 0 = \frac{1}{2}x + 3$ $\therefore x = -6$
 - .. The intersection point of the straight line with the X-axis is: (-6 > 0)

5

- [a] $1 : \cos x = \sin 30^{\circ} \cos 60^{\circ}$
 - $\therefore \cos x = \frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 - $\therefore x = 75^{\circ} 31 21$
 - 2 tan 75° 31 21 = 3.873
- **[b]** : The slope of the given straight line = $\frac{-3}{2}$
 - \therefore The slope of the required straight line = $\frac{2}{3}$
 - : the required straight line cuts 3 units of the positive part of y-axis
 - $\therefore \text{ Its equation is : } y = \frac{2}{3} x + 3$

6 El-Monofia



- 1 a
- 2 d
- 3
- 4
- 5 b

6 c

2

- [a] $\sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ} \tan^{2} 45^{\circ}$ $= \frac{1}{2} \times \frac{1}{2} + \frac{\sqrt{3}}{2} \times \frac{\sqrt{3}}{2} - (1)^{2}$ $= \frac{1}{4} + \frac{3}{4} - 1 = 0$
- [b] 1 : AB = $\sqrt{(5-7)^2 + (1+3)^2} = \sqrt{4+16}$ = $2\sqrt{5}$ length units
 - \therefore The area = 3.14 × $\left(\sqrt{5}\right)^2$ = 15.7 cm².
 - $2M = \left(\frac{7+5}{2}, \frac{-3+1}{2}\right) = (6, -1)$



- [a] :: m (∠ A) = 90°
 - $\therefore (AC)^2 = (13)^2 (5)^2$



- ∴ AC = 12 cm.
- ∴ $\sin C \cos B + \cos C \sin B$ = $\frac{5}{12} \times \frac{5}{12} + \frac{12}{12} \times \frac{12}{12} = 1$
- [b] : The slope of the given straight line = $\frac{1-0}{2-5} = \frac{-1}{3}$
 - ... The slope of the required straight line = 3
 - \therefore Its equation is: y = 3 X + c
 - : (1 3) satisfies the equation.
 - $\therefore 3 = 3 \times 1 + c$
- $\cdot c = 0$
- \therefore The equation is : y = 3 X

- [a] Draw $\overline{AF} \perp \overline{BC}$
 - $,\overline{DE}\perp\overline{BC}$
 - ·· AD // BC
 - , AF⊥BC
 - , DE _ BC
- A 6cm D
 B F 12cm E C
- :. ADEF is a rectangle :. EF = AD = 6 cm.
- ∴ BF + EC = 6 cm.
- \therefore BF = EC = 3 cm. (\triangle ABF $\equiv \triangle$ DCE)
- : The area of the trapezium = $\frac{1}{2}$ (AD + BC) × AF
- $\therefore 36 = \frac{1}{2} (6 + 12) \times AF$
- : AF = 4 cm.
- \therefore DE = AF = 4 cm.
- $\ln \Delta ABF : : m (\angle AFB) = 90^{\circ}$
- $\therefore (AB)^2 = (3)^2 + (4)^2 = 25 \quad \therefore AB = 5 \text{ cm}.$
- \therefore DC = AB = 5 cm.
- $\therefore \sin B + \cos C = \frac{4}{5} + \frac{3}{5} = \frac{7}{5}$
- **[b]** : AB = $\sqrt{(5+1)^2 + (1-3)^2} = \sqrt{36+4}$
 - $=\sqrt{40}$ length units
 - , BC = $\sqrt{(6-5)^2 + (4-1)^2} = \sqrt{1+9}$ = $\sqrt{10}$ length units
 - AC = $\sqrt{(6+1)^2 + (4-3)^2} = \sqrt{49+1}$ = $\sqrt{50}$ length units
 - $\therefore (AC)^2 = 50$
 - $_{2}(AB)^{2} + (BC)^{2} = 40 + 10 = 50$
 - $(AC)^2 = (AB)^2 + (BC)^2$
 - . Δ ABC is a right-angled triangle at B

[a] The slope = $\frac{-4}{5}$ and the intercepted part = 2 units from the positive part of the v-axis.

- [b] 1 : The slope of $\overrightarrow{CD} = \frac{6-2}{3-3-3} = \frac{-2}{3}$
 - \therefore The equation of \overrightarrow{CD} is : $y = \frac{-2}{3}x + c$
 - , :: A (3, 2) satisfies the equation.
 - $\therefore 2 = \frac{-2}{3} \times 3 + c$

- \therefore The equation is : $y = \frac{-2}{3}x + 4$
- 2 At x = 0 : $y = \frac{-2}{3} \times 0 + 4$: y = 4
 - : OD = 4 units
 - at y = 0 ∴ 0 = $\frac{-2}{3}$ x + 4 ∴ x = 6
 - : OC = 6 units
 - $\therefore \text{ The area of } \triangle \text{ DOC} = \frac{1}{2} \times 4 \times 6$ = 12 square units.

El-Gharbia

1

1 c [2]c

(5) a 6 d

- [a] \therefore tan $x = 4 \cos 60^{\circ} \sin 30^{\circ}$
 - $\therefore \tan x = 4 \times \frac{1}{2} \times \frac{1}{2} = 1$
- ∴ X = 45°
- [b] 1 . XY | YZ
 - \therefore The slope of $\overrightarrow{XY} \times$ the slope of $\overrightarrow{YZ} = -1$
 - $\frac{2-5}{4-3} \times \frac{a-2}{5-4} = -1$
 - $\therefore -3 \times \frac{a-2}{-9} = -1 \qquad \therefore a-2 = -3$
 - ∴ a = 1
 - 2 : $XY = \sqrt{(4-3)^2 + (2-5)^2} = \sqrt{1+9}$ $=\sqrt{10}$ length units
 - $YZ = \sqrt{(-5-4)^2 + (-1-2)^2} = \sqrt{81+9}$ = 190 length units
 - ∴ The area of $\triangle XYZ = \frac{1}{2} \times \sqrt{10} \times \sqrt{90}$ = 15 square units

- [a] Let the measures be $3 \times 5 \times$
 - $\therefore 3 X + 5 X = 180^{\circ}$
- $\therefore 8 x = 180^{\circ}$
- ∴ X = 22° 30
- ∴ The measures are : 67° 30 , 112° 30°

[b] : The slope of the given straight line = -1

- .. The slope of the required straight line = 1
- \therefore Its equation is : y = x + c
- : : (-1, 2) satisfies the equation.
- ∴ 2=-1+c $\therefore c = 3$
- \therefore The equation is: y = x + 3

- [a] : MA = $\sqrt{(-1-3)^2+(2+1)^2} = \sqrt{16+9}$
 - = 5 length units
 - $MB = \sqrt{(-1+4)^2 + (2-6)^2} = \sqrt{9+16}$
 - = 5 length units
 - and MC = $\sqrt{(-1-2)^2+(2+2)^2} = \sqrt{9+16}$
 - = 5 length units
 - :. MA = MB = MC
 - :. A , B and C lie on the circle M
 - , the circumference = $2 \times 5 \times \pi$
 - = 10π length units.

[b] Draw DF | BC

- : AD // BC , AB L BC , DF⊥BC
- : ABFD is a rectangle
- \therefore BF = AD = 6 cm.
- \therefore FC = 4 cm. \Rightarrow DF = AB = 3 cm.
- ∴ From ∆ DFC which is right-angled at F
- $(DC)^2 = 3^2 + 4^2 = 25$
- ∴ DC = 5 cm.
- $\therefore \cos(\angle DCB) \tan(\angle ACB) = \frac{4}{5} \frac{3}{10} = \frac{1}{2}$

- [a] 1 : The midpoint of $\overline{AC} = \left(\frac{3+0}{2}, \frac{2-3}{2}\right)$
 - $=\left(1\,\frac{1}{2}\,,\,-\frac{1}{2}\right)$
 - .. The intersection point of the two diagonals is $\left(1\frac{1}{2}, -\frac{1}{2}\right)$
 - 2 Let D (x, y)
 - : The midpoint of \overline{AC} = the midpoint of \overline{BD}
 - $\therefore \left(1\frac{1}{2}, -\frac{1}{2}\right) = \left(\frac{x+4}{2}, \frac{y-5}{2}\right)$
 - $\therefore \frac{x+4}{2} = 1\frac{1}{2}$

$$x + 4 = 3$$

$$, \frac{y-5}{2} = -\frac{1}{2}$$
 : $y-5 = -1$: $y = 4$

$$\therefore y = 4$$

[b] 1 Let
$$A(X,0)$$
, $B(0,y)$

$$\therefore (3,4) = \left(\frac{x+0}{2}, \frac{0+y}{2}\right)$$

$$\therefore \frac{x}{2} = 3 \qquad \therefore x = 6$$

$$\frac{y}{2} = 4 \qquad \therefore y$$

\therefore A(6,0), B(0,8)

The slope of
$$\overrightarrow{AB} = \frac{8-0}{0-6} = \frac{-4}{3}$$

- \therefore The equation of \overrightarrow{AB} is : $y = \frac{-4}{3} x + c$
- , : (0 , 8) satisfies the equation.

$$\therefore 8 = \frac{-4}{3} \times 0 + c \qquad \therefore c = 8$$

$$\therefore \text{ The equation is : } y = \frac{-4}{3} x + 8$$

EI-Dakahlia

1

- [a] 1 c
- 2 b
- 3 b
- [b] Draw AF ⊥ BC

 - $,\overline{DE}\perp\overline{BC}$: AD // BC
 - , AF L BC
 - , DE L BC
 - : AFED is a rectangle
- \therefore FE = AD = 4 cm.
- .: BF + EC = 8 cm.
- \therefore BF = EC = 4 cm. (\triangle ABF \equiv \triangle DCE)
- :. From A ABF which is right-angled at F $(AF)^2 = (5)^2 - (4)^2 = 9$
- $\therefore AF = 3 \text{ cm}.$
- \therefore DE = AF = 3 cm. (AFED is a rectangle)
- $\therefore \frac{\tan B \cos C}{\sin^2 C + \cos^2 B} = \frac{\frac{3}{4} \times \frac{4}{5}}{\left(\frac{3}{2}\right)^2 + \left(\frac{4}{5}\right)^2} = \frac{3}{5}$

2

- [a] 1 b
- 2 b
- [b] 1 : MB = $\sqrt{(8-5)^2 + (11-7)^2} = \sqrt{9+16}$

= 5 length units

 \therefore The circumference = $2 \times 5 \times 3.14$

= 31.4 length units.

2 Let A (X , y)

$$(5,7) = \left(\frac{x+8}{2}, \frac{y+11}{2}\right)$$

$$\therefore \frac{X+8}{2} = 5 \qquad \therefore X+8 = 10 \qquad \therefore X=2$$

$$\frac{y+11}{2} = 7$$
 $\therefore y+11 = 14$ $\therefore y=3$

• : the slope of
$$\overrightarrow{AB} = \frac{11-3}{8-2} = \frac{4}{3}$$

:. The slope of the required straight

line =
$$\frac{-3}{4}$$

 \therefore Its equation is : $y = \frac{-3}{4} x + c$

, .: A (2,3) satisfies the equation.

$$\therefore 3 = \frac{-3}{4} \times 2 + c \qquad \therefore c = \frac{6}{3}$$

 \therefore The equation is : $y = \frac{-3}{4}x + \frac{9}{2}$

[a] : The midpoint of
$$\overline{AC} = \left(\frac{-1+7}{2}, \frac{3+4}{2}\right)$$

$$=\left(3,\frac{7}{2}\right)$$

, the midpoint of $\overline{BD} = \left(\frac{5+1}{2}, \frac{1+6}{2}\right)$

$$=\left(3,\frac{7}{2}\right)$$

 \therefore The midpoint of \overline{AC} = the midpoint of \overline{BD}

.. The two diagonals bisect each other.

.. ABCD is a parallelogram.

[b] 1 Let A (0 , n) , B (n , 0)

$$\therefore$$
 The slope $=\frac{0-n}{n-0}=-1$

, :: (2,3) satisfies the equation.

$$\therefore 3 = -1 \times 2 + c \qquad \therefore c = 5$$

2 : A (0 , n) satisfies the equation.

$$\therefore n = -1 \times 0 + 5 \qquad \therefore n = 5$$

 \therefore The area of \triangle ABO = $\frac{1}{2} \times 5 \times 5$

 $=\frac{25}{3}$ square units.

4

- [a] 1 : The intercepted part of the y-axis by BC is
 - $\therefore C = (0,3)$
 - ∴ BC = $\sqrt{(0-2)^2 + (3-1)^2} = \sqrt{4+4}$ = $2\sqrt{2}$ length units.
 - - AB = 1 length unit
 - $, \because \overline{AB} // \overline{OC}, AB \neq OC$
 - : OABC is a trapezium
 - $\therefore \text{ The area of OABC} = \frac{1}{2} (1+3) \times 2$
 - = 4 square units

3 Draw BE L OC

- ·· BE L OC , AO L OC
- , AB // OC
- : ABEO is a rectangle
- ∴ OE = AB
 - = 1 length unit

BE = OA = 2 length units

- CE = 3 1 = 2 length units.
- $\ln \Delta BEC : \because \tan (\angle BCE) = \frac{2}{2} = 1$
- ∴ m (∠ OCB) = 45°
- [b] $1 : m (\angle B) = 90^{\circ}$
 - $\therefore \sin^2 A + \cos^2 A$ $= \frac{(BC)^2}{(AC)^2} + \frac{(AB)^2}{(AC)^2}$
 - $= \frac{(BC)^2 + (AB)^2}{(AC)^2} = \frac{(AC)^2}{(AC)^2} = 1$
 - $2 : \sin C = \frac{5}{13}$
- ∴ m (∠ C) ≃ 22° 37

5

- [a] : The slope = $\tan 135^\circ = -1$
 - \therefore The equation is: y = -x + c
 - , ∵ (3, 4) satisfies the equation.
 - ∴ 4=-3+c
- ∴ c = 7
- \therefore The equation is: y = -x + 7
- [b] : $\tan^2 60^\circ \tan^2 45^\circ = \left(\sqrt{3}\right)^2 (1)^2$ = 3 - 1 = 2 (1)

- $3 \sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$
- $= \left(\frac{\sqrt{3}}{2}\right)^2 + \left(\frac{1}{2}\right)^2 + 2 \times \frac{1}{2} = \frac{3}{4} + \frac{1}{4} + 1 = 2 \quad (2)$
- From (1) (2):
- $\therefore \tan^2 60^\circ \tan^2 45^\circ = \sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$

smailia (

1

- 1 a 2 c
- 3 b
- **4** a
- c Bd



- [a] : $x \cos^2 30^\circ = \tan^2 60^\circ \cos^2 45^\circ$
 - $\therefore \ \mathcal{X} \times \left(\frac{\sqrt{3}}{2}\right)^2 = \left(\sqrt{3}\right)^2 \times \left(\frac{1}{\sqrt{2}}\right)^2$
 - $\therefore \frac{3}{4} x = 3 \times \frac{1}{2} \qquad \therefore x =$
- [b] : The midpoint of $\overline{BC} = \left(\frac{3+1}{2}, \frac{7-3}{2}\right) = (2, 2)$
 - \therefore The slope of the required straight line = $\frac{-1-2}{5-2}$
 - : Its equation is: y = -x + c
 - , ∴ A (5, -1) satisfies the equation.
 - $\therefore -1 = -5 + c \qquad \therefore c = 4$
 - \therefore The equation is : y = -x + 4

3

- [a] : AB = $\sqrt{(-4-1)^2 + (2+2)^2} = \sqrt{25+16}$ = $\sqrt{41}$ length units
 - BC = $\sqrt{(1+4)^2 + (6-2)^2} = \sqrt{25+16}$ = $\sqrt{41}$ length units
 - AC = $\sqrt{(1-1)^2 + (6+2)^2} = \sqrt{0+64}$
 - $\therefore AB = BC$
 - ∴ △ ABC is an isosceles triangle.

= 8 length units

- [b] ∵ m (∠ B) = 90°
 - $\therefore \frac{\sin A}{\cos C} = \frac{\frac{BC}{AC}}{\frac{BC}{AC}} = 1$
 - \Rightarrow :: $\tan D = \frac{\sin A}{\cos C} = 1$
 - ∴ m (∠ D) = 45°

- [a] : L. // L.
- $\therefore \frac{1-4}{k-2} = \tan 45^{\circ} \qquad \therefore \frac{-3}{k-2} = 1$
- $\therefore k-2=-3$

[b] In Δ BED:

- $m (\angle BED) = 90^{\circ} , m (\angle B) = 60^{\circ}$
- \therefore m (\angle BDE) = 30°, BE = $\frac{1}{2}$ BD = 2 cm.
- $\Rightarrow \sin 60^\circ = \frac{DE}{BD} \qquad \Rightarrow \frac{\sqrt{3}}{2} = \frac{DE}{4}$
- \therefore DE = $2\sqrt{3}$ cm.

In Δ CDE:

- : $m (\angle CED) = 90^{\circ}, CE = 5 2 = 3 \text{ cm}.$
- $\therefore \tan (\angle DCE) = \frac{2\sqrt{3}}{2}$

- [a] 1 The midpoint of $\overline{AC} = \left(\frac{3-3}{2}, \frac{3-3}{2}\right) = (0,0)$
 - .. The intersection point of the diagonals is : (0,0)
 - \supseteq : The slope of $\overrightarrow{AC} = \frac{-3-3}{3-3} = 1$
 - ··· AC | BD
 - \therefore The slope of $\overrightarrow{BD} = -1$
 - , .: BD passes through (0,0)
 - \therefore The equation of \overrightarrow{BD} is : y = -x
- [b] : A(0,2), B(4,0), C(-1,0)
 - ... The slope of $\overrightarrow{AB} = m_1 = \frac{2-0}{0-4} = \frac{-1}{2}$
 - , the slope of $\overrightarrow{AC} = m_2 = \frac{0-2}{-1-0} = 2$
 - $m_1 \times m_2 = \frac{-1}{2} \times 2 = -1$
 - ABIAC
 - .. A ABC is a right-angled triangle at A
 - its area = $\frac{1}{2} \times 2 \times 5 = 5$ square units.

Suez

- 2 a

- Ba

- [a] : $2 \sin 30^\circ + 4 \cos 60^\circ = 2 \times \frac{1}{2} + 4 \times \frac{1}{2} = 3$ (1)
 - $\tan^2 60^\circ = (\sqrt{3})^2 = 3$

From $(1) \rightarrow (2)$:

- $\therefore 2 \sin 30^{\circ} + 4 \cos 60^{\circ} = \tan^2 60^{\circ}$
- [b] : The midpoint of $\overline{AC} = \left(\frac{-1+6}{2}, \frac{-1+0}{2}\right)$

$$=\left(\frac{5}{2},\frac{-1}{2}\right)$$

- , the midpoint of $\overline{BD} = \left(\frac{2+3}{2}, \frac{3-4}{2}\right)$ $=\left(\frac{5}{2},\frac{-1}{2}\right)$
- \therefore The midpoint of \overline{AC} = the midpoint of \overline{BD}
- . AC and BD bisect each other.

[a] : $\cos 3 x = \frac{\sin 60^{\circ} \sin 30^{\circ}}{\tan 45^{\circ} \sin^2 45^{\circ}}$

$$= \frac{\frac{\sqrt{3}}{2} \times \frac{1}{2}}{1 \times \left(\frac{1}{\sqrt{2}}\right)^2} = \frac{\frac{\sqrt{3}}{4}}{\frac{1}{2}} = \frac{\sqrt{3}}{2}$$

- $\therefore 3 x = 30^{\circ}$
- $\therefore x = 10^{\circ}$
- **[b]** : The slope of $\overrightarrow{AB} = \frac{-4+3}{5-2} = \frac{-1}{3}$
 - .. The slope of the required straight line = 3
 - \therefore Its equation is : y = 3 X + c
 - , : (1,2) satisfies the equation.
 - $\therefore 2 = 3 \times 1 + c$
 - \therefore The equation is : y = 3 X 1

- [a] : $m(\angle C) = 90^{\circ}$
 - $(AC)^2 = (5)^2 (4)^2 = 9$
 - \therefore AC = 3 cm.
 - $\therefore \sin A \cos B + \cos A \sin B = \frac{4}{5} \times \frac{4}{5} + \frac{3}{5} \times \frac{3}{5}$
- [b] : $\frac{y-1}{y} = \frac{1}{3}$
- $\therefore y = \frac{1}{3} x + 1$
- \therefore The slope of the given straight line = $\frac{1}{3}$

- \therefore The slope of the required straight line = $\frac{1}{2}$
- : it intersects a part from the negative direction of the y-axis of length 3 units
- \therefore The equation is : $y = \frac{1}{3} x 3$

[a] : AB =
$$\sqrt{(3-0)^2 + (4-0)^2} = \sqrt{9+16}$$

= 5 length units

• BC =
$$\sqrt{(-4-3)^2 + (3-4)^2} = \sqrt{49+1}$$

= $5\sqrt{2}$ length units

$$AC = \sqrt{(-4-0)^2 + (3-0)^2} = \sqrt{16+9}$$

= 5 length units

 \therefore The perimeter of \triangle ABC = 5 + 5 $\sqrt{2}$ + 5

= $10 + 5\sqrt{2}$ length units.

[b] : AB // CD

$$\therefore \frac{2+2}{3-9} = \frac{-3+x}{4+x} \qquad \qquad \therefore \frac{-2}{3} = \frac{-3+x}{4+x}$$

$$\frac{-2}{3} = \frac{-3 + x}{4 + x}$$

$$\therefore -9 + 3 \ X = -8 - 2 \ X$$

$$\therefore$$
 5 $X = 1$

$$\therefore x = \frac{1}{5}$$

$$\therefore C\left(\frac{-1}{5}, \frac{-1}{5}\right)$$

Port Said

1

- 1 a

- 4 b 5 d
- 6 b

[a] : $m_1 = \frac{4-3}{2+1} = \frac{1}{3}$

2 b

- $m_2 = \frac{1}{2}$
- $m_1 = m_2$
- .. The two straight lines are parallel.
- [b] : $\sin 90^{\circ} = 1$
 - (1)sin 60° cos 30° + cos 60° sin 30°
 - $=\frac{\sqrt{3}}{2}\times\frac{\sqrt{3}}{2}+\frac{1}{2}\times\frac{1}{2}=1$ (2)

From (1), (2):

:. sin 90° = sin 60° cos 30° + cos 60° sin 30°

[a] :
$$\cos E = \frac{\cos^2 45^\circ}{\tan 30^\circ} = \frac{\left(\frac{1}{\sqrt{2}}\right)^2}{\frac{1}{\sqrt{2}}} = \frac{\sqrt{3}}{2}$$

- ∴ m (∠ E) = 30°
- [b] : AB = $\sqrt{(3+3)^2 + (4-0)^2} = \sqrt{36+16}$ $= 2\sqrt{13}$ length units
 - \Rightarrow BC = $\sqrt{(1-3)^2 + (-6-4)^2} = \sqrt{4+100}$ $=2\sqrt{26}$ length units
 - $AC = \sqrt{(1+3)^2 + (-6-0)^2} = \sqrt{16+36}$ = $2\sqrt{13}$ length units
 - AB = AC.: Δ ABC is an isosceles triangle,

- $[a] : \frac{y-1}{x} = \frac{1}{3}$
 - \therefore The slope of the given straight line = $\frac{1}{3}$
 - \therefore The slope of the required straight line = $\frac{1}{3}$
 - · : it intercepts a part from the negative direction of the y-axis of length 3 units
 - \therefore The equation is : $y = \frac{1}{2} x 3$
- [b] : The slope of $\overrightarrow{AD} = \frac{1-3}{2} = \frac{1}{2}$
 - the slope of $\overrightarrow{BC} = \frac{2+2}{6+2} = \frac{1}{2}$
 - \therefore The slope of \overrightarrow{AD} = the slope of \overrightarrow{BC}
 - : AD // BC (1)
 - : the slope of $\overrightarrow{AB} = \frac{2-3}{6-3} = \frac{-1}{4}$
 - the slope of $\overrightarrow{CD} = \frac{1+2}{1+2}$ is undefined
 - \therefore The slope of $\overrightarrow{AB} \neq$ the slope of \overrightarrow{CD}
 - .: AB is not parallel to CD (2)From (1) , (2):
 - .. ABCD is a trapezoid.

- [a] : The midpoint of $\overline{BC} = \left(\frac{3+1}{2}, \frac{7-3}{2}\right) = (2, 2)$
 - \therefore The slope of the straight line $=\frac{2+6}{2-5}=\frac{-8}{3}$
 - \therefore Its equation is : $y = \frac{-8}{3} x + c$
 - \cdot : (5 , -6) satisfies the equation
 - $\therefore -6 = \frac{-8}{3} \times 5 + c \qquad \therefore c = \frac{22}{3}$
 - \therefore The equation is : $y = \frac{-8}{2}x + \frac{22}{3}$

- [b] : $m(\angle Y) = 90^{\circ}$
 - $(YZ)^2 = (13)^2 (5)^2 = 144$
 - .: YZ = 12 cm.
- :. sin X cos Z + cos X sin Z $=\frac{12}{13}\times\frac{12}{13}+\frac{5}{13}\times\frac{5}{13}=1$

Damietta

1

- 1 a
- 4 c
- 6 d

- [a]: The slope of the straight line $=\frac{5-0}{0.5}=-1$
 - : Its equation is : y = -X + c
 - 2 : (0 25) satisfies the equation.
 - $\therefore 5 = 0 + c$
- ∴ c = 5
- \therefore The equation is : y = -X + 5
- [b] : $m(\angle B) = 90^{\circ}$
 - $(BC)^2 = (25)^2 (7)^2 = 576$
 - ∴ BC = 24 cm.
 - $\therefore \sin^2 A + \sin^2 C = \left(\frac{24}{25}\right)^2 + \left(\frac{7}{25}\right)^2 = 1$

- [a] : The points are located on one straight line
 - $\frac{3-1}{3-0} = \frac{5-1}{2-0}$
- $\therefore \frac{2}{3} = 2$
- [b] : The slope of the given straight line = $\frac{-1}{2}$
 - \therefore The slope of the required straight line = $\frac{-1}{3}$
 - \therefore Its equation is : $y = \frac{-1}{3}x + c$
 - , : (3 , 7) satisfies the equation.
 - $\therefore 7 = \frac{-1}{3} \times 3 + c$
 - $\therefore \text{ The equation is : } y = \frac{-1}{2} X + 8$

- [a] : $2 \sin x = \sin 30^{\circ} \cos 60^{\circ} + \cos 30^{\circ} \sin 60^{\circ}$
 - $\therefore 2 \sin x = \frac{1}{2} \times \frac{1}{2} + \frac{\sqrt{3}}{2} \times \frac{\sqrt{3}}{2}$

 - $\therefore x = 30^{\circ}$

- [b] : The slope of the straight line = 2 and it intersects from the positive part of y-axis 7 units.
 - :. Its equation is: y = 2 x + 7

- (1)
 - $\frac{2 \tan 30^{\circ}}{1 \tan^{2} 30^{\circ}} = \frac{2 \times \frac{1}{\sqrt{3}}}{1 \left(\frac{1}{1-1}\right)^{2}} = \frac{\frac{2}{\sqrt{3}}}{1 \frac{1}{3}} = \sqrt{3}$ (2)

From (1) , (2)

- $\therefore \tan 60^{\circ} = \frac{2 \tan 30^{\circ}}{1 \tan^2 30^{\circ}}$
- [b] : AB = $\sqrt{(-2-3)^2 + (4+1)^2} = \sqrt{25+25}$ = $5\sqrt{2}$ length units
 - $_{2}$ BC = $\sqrt{(3-4)^{2}+(-1-5)^{2}} = \sqrt{1+36}$ $=\sqrt{37}$ length units
 - $AC = \sqrt{(-2-4)^2 + (4-5)^2} = \sqrt{36+1}$ $=\sqrt{37}$ length units
 - ∴ BC = AC
 - .: Δ ABC is an isosceles triangle.

Kafr El-Sheikh

1 1 c

- 2 a
- 4 d
- 6 d 5 c

- [a] : AB = $\sqrt{(3-1)^2 + (0-4)^2} = \sqrt{4+16}$ $=2\sqrt{5}$ length units
 - , BC = $\sqrt{(1+1)^2 + (4-2)^2} = \sqrt{4+4}$ $= 2\sqrt{2}$ length units
 - $AC = \sqrt{(3+1)^2 + (0-2)^2} = \sqrt{16+4}$ $=2\sqrt{5}$ length units
 - .: AB = AC
 - .: Δ ABC is an isosceles triangle.
 - [b] $\sin^2 45^\circ \cos 60^\circ + \frac{1}{2} \tan 60^\circ \sin 60^\circ$ $= \left(\frac{1}{\sqrt{2}}\right)^2 \times \frac{1}{2} + \frac{1}{2} \times \sqrt{3} \times \frac{\sqrt{3}}{2}$ $=\frac{1}{4}+\frac{3}{4}=1$

- [a] :: L, // L,
- $m_1 = m_2$
- $\therefore 2 k = \tan 45^{\circ}$
- $\therefore 2 k = 1$
- ∴ k = 1
- **[b]** : $\sqrt{3} \tan x = 4 \sin 60^{\circ} \cos 30^{\circ}$
 - $\therefore \sqrt{3} \tan x = 4 \times \frac{\sqrt{3}}{3} \times \frac{\sqrt{3}}{3}$
 - $\therefore \sqrt{3} \tan x = 3$
- $\therefore \tan x = \sqrt{3}$
- $\therefore x = 60^{\circ}$

4

- [a] : $\sqrt{(2-x)^2 + (5-3)^2} = 2\sqrt{2}$ (Squaring both sides)
 - $\therefore (2-x)^2 + (2)^2 = 8$
 - $\therefore x^2 4x + 4 + 4 = 8 \therefore x^2 4x = 0$

 - $\therefore X(X-4)=0 \qquad \therefore X=0 \text{ or } X=4$
- [b] : The slope = 3
 - \therefore The equation is: y = 3 x + c
 - \cdot : (5 \(-2 \)) satisfies the equation.
 - $\therefore -2 = 3 \times 5 + c$
- ∴ c = 17
- \therefore The equation is: y = 3 x 17

- [a] Let B (x, y)
 - $\therefore (2,3) = \left(\frac{x-1}{2}, \frac{y+3}{2}\right)$

 - $\therefore \frac{x-1}{2} = 2 \qquad \therefore x-1 = 4 \qquad \therefore x = 5$
 - $y + 3 = 3 \qquad \therefore y + 3 = 6$ $\therefore B(5,3)$
- [b] ∵ ∠ A , ∠ C are complementary angles
 - $\therefore \sin A = \cos C$
 - $\therefore \sin A + \cos C = \sin A + \sin A = 1$
 - \therefore sin A = $\frac{1}{2}$
- \therefore m (\angle A) = 30°

El-Beheira



- 1 c
- 5 P 3 b
- 4 b
- [5] b Вс

- [a] : $m_1 = \frac{4-3}{2+1} = \frac{1}{3}$, $m_2 = \frac{1}{3}$ $m_1 = m_2$
 - .. The two straight lines are parallel.
- 114

- [b] Draw DE | BC
 - ·· AD // BC , AB \ BC
 - DE L BC
 - .: ABED is a rectangle
 - ∴ DE = AB = 3 cm.
 - BE = AD = 2 cm
 - ∴ CE = 6 2 = 4 cm.
 - $\ln \Delta DEC : : m (\angle DEC) = 90^{\circ}$
 - $\therefore (DC)^2 = (3)^2 + (4)^2 = 25$ $\therefore DC = 5 \text{ cm}.$
 - \therefore cos (\angle BCD) = $\frac{4}{5}$

- [a] : The slope = 3
 - \therefore The equation is : y = 3 X + c
 - , ∵ (1, 2) satisfies the equation.
 - $\therefore 2 = 3 \times 1 + c$
 - \therefore The equation is : y = 3 x 1
- [b] : $2 \sin x = \tan^2 60^\circ 2 \tan 45^\circ$
 - $\therefore 2 \sin x = \left(\sqrt{3}\right)^2 2 \times 1 \qquad \therefore 2 \sin x = 1$
 - $\therefore \sin x = \frac{1}{2}$
- $\therefore x = 30^{\circ}$

 $\therefore c = -1$

- $[a] : L_1 \perp L_2$
- $m_1 \times m_2 = -1$
- $\therefore \frac{k-1}{2-3} \times \tan 45^{\circ} = -1$
- $\therefore (1-k) \times 1 = -1$
- $\therefore 1 k = -1$
- [b] $\because \sqrt{2} AB = AC$ Let AB = 1 length unit
- $\therefore \frac{AB}{AC} = \frac{1}{\sqrt{2}}$
- $AC = \sqrt{2}$ length unit
- $m (\angle B) = 90^{\circ}$
- $(BC)^2 = (\sqrt{2})^2 (1)^2 = 1$
- : BC = 1 length unit
- $\therefore \sin C = \frac{1}{\sqrt{2}} \quad \Rightarrow \cos C = \frac{1}{\sqrt{2}} \quad \Rightarrow \tan C = 1$

- [a] :: AB = BC
 - $\therefore \sqrt{(x-3)^2 + (3-2)^2} = \sqrt{(3-5)^2 + (2-1)^2}$ (Squaring both sides)
 - $(x-3)^2+1=4+1$
 - $x^2 6x + 9 + 1 4 1 = 0$
 - $\therefore x^2 6x + 5 = 0$
 - $\therefore (X-5)(X-1)=0$
 - $\therefore X = 5$ or X = 1 (refused because $B \notin \overrightarrow{AC}$)

[b] : AB =
$$\sqrt{(2-6)^2 + (-4-0)^2}$$

$$=\sqrt{16+16} = \sqrt{32} = 4\sqrt{2}$$
 length unit

, BC =
$$\sqrt{(-4-2)^2 + (2+4)^2} = \sqrt{36+36} = \sqrt{72}$$

 $=6\sqrt{2}$ length unit

, CA =
$$\sqrt{(6+4)^2 + (0-2)^2} = \sqrt{100+4} = \sqrt{104}$$

 $=2\sqrt{26}$ length unit

$$(AB)^2 + (BC)^2 = 32 + 72 = 104 = (CA)^2$$

.. Δ ABC is right-angled at B

Let E be the midpoint of AC

$$\therefore E = \left(\frac{6-4}{2}, \frac{0+2}{2}\right) = (1, 1)$$

- : In the rectangle the two diagonals bisect each other
- : E is the midpoint of BD

Let D(X, y)

$$\therefore (1,1) = \left(\frac{x+2}{2}, \frac{y-4}{2}\right) \qquad \therefore \frac{x+2}{2} = 1$$

$$\therefore x + 2 = 2 \qquad \therefore x =$$

$$y - 4 = 1$$

$$\therefore y - 4 = 2$$

∴ y = 6

El-Fayoum











2

[a] : MA =
$$\sqrt{(-1-3)^2 + (2+1)^2} = \sqrt{16+9}$$

= 5 length units

MB =
$$\sqrt{(-1+4)^2+(2-6)^2} = \sqrt{9+16}$$

= 5 length units

and MC =
$$\sqrt{(-1-2)^2 + (2+2)^2} = \sqrt{9+16}$$

= 5 length units

$$\therefore$$
 MA = MB = MC

:. A , B and C lie on the circle M

, the circumference =
$$2 \times 3.14 \times 5$$

= 31.4 length units.

[b]:
$$\tan^2 60^\circ - \tan^2 45^\circ = \left(\sqrt{3}\right)^2 - (1)^2 = 2$$
 (1)

 $\sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$

$$= \left(\frac{\sqrt{3}}{2}\right)^2 + \left(\frac{1}{2}\right)^2 + 2 \times \frac{1}{2} = 2 \tag{2}$$

From (1), (2):

$$\sin^2 60^\circ - \tan^2 45^\circ = \sin^2 60^\circ + \cos^2 60^\circ + 2 \sin 30^\circ$$

- [a] : The slope of $\overrightarrow{AB} = \frac{5-3}{3-1} = 1$
 - .. The slope of the required straight line = 1
 - \therefore Its equation is : y = -X + c
 - .: the midpoint of AB

$$=\left(\frac{1+3}{2},\frac{3+5}{2}\right)=(2,4)$$

. .: the required straight line passes through the midpoint of AB

$$4 = -2 + c$$

.. The equation of the required straight line is : v = -X + 6

[b] ::
$$m(\angle B) = 90^{\circ}$$

$$(AB)^2 = (5)^2 - (4)^2 = 9$$

$$\therefore$$
 AB = 3 cm.

$$\therefore 2 \cos^2 C + \sin^2 A$$

$$= 2\left(\frac{4}{5}\right)^2 + \left(\frac{4}{5}\right)^2 = \frac{48}{25}$$



[a] : The midpoint of $\overline{AC} = (\frac{3}{2}, \frac{3}{2})$

$$=\left(\frac{3}{2} \quad \frac{9}{3}\right)$$

, the midpoint of
$$\overline{BD} = \left(\frac{-5+\delta}{2}, \frac{-9}{2}\right)$$

$$=\left(\frac{3}{2},\frac{-9}{2}\right)$$

- \therefore The midpoint of \overline{AC} = the midpoint of \overline{BD}
- : AC and BD bisect each other
- :. The points A , B , C and D are the vertices of a parallelogram.

[b] :
$$4 \times = \cos^2 30^\circ \tan^2 30^\circ \tan^2 45^\circ$$

$$\therefore 4 \ \chi = \left(\frac{\sqrt{3}}{2}\right)^2 \times \left(\frac{1}{\sqrt{3}}\right)^2 \times (1)^2$$

$$\therefore 4 x = \frac{3}{4} \times \frac{1}{3} \times 1 \qquad \therefore 4 x = \frac{1}{4} \qquad \therefore x = \frac{1}{16}$$



- [a] : The two straight lines are perpendicular
 - $m_1 \times m_2 = -1$
- $\therefore \frac{3}{4} \times \frac{-4}{1} = -1$
- $\therefore \frac{3}{k} = 1$
- [b] : The straight line passes through (1,0),(0,4)
 - : Its slope = $\frac{4-0}{0-1} = -4$
 - \therefore Its equation is : y = -4x + c
 - : (0 4) satisfies the equation.
 - $\therefore 4 = -4 \times 0 + c \qquad \therefore c = 4$
 - \therefore The equation is: y = -4 x + 4

Beni Suef



- 2 c
- 3 d
- 4 a
- [5] d

6 b



- [a] Let B (x, y)
 - $(6,-4) = \left(\frac{5+x}{2}, \frac{-3+y}{2}\right)$
- $\therefore B(7,-5)$
- $\therefore \frac{5+x}{2} = 6 \qquad \therefore 5+x = 12 \qquad \therefore x = 7$ $3 \cdot \frac{-3+y}{2} = -4 \qquad \therefore -3+y = -8 \qquad \therefore y = -5$
- [b] Draw DE ± BC
 - · ·· AD // BC · AB + BC
 - DE L BC
 - :. ABED is a rectangle
 - ∴ DE = AB = 12 cm.
 - BE = AD = 20 cm.
 - \therefore CE = 25 20 = 5 cm.
 - In \triangle DEC: \therefore m (\angle DEC) = 90°
 - $\therefore (DC)^2 = (12)^2 + (5)^2 = 169$
 - ∴ DC = 13 cm.
- \Rightarrow :: tan C = $\frac{12}{5}$
- ∴ m (∠ C) = 67° 22 48



- [a] : $\frac{1}{2} \sin 60^{\circ} = \frac{1}{2} \times \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{4}$ (1)
 - $\Rightarrow \sin 30^{\circ} \cos 30^{\circ} = \frac{1}{2} \times \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{2}$ From (1) , (2):
 - $\therefore \frac{1}{2} \sin 60^\circ = \sin 30^\circ \cos 30^\circ$
- 116

- [b] : The slope = 2
 - \therefore The equation of the straight line is : y = 2 x + c
 - , :: (2,3) satisfies the equation.
 - $\therefore 3 = 2 \times 2 + c$
- \therefore The equation is : y = 2 x 1

- [a] $\because \cos E \tan 30^\circ = \sin^2 45^\circ$
 - $\therefore \cos E \times \frac{1}{\sqrt{2}} = \left(\frac{1}{\sqrt{2}}\right)^2$
 - $\therefore \cos E = \frac{\sqrt{3}}{2}$
- ∴ m (∠ E) = 30°
- [b] : $m_1 = \frac{3+1}{6-2} = 1$, $m_2 = \tan 45^\circ = 1$
 - $m_1 = m_2$.. The two straight lines are parallel.



- [a] : MA = $\sqrt{(-1-3)^2 + (2+1)^2} = \sqrt{16+9}$
 - = 5 length units
 - $MB = \sqrt{(-1+4)^2 + (2-6)^2} = \sqrt{9+16}$
 - = 5 length units
 - and MC = $\sqrt{(-1-2)^2 + (2+2)^2} = \sqrt{9+16}$
 - = 5 length units
 - \therefore MA = MB = MC
 - : A , B and C are located on the circle M
- **[b]** The slope = $\frac{2}{3}$
 - and the intersected part = $\frac{5}{2}$ units from the negative direction of the y-axis.





2 b

- 3 c
- 4 d
- - ₽ d



- [a] cos 60° sin 30° sin 60° tan 60° + cos² 30°
 - $=\frac{1}{2}\times\frac{1}{2}-\frac{\sqrt{3}}{2}\times\sqrt{3}+\left(\frac{\sqrt{3}}{2}\right)^2$
 - $=\frac{1}{4}-\frac{3}{2}+\frac{3}{4}=-\frac{1}{2}$
- [b] : The slope of the given straight line
 - $=\frac{-4+3}{5}=\frac{-1}{3}$

- :. The slope of the required straight line = 3
- \therefore Its equation is: y = 3 X + c
- , : (1,2) satisfies the equation.
- $\therefore 2 = 3 \times 1 + c$
- ∴ c = -1
- \therefore The equation is : v = 3 X 1

- [a] : $2 \sin x = \tan^2 60^\circ 2 \tan 45^\circ$
 - $\therefore 2 \sin x = \left(\sqrt{3}\right)^2 2 \times 1$
- $\therefore \sin x = \frac{1}{2}$
- [b] :: $m(\angle A) = 90^{\circ}$
 - $(AB)^2 = (25)^2 (15)^2 = 400$
 - .: AB = 20 cm.
 - :. $\cos C \cos B \sin C \sin B = \frac{15}{25} \times \frac{20}{25} \frac{20}{25} \times \frac{15}{25}$

- [a] : The slope of $\overrightarrow{AB} = m_1 = \frac{0+4}{1+3} = 2$
 - , the slope of $\overrightarrow{BC} = m_1 = \frac{2-0}{2-1} = 2$
 - $m_1 = m_2$
- : AB // BC
- , : B is a common point
- .: A , B , C are collinear.
- $\therefore (6,-4) = \left(\frac{5+x}{2}, \frac{-3+y}{2}\right)$ [b] Let B (X, y)
 - $\therefore \frac{5+x}{2} = 6 \qquad \therefore 5+x=12 \qquad \therefore x=7$
- - y = -3 + y = -4 $\therefore -3 + y = -8$ $\therefore y = -5$
- - ∴ B (7 > -5)

- [a] : $m_1 = \tan 45^\circ = 1 \rightarrow m_2 = 1$
 - $\therefore m_1 = m_2$
 - .. The two straight lines are parallel.
- **[b]** : $\sqrt{(a+2)^2 + (7-3)^2} = 5$ (Squaring both sides)
 - $(a+2)^2 + (4)^2 = 25$
 - $a^2 + 4a + 4 + 16 25 = 0$
 - $a^2 + 4a 5 = 0$
- (a-1)(a+5)=0
- $\therefore a = 1$ or a = -5

Assiut

1 1 c

- 5 d
- - 4 a 5 c
- B b

2

- [a] : $m (\angle C) = 90^{\circ}$
 - $(AC)^2 = (13)^2 (12)^2 = 25$
 - .: AC = 5 cm.
 - :. $\sin A \cos B + \cos A \sin B = \frac{12}{13} \times \frac{12}{13} + \frac{5}{13} \times \frac{5}{13}$
- [b] : AB = $\sqrt{(5-1)^2 + (1-1)^2} = \sqrt{16} = 4$ length units
 - $_{3}BC = \sqrt{(3-5)^2 + (4-1)^2} = \sqrt{4+9}$
 - $=\sqrt{13}$ length units
 - $_{2}AC = \sqrt{(3-1)^{2} + (4-1)^{2}} = \sqrt{4+9} = \sqrt{13}$ length units.
 - .: BC = AC
- ... Δ ABC is isosceles.

3

- [a] : $2 \sin x = \tan^2 60^\circ 4 \sin 30^\circ$
 - $\therefore 2 \sin x = \left(\sqrt{3}\right)^2 4 \times \frac{1}{2} \qquad \therefore 2 \sin x = 1$
 - $\therefore \sin x = \frac{1}{2}$
- [b] : The midpoint of $\overline{AC} = \left(\frac{3+1}{2}, \frac{2+4}{2}\right) = (2, 3)$
 - .. The point of intersection of the diagonals is : (2,3)
 - Let D (X, y)
 - $\therefore (2,3) = \left(\frac{4+x}{2}, \frac{-5+y}{2}\right)$
 - $\therefore \frac{4+x}{2} = 2$
 - $,\frac{-5+y}{2}=3$
 - $\therefore -5 + y = 6 \qquad \therefore y = 11 \qquad \therefore D(0, 11)$

- [a] $\cos 60^\circ + \cos^2 30^\circ + \tan^2 45^\circ$
 - $= \frac{1}{2} + \left(\frac{\sqrt{3}}{2}\right)^2 + (1)^2 = \frac{1}{2} + \frac{3}{4} + 1 = \frac{9}{4}$
- [b] : $m_1 = \frac{4-3}{\sqrt{3}-2\sqrt{3}} = \frac{-1}{\sqrt{3}}$, $m_2 = \tan 60^\circ = \sqrt{3}$
 - $\therefore m_1 \times m_2 = \frac{-1}{\sqrt{3}} \times \sqrt{3} = -1$
 - .. The two straight lines are perpendicular.

- [a] : The slope of the given straight line = $\frac{-1}{2}$
 - \therefore The slope of the required straight line = $\frac{-1}{2}$
 - \therefore Its equation is : $y = \frac{-1}{3} x + c$
 - 3 : (3 : -5) satisfies the equation.
 - $\therefore -5 = \frac{-1}{2} \times 3 + c$ ∴ c = -4
 - \therefore The equation is: $y = \frac{-1}{2}x 4$
- [b] : $\frac{y-1}{x} = \frac{1}{2}$
 - $\therefore y = \frac{1}{2}x + 1$
 - \therefore The slope = $\frac{1}{2}$ and the intercepted part equals I unit from the positive direction of the y-axis.

Souhag

- 1 c 2 b
- **5** c

6 d

- [a] : $\cos x = 2 \cos^2 30^\circ 1$
 - $\therefore \cos x = 2 \times \left(\frac{\sqrt{3}}{2}\right)^2 1 \quad \therefore \cos x = 2 \times \frac{3}{4} 1$
 - $\therefore \cos x = \frac{1}{2}$
- [b] : The slope of $\overrightarrow{AB} = m_1 = \frac{-2-4}{-1-1} = 3$
 - the slope of $\overrightarrow{BC} = m_2 = \frac{-3+2}{2+1} = \frac{-1}{3}$
 - $m_1 \times m_2 = 3 \times \frac{-1}{3} = -1$ ∴ AB ⊥ BC
 - ∴ △ ABC is right-angled at B

- [a] $\boxed{1}$: m (\angle C) = 90°
 - $(AC)^2 = (13)^2 (12)^2 = 25$ AC = 5 cm
 - 2 sin A cos B + cos A sin B
 - $=\frac{12}{13}\times\frac{12}{13}+\frac{5}{12}\times\frac{5}{12}=1$
- [b] : The slope = 2
 - \therefore The equation of the straight line is : y = 2 x + c
 - : (1,0) satisfies the equation.
 - $\therefore 0 = 2 \times 1 + c$
 - \therefore The equation is: $y = 2 \times -2$

- [a] : $2 \sin 30^\circ = 2 \times \frac{1}{2} = 1$ (1)
 - $3 \tan^2 60^\circ 2 \tan 45^\circ = (\sqrt{3})^2 2 \times 1 = 1$
 - From (1), (2): \therefore 2 sin 30° = $\tan^2 60^\circ 2 \tan 45^\circ$
- [b] : The slope of the straight line $=\frac{-3-3}{1-1}=3$
 - \therefore Its equation is : y = 3 X + c
 - , ∵ (1, 3) satisfies the equation.
 - $\therefore 3 = 3 \times 1 + c$
 - \therefore The equation is : y = 3 x
 - $\mathbf{c} = 0$
 - .. The straight line passes through the origin point.

- [a] : The slope of $\overrightarrow{AB} = m_1 = \frac{5+1}{6+3} = \frac{2}{3}$
 - the slope of $\overrightarrow{BC} = m_2 = \frac{3-5}{3-6} = \frac{2}{3}$
 - : AB // BC $m_1 = m_2$, : B is a common point
 - .: A , B , C are collinear.
- [b] : $m_1 = \frac{5+2}{4+3} = 1$, $m_2 = \tan 45^\circ = 1$
 - ∴ m, = m,
 - .. The two straight lines are parallel.

Qena

- 1 b 2 c
- 4 b
- (5) c

- [a] : $m (\angle B) = 90^{\circ}$
 - $(AB)^2 = (10)^2 (8)^2 = 36$
 - ∴ AB = 6 cm.
 - $\therefore \sin^2 A + 1$ $=\left(\frac{8}{10}\right)^2 + 1 = \frac{41}{25}$
- $2\cos^2 C + \cos^2 A = 2 \times \left(\frac{8}{10}\right)^2 + \left(\frac{6}{10}\right)^2 = \frac{41}{25}$ (2)
- From (1), (2): $\sin^2 A + 1 = 2\cos^2 C + \cos^2 A$
- [b] : The slope of $\overrightarrow{AB} = m_1 = \frac{-1-1}{0-1} = 2$
 - the slope of $\overrightarrow{BC} = m_2 = \frac{3+1}{2-0} = 2$
 - : AB // BC $m_1 = m_2$

- . .: B is a common point
- : A . B . C are collinear.

$$\begin{bmatrix} \mathbf{a} \end{bmatrix} : \sin x \tan 30^{\circ} = \sin^2 45^{\circ} \\ : \sin x \times \frac{1}{\sqrt{3}} = \left(\frac{1}{\sqrt{2}}\right)^2 : \sin x = \frac{\sqrt{3}}{2} \end{bmatrix}$$

[b] :
$$m_1 = \frac{4-3}{2+1} = \frac{1}{3}$$
 , $m_2 = \frac{1}{3}$

$$m_1 = m_2$$

.. The two straight lines are parallel.

$$[\mathbf{a}] : \sin 60^\circ = \frac{\sqrt{3}}{2} \tag{1}$$

$$\frac{2}{2}$$
, $2 \sin 30^{\circ} \cos 30^{\circ} = 2 \times \frac{1}{2} \times \frac{\sqrt{3}}{2} = \frac{\sqrt{3}}{2}$

From (1) \Rightarrow (2) : \therefore sin 60° = 2 sin 30° cos 30°

[b] : AB =
$$\sqrt{(6-5)^2 + (-2-3)^2} = \sqrt{1+25}$$

=
$$\sqrt{26}$$
 length units

(2)

, BC =
$$\sqrt{(1-6)^2 + (-1+2)^2} = \sqrt{25+1}$$

$$=\sqrt{26}$$
 length units

, CD =
$$\sqrt{(0-1)^2 + (4+1)^2} = \sqrt{1+25}$$

 $=\sqrt{26}$ length units

, DA =
$$\sqrt{(5-0)^2 + (3-4)^2} = \sqrt{25+1}$$

= $\sqrt{26}$ length units

- : AB = BC = CD = DA
- : ABCD is a rhombus

$$_{2}$$
: AC = $\sqrt{(1-5)^{2}+(-1-3)^{2}} = \sqrt{16+16}$

 $=4\sqrt{2}$ length units

, BD =
$$\sqrt{(0-6)^2 + (4+2)^2} = \sqrt{36+36}$$

 $=6\sqrt{2}$ length units

$$\therefore \text{ The area of the rhombus} = \frac{1}{2} \text{ AC} \times \text{BD}$$

 $=\frac{1}{2}\times4\sqrt{2}\times6\sqrt{2}$ = 24 square units.

[a] : AB =
$$\sqrt{(3+3)^2 + (4-0)^2} = \sqrt{36+16}$$

= $2\sqrt{13}$ length units

, BC =
$$\sqrt{(1-3)^2 + (-6-4)^2} = \sqrt{4+100}$$

= $2\sqrt{26}$ length units
, CA = $\sqrt{(-3-1)^2 + (0+6)^2} = \sqrt{16+36}$
= $2\sqrt{13}$ length units

: AB = AC

.: Δ ABC is an isosceles triangle and its vertex is A Let D be the midpoint of \overline{BC} (The base of \triangle ABC)

$$\therefore D = \left(\frac{3+1}{2}, \frac{4-6}{2}\right) = (2, -1)$$

:. AD =
$$\sqrt{(2+3)^2 + (-1-0)^2} = \sqrt{25+1}$$

= $\sqrt{26}$ length units

.. The length of the segment perpendicular to \overline{BC} from $A = \sqrt{26}$ length units.

[b] : The midpoint of
$$\overline{AC} = \left(\frac{3+0}{2}, \frac{2-3}{2}\right)$$
$$= \left(1\frac{1}{2}, -\frac{1}{2}\right)$$

.. The point of intersection of the two diagonals is $(1\frac{1}{2}, -\frac{1}{2})$

and let D (X , y)

: The midpoint of \overline{AC} = the midpoint of \overline{BD}

$$\therefore \left(1\frac{1}{2}, -\frac{1}{2}\right) = \left(\frac{x+4}{2}, \frac{y-5}{2}\right)$$

$$\therefore (\frac{1}{2}, \frac{x+4}{2}) = (\frac{1}{2}, \frac{x+4}{2}) = \frac{1}{2} \therefore x+4=3 \qquad \therefore x=-1$$

$$,\frac{y-5}{2} = -\frac{1}{2}$$
 $\therefore y-5 = -1$ $\therefore y = 4$

Luxor

1 **1** b

[a] :
$$\sqrt{(3 a - 1 - a)^2 + (1 - 5)^2} = 5$$
 (Squaring both sides)

$$\therefore (2 a - 1)^2 + (-4)^2 = 25$$

$$\therefore 4 a^2 - 4 a + 1 + 16 - 25 = 0$$

$$\therefore 4 a^2 - 4 a - 8 = 0 \qquad \therefore a^2 - a - 2 = 0$$

∴
$$(a-2)(a+1)=0$$
 ∴ $a=2$ or $a=-1$

[b] :
$$3 \tan x - 4 \sin^2 30^\circ = 8 \cos^2 60^\circ$$

$$\therefore 3 \tan x - 4 \times \left(\frac{1}{2}\right)^2 = 8 \times \left(\frac{1}{2}\right)^2$$

$$\therefore 3 \tan x = 2 + 1 \qquad \therefore \tan x = 1 \qquad \therefore x = 45^{\circ}$$

- [a] : The slope of the given straight line = $\frac{-2}{3}$
 - \therefore The slope of the required straight line = $\frac{-2}{3}$
 - \therefore Its equation is: $y = \frac{-2}{3} x + c$
 - , : (1, 2) satisfies the equation.
 - $\therefore 2 = \frac{-2}{3} \times 1 + c \qquad \therefore c = \frac{8}{3}$
 - \therefore The equation is : $y = \frac{-2}{3}x + \frac{8}{3}$
- **[b]** : $m = \frac{4\sqrt{3} \sqrt{3}}{1 + 2} = \sqrt{3}$: $\tan \theta = \sqrt{3}$: $\theta = 60^{\circ}$

[a] : AB = $\sqrt{(-2-4)^2+(7+1)^2} = \sqrt{36+64}$

= 10 length units

- \therefore r = $\frac{1}{2}$ AB = 5 length units
- \therefore The area = $3.14 \times (5)^2 = 78.5$ square units.
- [b] $1 : AB = AC : \overline{AD} \perp \overline{BC}$
 - ∴ BD = CD = 6 cm.

In A ADC:

- ∵ m (∠ ADC) = 90°
- $(AD)^2 = (10)^2 (6)^2 = 64$
- ∴ AD = 8 cm.
- $\therefore \sin^2 C + \cos^2 C = \left(\frac{8}{10}\right)^2 + \left(\frac{6}{10}\right)^2 = 1$
- $2 : m(\angle B) = m(\angle C)$ $\therefore \sin B = \sin C$
 - \therefore sin B + cos C = sin C + cos C

$=\frac{8}{10}+\frac{6}{10}=\frac{14}{10}>1$

- [a] : AB // y-axis
- $\therefore 3 x = 0$
- [b] $1 \ln \Delta AMB : \because m (\angle AMB) = 90^{\circ}$
 - \therefore cos (\angle BAM) = $\frac{4}{5}$
 - \therefore m (\angle BAC) \approx 36° 52 12
 - $m (\angle BAD) = 73^{\circ} 44^{\circ} 24^{\circ}$
 - [2] :: $(BM)^2 = (5)^2 (4)^2 = 9$:: BM = 3 cm.
 - \therefore The area = $\frac{1}{2} \times 8 \times 6 = 24$ cm².

Aswan

- 1 1 c
- 2 b
- 4 c [5] c
- Bb

- [a] : $2 \sin x = \tan^2 60^\circ 2 \tan^2 45^\circ$
 - $\therefore 2 \sin x = \left(\sqrt{3}\right)^2 2 \times (1)^2$
 - $\therefore 2 \sin x = 1$ $\therefore x = 30^{\circ}$
 - $\therefore \sin x = \frac{1}{2}$
- [b] : The slope of $\overrightarrow{AB} = \frac{5-3}{2} = 1$
 - ∴ The slope of the required straight line = -1
 - \therefore Its equation is: y = -x + c
 - : the midpoint of $\overline{AB} = \left(\frac{1+3}{2}, \frac{3+5}{2}\right)$
 - , the required straight line passes through the midpoint of AB
 - 4 = -2 + c $\therefore c = 6$
 - : The equation of the required straight line is : y = -x + 6

- [a] : $(4,2) = \left(\frac{2+6}{2}, \frac{4+y}{2}\right)$
 - $\therefore \frac{4+y}{2} = 2 \qquad \therefore 4+y=4$
- [b] : The slope of $\overrightarrow{AB} = m_1 = \frac{3+1}{2+1} = \frac{4}{3}$
 - the slope of $\overrightarrow{BC} = m_2 = \frac{0-3}{6-3} = \frac{-3}{4}$
 - $m_1 \times m_2 = \frac{4}{3} \times \frac{-3}{4} = -1$ ∴ AB⊥BC
 - ∴ △ ABC is right-angled at B

- [a] : $m(\angle Y) = 90^{\circ}$
 - $(YZ)^2 = (13)^2 (5)^2 = 144$
 - ∴ YZ = 12 cm.
 - 1 $\tan X \tan Z = \frac{12}{5} \times \frac{5}{12} = 1$
 - 2 cos X cos Z sin X sin Z $=\frac{5}{13}\times\frac{12}{13}-\frac{12}{13}\times\frac{5}{13}=0$
- [b] : The straight line passes through the points (1,0),(0,4)
 - \therefore Its slope = $\frac{4-0}{0}$ = -4

- \therefore Its equation is: y = -4 x + c
- : the straight line intercepts 4 units from the positive part of y-axis
- \therefore Its equation is : y = -4 x + 4

5

- [a] $: m_1 = \frac{3-4}{-1-2} = \frac{1}{3}$ $m_2 = \frac{1}{3}$ $m_1 = m_2$
 - .. The two straight lines are parallel.
- [b] $\therefore 2 \text{ AB} = \sqrt{3} \text{ AC}$ $\therefore \frac{AB}{AC} = \frac{\sqrt{3}}{2}$ Let AB = $\sqrt{3}$ length units $\Rightarrow AC = 2$ length units
 - $\therefore BC = 1 \text{ length units}$
 - $\therefore \sin C = \frac{\sqrt{3}}{2} \quad , \quad \cos C = \frac{1}{2} \quad , \quad \tan C = \sqrt{3}$

New Valley

1 d

- С
- 4 a
- 5 d 6 c

2

- [a] : $m (\angle Z) = 90^{\circ}$
 - $(XY)^2 = (3)^2 + (4)^2 = 25$
 - ∴ XY = 5 cm.
 - 1 $\tan X \tan Y = \frac{4}{3} \times \frac{3}{4} = 1$
 - $2 \sin^2 X + \cos^2 X = \left(\frac{4}{5}\right)^2 + \left(\frac{3}{5}\right)^2 = 1$
- [b] : AB = $\sqrt{(1-3)^2 + (5-3)^2} = \sqrt{4+4}$ = $2\sqrt{2}$ length units
 - , BC = $\sqrt{(1-1)^2 + (3-5)^2} = \sqrt{0+4}$
 - = 2 length units
 - $AC = \sqrt{(1-3)^2 + (3-3)^2} = \sqrt{4+0}$ = 2 length units
 - :. BC = AC
 - ∴ ∆ABC is an isosceles triangle
 - $\therefore (AB)^2 = (2\sqrt{2})^2 = 8$
 - $(BC)^{2} + (AC)^{2} = (2)^{2} + (2)^{2} = 8$
 - $(AB)^2 = (BC)^2 + (AC)^2$
 - :. A ABC is a right-angled triangle at C

3

- [a] 1 : $\tan x = 4 \sin 30^{\circ} \cos 60^{\circ}$
 - $\therefore \tan x = 4 \times \frac{1}{2} \times \frac{1}{2} = 1$
- ∴ X = 45°
- $2 \sin 45^{\circ} = \frac{1}{\sqrt{2}}$
- [b] : The slope of the straight line = 2
 - \therefore Its equation is : y = 2 X + c
 - , :: (1,0) satisfies the equation.
 - $\therefore 0 = 2 \times 1 + c \qquad \therefore c$
 - \therefore The equation is: y = 2 X 2

4

- [a] $1 : AB = AC, \overline{AD} \perp \overline{BC}$
 - ∴ BD = CD = 6 cm.
 - $\ln \Delta ADB : \because m (\angle ADB) = 90^{\circ}$
 - $\therefore \cos B = \frac{6}{10} = \frac{3}{5}$
 - 2 m (∠ B) ≈ 53° 7 48
 - $3 : \sin(90^\circ B) = \cos B$
 - ∴ $\sin (90^{\circ} B) = \frac{3}{5}$
- [b] 1 : The midpoint of $\frac{3}{AC} = \left(\frac{-2+4}{2}, \frac{3-3}{2}\right)$ = (1,20)
 - \therefore The point of intersection of the diagonals = (1, 0)
 - 2 Let D (X , y)
 - $\therefore (1,0) = \left(\frac{-1+x}{2}, \frac{-2+y}{2}\right)$
 - $\therefore \frac{-1+x}{2} = 1 \qquad \therefore -1+x = 2 \qquad \therefore x = 3$
 - $, \frac{-2+y}{2} = 0 \qquad \therefore -2+y = 0 \qquad \therefore y = 0$
 - ∴ D (3 , 2)

.. y – 2

- [a] :: $L_1 // L_2$:: $m_1 = m_2$:: $\frac{k-1}{3-2} = \tan 45^\circ$
 - $\therefore k 1 = 1 \qquad \therefore k = 2$
- [b] : The straight line passes through (2,0),(0,4)
 - : Its slope = $\frac{4-0}{0-2} = -2$
 - \therefore Its equation is : y = -2 X + c
 - : the straight line intercepts 4 units from the positive part of y-axis
 - \therefore Its equation is: y = -2x + 4

South Sinai

1

1 a

2 b

3 c

4 d 5 a

6 c

2

[a] : $\cos 60^{\circ} = \frac{1}{2}$

] :
$$\cos 60^{\circ} = \frac{1}{2}$$
 (1)
 $\cos^2 30^{\circ} - \sin^2 30^{\circ} = \left(\frac{\sqrt{3}}{2}\right)^2 - \left(\frac{1}{2}\right)^2 = \frac{1}{2}$ (2)

From (1) \Rightarrow (2) : \therefore cos $60^{\circ} = \cos^2 30^{\circ} - \sin^2 30^{\circ}$

[b] Let B (X, y)

$$\therefore (1,-3) = \left(\frac{4+x}{2}, \frac{-3+y}{2}\right)$$

$$\therefore \frac{4+x}{2} = 1$$

 $\therefore \frac{4+x}{2} = 1 \qquad \therefore 4+x = 2 \qquad \therefore x = -2$

$$rac{-3+y}{2} = -1$$

y = -3 + y = -3 $\therefore -3 + y = -6$ $\therefore y = -3$

 $\therefore B(-2, -3)$

- [a] : The slope of the straight line = $\frac{-3-3}{1-1}$ = 3
 - \therefore Its equation is: y = 3 x + c
 - , :: (1,3) satisfies the equation.
 - $\therefore 3 = 3 \times 1 + c$
- ∴ c = 0
- \therefore The equation is : y = 3 X
- [b] : AB = $\sqrt{(1-3)^2 + (5-3)^2} = \sqrt{4+4}$ $=2\sqrt{2}$ length units

 $_{2}BC = \sqrt{(1-1)^{2} + (3-5)^{2}} = \sqrt{4}$

= 2 length units

 $AC = \sqrt{(1-3)^2 + (3-3)^2} = \sqrt{4} = 2$ length units

- BC = AC
- .: Δ ABC is an isosceles triangle.

- [a] : The slope of the straight line = tan 45° = 1
 - \therefore Its equation is : y = X + c
 - \cdot : (-2,3) satisfies the equation.
 - $\therefore 3 = -2 + c$
- ∴ c = 5
- \therefore The equation is : y = x + 5
- [b] $\frac{2 \tan 45^{\circ}}{1 + \tan^2 45^{\circ}} = \frac{2 \times 1}{1 + (1)^2} = 1$

- [a] : The slope of the straight line is 2 and it intersects 5 units from the positive part of the v-axis
 - \therefore Its equation is : y = 2 X + 5
- [b] 1 : m (\angle B) = 90° : sin C = $\frac{5}{10}$ = $\frac{1}{2}$
- - ∴ m (∠ C) = 30°
 - $2 \sin^2 C + \cos^2 C = \sin^2 30^\circ + \cos^2 30^\circ$

$$=\left(\frac{1}{2}\right)^2 + \left(\frac{\sqrt{3}}{2}\right)^2 = 1$$

North Sinai

2 c

3 a

4 c

[5] d 6 c

(1)

[a] : $\cos 60^{\circ} = \frac{1}{2}$

 $2\cos^2 30^\circ - 1 = 2 \times \left(\frac{\sqrt{3}}{2}\right)^2 - 1$ $=2\times\frac{3}{4}-1=\frac{1}{2}$ (2)

From (1) $_{2}(2)$: $\therefore \cos 60^{\circ} = 2 \cos^{2} 30^{\circ} - 1$

[b] : AB = $\sqrt{(-4-1)^2 + (2+2)^2} = \sqrt{25+16}$ $=\sqrt{41}$ length units

 $_{2}BC = \sqrt{(1+4)^{2} + (6-2)^{2}} = \sqrt{25+16}$

 $=\sqrt{41}$ length units

 $AC = \sqrt{(1-1)^2 + (6+2)^2} = \sqrt{64}$

= 8 length units

- ∴ AB = BC
- .: Δ ABC is an isosceles triangle.

3

- [a] : The slope of the straight line = 2 and it cuts 7 units from the positive part of the y-axis
 - \therefore Its equation is : y = 2 x + 7
- [b] $1 : m (\angle B) = 90^{\circ}$

 $(AB)^2 = (10)^2 - (8)^2 = 36$

.: AB = 6 cm.

 $2 \sin^2 A + \cos^2 A = \left(\frac{8}{10}\right)^2 + \left(\frac{6}{10}\right)^2$

[a]
$$\cdot \cdot \cos x = \frac{\sin 60^{\circ} \sin 30^{\circ}}{\sin^2 45^{\circ}}$$
 $\therefore \cos x = \frac{\frac{\sqrt{3}}{2} \times \frac{1}{2}}{\left(\frac{1}{\sqrt{2}}\right)^2}$
 $\therefore \cos x = \frac{\sqrt{3}}{2}$ $\therefore x = 30^{\circ}$

[b] : The slope of the given straight line = $\frac{-4+3}{5-2}$

.. The slope of the required straight line = 3

 \therefore Its equation is : y = 3 X + c

• :: (1 • 2) satisfies the equation.

 $\therefore 2 = 3 \times 1 + c$

 \therefore The equation is: $y = 3 \times -1$

5

1 : MA =
$$\sqrt{(-1-3)^2 + (2+1)^2} = \sqrt{16+9}$$

= 5 length units

• MB =
$$\sqrt{(-1+4)^2+(2-6)^2}$$
 = $\sqrt{9+16}$

= 5 length units

and MC =
$$\sqrt{(-1-2)^2 + (2+2)^2} = \sqrt{9+16}$$

= 5 length units

: MA = MB = MC

: A , B and C lie on the circle M

The circumference of the circle = $2 \times 3.14 \times 5$

= 31.4 length units.

Red Sea

1



6 d

[a] : $\sin 60^{\circ} = \frac{\sqrt{3}}{2}$

 $2 \sin 30^{\circ} \cos 30^{\circ} \tan 45^{\circ} = 2 \times \frac{1}{2} \times \frac{\sqrt{3}}{2} \times 1$

From (1) , (2): .: sin 60° = 2 sin 30° cos 30° tan 45° **[b]** : The slope of the straight line $=\frac{1-2}{2-4} = \frac{1}{2}$

.. Its equation is : $y = \frac{1}{2} x + c$ • : (4 • 2) satisfies the equation.

 $\therefore 2 = \frac{1}{2} \times 4 + c \qquad \therefore c = 0$

 \therefore The equation is : $y = \frac{1}{2} x$

[a] : $\tan x = 4 \cos 60^{\circ} \sin 30^{\circ}$

 $\therefore \tan x = 4 \times \frac{1}{2} \times \frac{1}{2}$

[b] : AB = $\sqrt{(-3-2)^2 + (0-4)^2} = \sqrt{25+16}$ $=\sqrt{41}$ length units

 $_{2}BC = \sqrt{(-7+3)^{2}+(5-0)^{2}} = \sqrt{16+25}$ $=\sqrt{41}$ length units

 $_{2}AC = \sqrt{(-7-2)^{2} + (5-4)^{2}} = \sqrt{81+1}$ $=\sqrt{82}$ length units

 $(AC)^2 = (AB)^2 + (BC)^2$

∴ △ ABC is a right-angled triangle at B

, its area = $\frac{1}{2} \times \sqrt{41} \times \sqrt{41} = 20 \frac{1}{2}$ square units.

[a] : The slope of the straight line = 2 and it intercepts 7 units from the positive part of the y-axis

 \therefore Its equation is : y = 2 x + 7

[b] : $m (\angle B) = 90^{\circ}$

 $(AB)^2 = (13)^2 - (5)^2 = 144$

∴ AB = 12 cm.

: sin A cos C + cos A sin C

 $=\frac{5}{13}\times\frac{5}{13}+\frac{12}{13}\times\frac{12}{13}=1$

5

[a] : $\sqrt{(x+2)^2 + (7-3)^2} = 5$ (Squaring both sides)

 $\therefore (X+2)^2 + (7-3)^2 = 25$

(2) $\therefore (X+2) + (x-2) = 0$ $\therefore x^2 + 4x + 4 + 16 - 25 = 0$ $\therefore x^2 + 4x - 5 = 0 \qquad \therefore (x+5)(x-1) = 0$

$$m_1 = m_2$$

$$\therefore \frac{k-1}{2-3} = \tan 45^{\circ} \qquad \therefore -k+1 = 1$$

$$\therefore -k+1=1$$

Matrouh

1











(1)



[a] :
$$\tan 60^\circ = \sqrt{3}$$

$$, \frac{2 \tan 30^{\circ}}{1 - \tan^2 30^{\circ}} = \frac{2 \times \frac{1}{\sqrt{3}}}{1 - \left(\frac{1}{\sqrt{3}}\right)^2} = \frac{\frac{2}{\sqrt{3}}}{1 - \frac{1}{3}} = \sqrt{3}$$

$$\therefore \tan 60^{\circ} = \frac{2 \tan 30^{\circ}}{1 - \tan^2 30^{\circ}}$$

[b] : The slope of
$$\overrightarrow{AB} = m_1 = \frac{-4 - 0}{2 - 6} = 1$$

• the slope of
$$\overrightarrow{BC} = m_2 = \frac{2+4}{-4-2} = -1$$

$$\therefore m_1 \times m_2 = 1 \times -1 = -1$$

∴ ∆ ABC is a right-angled triangle at B

[a] :
$$\sqrt{(a+2)^2 + (7-3)^2} = 5$$
 (Squaring both sides)

$$\therefore (a+2)^2 + (7-3)^2 = 25$$

$$a^2 + 4a + 4 + 16 - 25 = 0$$

$$a^2 + 4a - 5 = 0$$
 $(a + 5)(a - 1) = 0$

$$\therefore a = -5$$
 or $a = 1$

[b] ::
$$m (\angle B) = 90^{\circ}$$

$$(AC)^2 = (3)^2 + (4)^2 = 25$$

$$\therefore \sin A \cos C + \cos A \sin C$$
$$= \frac{4}{5} \times \frac{4}{5} + \frac{3}{5} \times \frac{3}{5} = 1$$



[a] Let
$$A = X^{\circ}$$
, $B = 2 X^{\circ}$

$$\therefore X + 2 X = 90^{\circ} \qquad \therefore 3 X = 90^{\circ}$$

$$\therefore 3 x = 90^{\circ}$$

$$\therefore A = 30^{\circ}$$
 , $B = 60^{\circ}$

$$\therefore \sin A + \cos B = \sin 30^{\circ} + \cos 60^{\circ}$$

$$= \frac{1}{2} + \frac{1}{2} = 1$$

(2)
$$[b] : \frac{x}{2} + \frac{y}{2} = 1$$
 (Multiplying by 2)

$$\therefore X + y = 2$$

$$\therefore$$
 The slope = -1

[a] :
$$(-3, y) = \left(\frac{x+9}{2}, \frac{-6-12}{2}\right)$$

$$, \frac{x+9}{2} = -3$$

$$\therefore x+9 = -6$$

$$\therefore x = -15$$

$$x = -15$$

[b] : The slope of the given straight line =
$$\frac{-1}{2}$$

$$\therefore$$
 The slope of the required straight line $=\frac{-1}{2}$

$$\therefore$$
 Its equation is : $y = \frac{-1}{2} x + c$

$$:$$
 (3 , -5) satisfies the equation.

$$\therefore -5 = \frac{-1}{2} \times 3 + c \qquad \therefore c = \frac{-7}{2}$$

$$\therefore$$
 The equation is : $y = \frac{-1}{2}x - \frac{7}{2}$